Dashboards project

Richard White

2018-10-18

Contents

1	Introduction	1
	1.1 Executive summary]
	1.2 What is an automated analysis?	2
	1.3 Why not have one project for each automated analysis?	4
	1.4 Important repositories	2
2	Executable for each automated analysis	9
3	R packages	3
4	Introduction	3
	4.1 Executive summary	į
	4.2 What is an automated analysis?	
	4.3 Why not have one project for each automated analysis?	:

List of Tables

List of Figures

1 Introduction

1.1 Executive summary

The dashboards project is a project at FHI concerned with running automated analyses on data.

In principle, the dashboards project is split up into three parts:

- 1. The overarching infrastructure (i.e. Docker containers, continuous integration, chron jobs, etc.)
- 2. The R package for each automated analysis
- 3. The R executable for each automated analysis

1.2 What is an automated analysis?

An automated analysis is any analysis that:

- 1. Will be repeated multiple times in the future
- 2. Always has an input dataset with consistent file structure
- 3. Always has the same expected output (e.g. tables, graphs, reports)

1.3 Why not have one project for each automated analysis?

Automated analyses have a lot of code and infrastructure in common.

Automated analyses:

- 1. Need their code to be tested via unit testing to ensure the results are correct
- 2. Need their code to be tested via integration testing to ensure everything runs
- 3. Need to be run at certain times
- 4. Need to be able to send emails notifying people that the analyses have finished running
- 5. Need to make their results accessible to the relevant people

By combining them all in one umbrella project we can force everyone to use the same infrastructure, so we:

- 1. Only need to solve a problem once
- 2. Only need to maintain one system
- 3. Can easily work on multiple projects, as we all speak the same language

1.4 Important repositories

1.4.1 Infrastructure

https://github.com/raubreywhite/dashboards control/ (private)

This contains the Docker files, cronfiles, all bash scripts, etc.

https://folkehelseinstituttet.github.io/dashboards/ (this one)

This contains the R executable for each automated analysis.

https://folkehelseinstituttet.github.io/fhi/

This is an R package that contains helper functions.

1.4.2 Automated analyses

https://folkehelseinstituttet.github.io/dashboards_sykdomspuls/

https://folkehelseinstituttet.github.io/dashboards_normomo/

https://folkehelseinstituttet.github.io/dashboards_sykdomspuls_pdf/

https://folkehelseinstituttet.github.io/dashboards_sykdomspuls_log/

2 Executable for each automated analysis

Each automated analysis has its own R package (e.g. sykdomspuls).

Each R package should contain 99%

3 R packages

Each automated analysis has its own R package (e.g. sykdomspuls).

Each R package should contain 99%

4 Introduction

4.1 Executive summary

The dashboards project is a project at FHI concerned with running automated analyses on data.

In principle, the dashboards project is split up into three parts:

- 1. The overarching infrastructure (i.e. Docker containers, continuous integration, chron jobs, etc.)
- 2. The R package for each automated analysis
- 3. The executable for each automated analysis

4.2 What is an automated analysis?

An automated analysis is any analysis that:

- 1. Will be repeated multiple times in the future
- 2. Always has an input dataset with consistent file structure
- 3. Always has the same expected output (e.g. tables, graphs, reports)

4.3 Why not have one project for each automated analysis?

Automated analyses have a lot of code and infrastructure in common.

Automated analyses:

- 1. Need their code to be tested via unit testing to ensure the results are correct
- 2. Need their code to be tested via integration testing to ensure everything runs
- 3. Need to be run at certain times
- 4. Need to be able to send emails notifying people that the analyses have finished running
- 5. Need to make their results accessible to the relevant people

By combining them all in one umbrella project we can force everyone to use the same infrastructure, so we:

- 1. Only need to solve a problem once
- 2. Only need to maintain one system
- 3. Can easily work on multiple projects, as we all speak the same language