
Nine sarcoma entities with a published incidence rate — two of them above 1,300 US cases a year — have DNA methylation profiling and nothing else
Burden
Data, split by what it can answer
GIST
Leiomyosarcoma
Desmoid / aggressive fibromatosis
Atypical fibroxanthoma / pleomorphic dermal sarcoma
Undifferentiated pleomorphic sarcoma
Dermatofibrosarcoma protuberans
Angiosarcoma
Chondrosarcoma
Kaposi sarcoma
Solitary fibrous tumor
Liposarcoma, well-differentiated
Osteosarcoma
Liposarcoma, dedifferentiated
Myxofibrosarcoma
GCTB / chondroblastoma
Liposarcoma, NOS / mixed
Synovial sarcoma
Liposarcoma, myxoid / round cell
Ewing sarcoma
FN-RMS (fusion-negative)
MPNST
Chordoma
Endometrial stromal sarcoma
LGFMS / SEF
Liposarcoma, pleomorphic
Inflammatory myofibroblastic tumor
Epithelioid sarcoma
FP-RMS (PAX3/7::FOXO1)
Epithelioid hemangioendothelioma
Rhabdoid tumor / ATRT
Extraskeletal myxoid chondrosarcoma
DSRCT
Clear cell sarcoma of soft tissue
Intimal sarcoma
CIC::DUX4 sarcoma
Myoepithelial carcinoma of soft tissue
ASPS
Angiomatoid fibrous histiocytoma
Fibrosarcoma (adult)
PEComa (malignant)
Clear cell sarcoma of the kidney
MYOD1-mutant RMS
BCOR::CCNB3 sarcoma
Infantile fibrosarcoma
360
244
38
14 · DNA methylation only
77
40 · DNA methylation only
46 · DNA methylation only
330
505
69
39
4,372
101
17 · DNA methylation only
688
418
751
103
2,127
358
655
215
71
17
28 · DNA methylation only
9 · DNA methylation only
125
912
56
1,545
11 · DNA methylation only
167
290
1 · DNA methylation only
69
0 · DNA methylation only
187
9 · DNA methylation only
354
49
12 · DNA methylation only
34
9 · DNA methylation only
36
Pediatric-predominant
Both ages
Adult-predominant
Regulatory epigenomics
DNA methylation only
4,000
2,000
0
US cases per year
1
10
100
1,000
10,000
Epigenomic samples (log scale)