How to create an External Client App for Quickport

1. Log in to your Salesforce environment. At the top left, navigate to gear icon and choose the **Setup** option.



2. A new tab should open in your browser. Open it, then use the **Quick Find** search bar on the left to find the **External Client App Manager** option.



3. Click the button labeled as **New External Client App**.



4. Do the following steps to properly fill out the creation form:

   a. In the **Basic Information** section complete the fields that are marked in red in the photo.



   b. In the **API (Enable OAuth Settings)** section, check the **Enable OAuth** checkbox. After that a bunch of authorization options should appear.

      In the **Callback URL** field paste this exact URI: "**http://localhost:8080/callback**". Without this the application won't work. Make sure that the port "8080" is not occupied.

      For the **OAuth Scopes** select **Manage user data via APIs (api)** and **Perform requests at any time (refresh_token, online_access)**.

API (Enable OAuth Settings)

Enable OAuth

App Settings

* Callback URL

http://localhost:8081/callback

*** OAuth Scopes**

Available OAuth Scopes

Access the identity URL service (id, profile, email, address, phone)

Manage user data via Web browsers (web)

Full access (full)

Access Connect REST API resources (chatter_api)

Access Visualforce applications (visualforce)

Access unique user identifiers (openid)

Selected OAuth Scopes

Manage user data via APIs (api)

Perform requests at any time (refresh_token, offline_access)

Introspect all Tokens

Configure ID token

The checkboxes that should be checked:

- **Enable Authorization Code and Credentials Flow** (after that a new checkbox will show up labeled as **Require user credentials in the POST body for Authorization Code and Credentials Flow** - DO NOT CHECK IT),
- **Require Proof Key for Code Exchange (PKCE) extension for Supported Authorization Flows**

Flow Enablement

Enable Client Credentials Flow

Enable Authorization Code and Credentials Flow

Require user credentials in the POST body for Authorization Code and Credentials Flow

Enable Device Flow

Enable JWT Bearer Flow

Enable Token Exchange Flow

Security

Require secret for Web Server Flow

Require secret for Refresh Token Flow

Require Proof Key for Code Exchange (PKCE) extension for Supported Authorization Flows

Enable Refresh Token Rotation

Issue JSON Web Token (JWT)-based access tokens for named users

5. After you have filled out the form you can click the **Create** button.

6. Go back to the **External Client App Manager** and select the app you just created.



7. Go to **Settings** > **OAuth Settings** and click the **Consumer Key and Secret** button.



8. You might be asked to verify your identity by entering a verification code (2FA). Check the email associated with your Salesforce account to retrieve the code.



9. Copy the **Consumer Key** and save it. You will not need the **Consumer Secret**.

This is the end of the guide on how to create an External Client App for **Quickport** application. The **Consumer Key** will be required while creating a new profile in the app.