flexboxfroggy.com

EXBOX FROGGY

Level 1 of 24

ome to Flexbox Froggy, a game where you help Froggy and friends by writing CSS code! Guide this frog to lypad on the right by using the `justify-content` property, which aligns items horizontally and ots the following values:

- `flex-start`: Items align to the left side of the container.
- `flex-end`: Items align to the right side of the container.
- `center`: Items align at the center of the container.
- `space-between`: Items display with equal spacing between them.
- `space-around`: Items display with equal spacing around them.

example, `justify-content: flex-end;` will move the frog to the right.

```
#pond {
  display: flex;
  justify-content: flex-end
}
```

Next

Flexbox Froggy is created by Codepip • GitHub • Twitter • Settings

Want to learn CSS grid? Play Grid Garden.

Untitled document - G | Introduction to React | Snacks — Expo | witty chocolate - Snack | Edit fiddle - JSFiddle | Flexbox Froggy - A g

flexboxfroggy.com

FLEXBOX FROGGY

Level 2 of 24

Use **justify-content** again to help these frogs get to their lilypads. Remember that this CSS property aligns items horizontally and accepts the following values:

- **flex-start**: Items align to the left side of the container.
- **flex-end**: Items align to the right side of the container.
- **center**: Items align at the center of the container.
- **space-between**: Items display with equal spacing between them.
- **space-around**: Items display with equal spacing around them.

```
#pond {
  display: flex;
  justify-content: center
}
```

Next

Flexbox Froggy is created by Codepip • GitHub • Twitter • Settings

Want to learn CSS grid? Play Grid Garden.



Untitled document - G | Introduction to React | Snacks — Expo | witty chocolate - Snack | Edit fiddle - JSFiddle | Flexbox Froggy - A g

flexboxfroggy.com

FLEXBOX FROGGY

Level 3 of 24

Help all three frogs find their lilypads just by using **justify-content**. This time, the lilypads have lots of space all around them.

If you find yourself forgetting the possible values for a property, you can click on the property name to view them. Try clicking on **justify-content**.

```
#pond {
  display: flex;
  justify-content: space-around;
}
```

Next

Flexbox Froggy is created by Codepip • GitHub • Twitter • Settings

Want to learn CSS grid? Play Grid Garden.

FLEXBOX FROGGY

Level 5 of 24

Now use `align-items` to help the frogs get to the bottom of the pond. This CSS property aligns items vertically and accepts the following values:

- `flex-start`: Items align to the top of the container.
- `flex-end`: Items align to the bottom of the container.
- `center`: Items align at the vertical center of the container.
- `baseline`: Items display at the baseline of the container.
- `stretch`: Items are stretched to fit the container.

```
#pond {
  display: flex;
  align-items : flex-end;
}
```

Next

Flexbox Froggy is created by Codepip • GitHub • Twitter • Settings

Want to learn CSS grid? Play Grid Garden.



Untitled docume × Introduction to R × Snacks — Expo × witty chocolate - × Edit fiddle - JSFid × Flexbox Froggy × flex froggy - C

flexboxfroggy.com

FLEXBOX FROGGY

Level 6 of 24

Lead the frog to the center of the pond using a combination of `justify-content` and `align-items`.

```
#pond {
  display: flex;
  justify-content : center;
  align-items : center;
}
```

Next

Flexbox Froggy is created by Codepip • GitHub • Twitter • Settings

Want to learn CSS grid? Play Grid Garden.

Untitled document - G | Introduction to React | Snacks — Expo | witty chocolate - Snack | Edit fiddle - JSFiddle | Flexbox Froggy - A g

flexboxfroggy.com

FLEXBOX FROGGY

Level 4 of 24

Now the lilypads on the edges have drifted to the shore, increasing the space between them. Use `justify-content`. This time, the lilypads have equal spacing between them.

```
#pond {
  display: flex;
  justify-content: space-between;
}
```

Next

Flexbox Froggy is created by Codepip • GitHub • Twitter • Settings

Want to learn CSS grid? Play Grid Garden.

flexboxfroggy.com

FLEXBOX FROGGY

Level 7 of 24

The frogs need to cross the pond again, this time for some lilypads with plenty of space around them. Use a combination of `justify-content` and `align-items`.

```
#pond {
  display: flex;
  justify-content: space-around;
  align-items: flex-end;
}
```

Next

Flexbox Froggy is created by Codepip • GitHub • Twitter • Settings

Want to learn CSS grid? Play Grid Garden.



Type here to search

ENG 19:43 04-08-2023

Untitled docume | Introduction to R | Snacks — Expo | witty chocolate - | Edit fiddle - JSFid | Flexbox Froggy - | flex froggy - Goo

flexboxfroggy.com

FLEXBOX FROGGY

Level 8 of 24

The frogs need to get in the same order as their lilypads using `flex-direction`. This CSS property defines the direction items are placed in the container, and accepts the following values:

- `row`: Items are placed the same as the text direction.
- `row-reverse`: Items are placed opposite to the text direction.
- `column`: Items are placed top to bottom.
- `column-reverse`: Items are placed bottom to top.

```
#pond {
  display: flex;
  flex-direction : row-reverse;
}
```

Next

Flexbox Froggy is created by Codepip • GitHub • Twitter • Settings

Want to learn CSS grid? Play Grid Garden.

Untitled docume | Introduction to R | Snacks — Expo | witty chocolate - | Edit fiddle - JSFi | Flexbox Froggy | flex froggy - Go
flexboxfroggy.com

FLEXBOX FROGGY

Level 9 of 24

Help the frogs find their column of lilypads using `flex-direction`. This CSS property defines the direction items are placed in the container, and accepts the following values:

- `row`: Items are placed the same as the text direction.
- `row-reverse`: Items are placed opposite to the text direction.
- `column`: Items are placed top to bottom.
- `column-reverse`: Items are placed bottom to top.

```
#pond {
  display: flex;
  flex-direction : column;
}
```

Next

Flexbox Froggy is created by Codepip • GitHub • Twitter • Settings

Want to learn CSS grid? Play Grid Garden.

Type here to search
ENG 19:48 04-08-2023

Untitled docume | Introduction to R | Snacks — Expo | witty chocolate - | Edit fiddle - JSFid | Flexbox Froggy | flex froggy - Goo

flexboxfroggy.com

FLEXBOX FROGGY

Level 10 of 24

Help the frogs get to their own lilypads. Although they seem close, it will take both `flex-direction` and `justify-content` to get them there.

Notice that when you set the direction to a reversed row or column, start and end are also reversed.

```
#pond {
  display: flex;
  justify-content: flex-end;
  flex-direction: row-reverse;
}
```

Next

Flexbox Froggy is created by Codepip • GitHub • Twitter • Settings

Want to learn CSS grid? Play Grid Garden.

Untitled docume | Introduction to R | Snacks — Expo | witty chocolate - | Edit fiddle - JSFid | Flexbox Froggy - | flex froggy - Goo

flexboxfroggy.com

FLEXBOX FROGGY

Level 12 of 24

Help the frogs find their lilypads using `flex-direction` and `justify-content`.

```
#pond {
  display: flex;
  justify-content: space-between;
  flex-direction: column-reverse;
}
```

Next

Flexbox Froggy is created by Codepip • GitHub • Twitter • Settings

Want to learn CSS grid? Play Grid Garden.

Type here to search

ENG 20:02 04-08-2023

Untitled docume | Introduction to F | Snacks — Expo | witty chocolate - | Edit fiddle - JSFic | Flexbox Froggy - | flex froggy - Go

flexboxfroggy.com

FLEXBOX FROGGY

Level 11 of 24

Help the frogs find their lilypads using `flex-direction` and `justify-content`.

Notice that when the flex direction is a column, `justify-content` changes to the vertical and `align-items` to the horizontal.

```
#pond {
  display: flex;
  justify-content: flex-end;
  flex-direction: column;
}
```

Next

Flexbox Froggy is created by Codeplp • GitHub • Twitter • Settings

Want to learn CSS grid? Play Grid Garden.

Type here to search

ENG 19:58 04-08-2023

Untitled docume | Introduction to R | Snacks — Expo | witty chocolate - | Edit fiddle - JSFid | Flexbox Froggy | flex froggy - Goo

flexboxfroggy.com

FLEXBOX FROGGY

Level 13 of 24

Help the frogs find their lilypads using `flex-direction`, `justify-content`, and `align-items`.

```
#pond {
  display: flex;
  justify-content: center;
  flex-direction: row-reverse;
  align-items: flex-end;
}
```

Next

Flexbox Froggy is created by Codepip • GitHub • Twitter • Settings

Want to learn CSS grid? Play Grid Garden.



Type here to search

ENG 20:06 04-08-2023

flexboxfroggy.com

FLEXBOX FROGGY

Level 15 of 24

Use the **order** property to send the red frog to his lily pad.

```
#pond {
  display: flex;
}

.red {
  order:-5;
}
```

Next

Flexbox Froggy is created by Lukáš Linhart / Twitter / Settings

Want to learn CSS grid? Play CSS Garden

flexboxfroggy.com

FLEXBOX FROGGY

Level 14 of 24

Sometimes reversing the row or column order of a container is not enough. In these cases, we can apply the **order** property to individual items. By default, items have a value of 0, but we can use this property to also set it to a positive or negative integer value (-2, -1, 0, 1, 2).

Use the **order** property to reorder the frogs according to their lilypads.

```
#pond {
  display: flex;
}

.yellow {
  order: 1;
}
```

Next



Flexbox Froggy is created by Codeship • GitHub • Twitter • Settings

Want to learn CSS grid? Play Grid Garden.

flexboxfroggy.com

FLEXBOX FROGGY

Level 16 of 24

Another property you can apply to individual items is **`align-self`**. This property accepts the same values as **`align-items`** and its value for the specific item.

```
#pond {
  display: flex;
  align-items: flex-start;
}

.yellow {
  align-self: flex-end;
}
```

Next

Flexbox Froggy is created by Codepip • GitHub • Twitter • Settings

Want to learn CSS grid? Play Grid Garden.

Type here to search

ENG 20:24 04-08-2023

Untitled docume | Introduction to R | Snacks — Expo | witty chocolate - | Edit fiddle - JSFid | Flexbox Froggy - | flex froggy - Goo

flexboxfroggy.com

FLEXBOX FROGGY

Level 17 of 24

Combine **order** with **align-self** to help the frogs to their destinations.

```
#pond {
  display: flex;
  align-items: flex-start;
}

.yellow {
  order : 1;
  align-self : flex-end;
}
```

Next

Flexbox Froggy is created by Codepip • GitHub • Twitter • Settings

Want to learn CSS grid? Play Grid Garden.



Type here to search

ENG 20:44 04-08-2023

FLEXBOX FROGGY

Level 18 of 24

Oh no! The frogs are all squeezed onto a single row of lilypads. Spread them out using the `flex-wrap` property, which accepts the following values:

- `nowrap`: Every item is fit to a single line.
- `wrap`: Items wrap around to additional lines.
- `wrap-reverse`: Items wrap around to additional lines in reverse.

```
#pond {
  display: flex;
  flex-wrap: wrap;
}
```

Next



Flexbox Froggy is created by Codepip • GitHub • Twitter • Settings

Want to learn CSS grid? Play Grid Garden.

Type here to search

ENG 21:49 04-08-2023

Untitled docume | Introduction to R | Snacks — Expo | witty chocolate - | Edit fiddle - JSFid | Flexbox Froggy - | flex froggy - Goo

flexboxfroggy.com

FLEXBOX FROGGY

Level 19 of 24

Help this army of frogs form three orderly columns using a combination of `flex-direction` and `flex-wrap`.

```
#pond {
  display: flex;
  flex-direction: column-reverse;
  flex-wrap: wrap;
}
```

Next

Flexbox Froggy is created by Codepip • GitHub • Twitter • Settings

Want to learn CSS grid? Play Grid Garden.



ENG 21:58 04-08-2023

flexboxfroggy.com

FLEXBOX FROGGY

Level 21 of 24

The frogs are spread all over the pond, but the lilypads are bunched at the top. You can use **`align-content`** to set how multiple lines are spaced apart from each other. This property takes the following values:

- **`flex-start`**: Lines are packed at the top of the container.
- **`flex-end`**: Lines are packed at the bottom of the container.
- **`center`**: Lines are packed at the vertical center of the container.
- **`space-between`**: Lines display with equal spacing between them.
- **`space-around`**: Lines display with equal spacing around them.
- **`stretch`**: Lines are stretched to fit the container.

This can be confusing, but **`align-content`** determines the spacing between lines, while **`align-items`** determines how the items as a whole are aligned within the container. When there is only one line, **`align-content`** has no effect.

```
#pond {
  display: flex;
  flex-wrap: wrap;
  align-content: flex-start;
}
```

Next

Flexbox Froggy is created by Codeplp • GitHub • Twitter • Settings

Want to learn CSS grid? Play Grid Garden.

Type here to search

ENG 22:15 04-08-2023

Untitled docume | Introduction to R | Snacks — Expo | witty chocolate - | Edit fiddle - JSFid | Flexbox Froggy - | flex froggy - Goo

flexboxfroggy.com

FLEXBOX FROGGY

Level 20 of 24

The two properties `flex-direction` and `flex-wrap` are used so often together that the shorthand property `flex-flow` was created to combine them. This shorthand property accepts the value of the two properties separated by a space.

For example, you can use `flex-flow: row wrap` to set rows and wrap them.

Try using `flex-flow` to repeat the previous level.

```
#pond {
  display: flex;
  flex-direction: column-reverse;
}
```

Next

Flexbox Froggy is created by Codeplp • GitHub • Twitter • Settings

Want to learn CSS grid? Play Grid Garden.

FLEXBOX FROGGY

Level 23 of 24

The frogs have had a party, but it is time to go home. Use a combination of `flex-direction` and `align-content` to get them to their lilypads.

```
#pond {
  display: flex;
  flex-wrap: wrap;
  flex-direction: column-reverse;
  align-content: center;
}
```

Next

Flexbox Froggy is created by Codepip • GitHub • Twitter • Settings

Want to learn CSS grid? Play Grid Garden.

flexboxfroggy.com

FLEXBOX FROGGY

Level 22 of 24

Now the current has bunched the lilypads at the bottom. Use `align-content` to guide the frogs there.

```
#pond {
  display: flex;
  flex-wrap: wrap;
  align-content: flex-end;
}
```

Next

Flexbox Froggy is created by Codepip • GitHub • Twitter • Settings

Want to learn CSS grid? Play Grid Garden.

FLEXBOX FROGGY

Level 24 of 24

Bring the frogs home one last time by using the CSS properties you've learned:

- justify-content
- align-items
- flex-direction
- order
- align-self
- flex-wrap
- flex-flow
- align-content

```
#pond {
  display: flex;
  justify-content: center;
  flex-direction: column-reverse;
  flex-wrap: wrap-reverse;
  align-content: space-between;
}
```

Next

Flexbox Froggy is created by Codepip • GitHub • Twitter • Settings

Want to learn CSS grid? Play Grid Garden.



Type here to search

ENG