



The Secretary^{Ts}

User Manual

This edition replaces old commands syntax, updated for V5.3

PREFACE



The Secretary is a discord bot that was designed to perform various different functions altogether. The bot has so far been able to accomplish its purpose and also stays on its tagline to be able to create servers from start within clicks.

The notable features that have personally helped me are the tools which actually help in creating server channels and customizing them, Next being bulk creating a lot of roles at once or deleting them never been easier. As a person who has created, managed a lot of servers it is really a pain to create all that hobby roles and all that color roles, that's where I came with this idea.

Even though I wanted to create this completely free for all, servers come at price and so does cloud storage. We try to earn money using premium by providing plans at the most affordable rates possible but of course, money is always the motivation.

I am well aware a very few of the ones reading this are going to fully read this page or even this entire document, I just hope you enjoy using this bot to the best and if it is possible I would greatly appreciate you buying us a coffee :)

Peace out!

The Developer

THIS DOCUMENT IS SUBJECT TO CHANGE

[Discord](#) | [Invite](#) | [Premium](#) | [Web](#) | [Terms](#) | [Privacy](#) | [Buy me a coffee!](#)

How to Use This Guide

This manual is written from the live cog code, not from the older PDF wording alone. If a command changed shape, the slash syntax and parameter list in this edition should take priority.

- Slash commands are the canonical examples throughout the guide because they map cleanly to the current decorators.
- The permanent text prefix ``sec`` is still part of the bot, and many families also have shortcut aliases. Use ``/alias`` to look those up when you want fast text commands.
- Interactive systems such as tickets, giveaways, embeds, callouts, verification, and some bulk/admin tools may open buttons, dropdowns, or modals after the initial slash command.
- Permission and role-hierarchy checks still apply even when a command is shown here. If staff-only or administrator-only access is visible in code, it is called out in the Important notes.
- Premium-aware features are marked when the cog code visibly checks premium state or premium-only behavior.

Legend

Usage

Canonical slash syntax plus a short explanation of what the command is for.

Arguments

Parameter table showing names, expected input type, whether the input is required, and any default value or description exposed in code.

Important

Operational notes pulled from visible permission checks, contexts, interactivity, defaults, and premium markers.

Restricted

Commands in the final appendix are owner or maintenance tools and should not be treated as regular member-facing commands.

Command Map

The families below are ordered for everyday use first, then advanced administration, then restricted maintenance tools.

Getting Started & Access

Core access, support, help, and identity commands.

Family	Included command families
<code>/about</code>	Shows the bot's identity, positioning, and high-level product information.
<code>/help</code>	Main discovery surface for browsing command families and learning available options.
<code>/info</code>	Quick information or member-insight commands tied to the bot and server state.
<code>/website</code>	Official links, dashboard entry points, and other public destinations.
<code>/invite</code>	Bot invite access for adding The Secretary to a server.
<code>/serverinvite</code>	Creates a polished invite embed for the current server.
<code>/ping</code>	Checks bot responsiveness and API latency.
<code>/prefix</code>	Explains or updates the currently active predefined prefix for a server.
<code>/alias</code>	Looks up text-prefix shortcuts that map to slash commands.
<code>/premium</code>	Shows premium state, perks, and premium-related availability.

Moderation & Server Management

Moderation, role control, member insights, structure utilities, and server customization.

Family	Included command families
<code>/automod</code>	Configures automatic moderation filters and defensive behavior.
<code>/blacklist</code>	Blacklist, kick, review, and restore users from the server restriction list.
<code>/clean</code>	Performs a full channel reset by recreating the channel.
<code>/purge</code>	Deletes recent messages without recreating the entire channel.
<code>/lock</code>	Temporarily blocks sending access for the current channel.
<code>/unlock</code>	Restores sending access after a lock.
<code>/snipe</code>	Shows the most recently deleted message in the channel.

/role	Mass role assignment, autoroles, role inspection, and reaction roles.
/bulk	Bulk role creation or removal through one guided workflow.
/member	Member count and account-age views for staff visibility.
/avatar	Displays a user's avatar in a larger view.
/userinfo	Detailed user profile information for moderation or curiosity.
/serverinfo	Detailed guild statistics and metadata.
/counter	Creates live-updating counter channels for server metrics.
/tools	Server-structure utilities for channels, categories, templates, copy, and cleanup.
/forum	Creates a tailored forum channel setup.
/report	Generates a formal report workflow from bot-side data.
/custom	Premium customization and command restriction tools.

Messaging, Automation & Community Systems

Onboarding, ticketing, embeds, webhooks, and guided community workflows.

Family	Included command families
/welcome	Welcome message setup and testing for new member onboarding.
/verification	Admin setup flow for the verification system.
/verify	Member-facing verification link command.
/ticket	Support panel and ticket intake configuration.
/embed	Saved embed templates, retrieval, and repeat posting.
/dropdown	Builds FAQ-style dropdown embeds for staff or support panels.
/webhook	Sends styled webhook content or opens the editor workflow.
/npc	Creates and manages NPC or NPC-group automation inside channels.
/giveaway	Guided giveaway setup flow.

Utility & AI

Small daily-use tools plus AI-powered question and image features.

Family	Included command families
/afk	AFK status command with time-based support.

<code>/remind</code>	Personal reminder creation with short time formats.
<code>/timestamp</code>	Returns Discord-friendly timestamp formatting for the current UTC time.
<code>/ask</code>	AI question answering and assistant help.
<code>/imagine</code>	AI image generation.

Economy

Global account setup, rewards, assets, jobs, business systems, and gambling.

Family	Included command families
<code>/economy</code>	Global economy progression: accounts, cash flow, businesses, assets, jobs, and games.

Fun, Social & Quotes

Social reactions, games, quotes, and community engagement commands.

Family	Included command families
<code>/act</code>	Self-directed reaction/GIF actions.
<code>/action</code>	Targeted RP-style actions against another user or yourself.
<code>/fun</code>	Games, randomizers, chat revivers, and playful commands.
<code>/quote</code>	Random or numbered built-in quote retrieval.
<code>/quotes</code>	Custom server quote storage, listing, and premium quote access.

Staff & Operations

Staff tools, LOA workflows, and emergency response systems.

Family	Included command families
<code>/callout</code>	Operational callout dispatching and responder tracking.
<code>/staff</code>	Staff registration, promotions, duty tools, infractions, and leaderboards.
<code>/loa</code>	Leave-of-absence configuration and lifecycle management.

Restricted / Owner Only

Maintenance commands that should stay with the bot owner or trusted operators.

Family	Included command families
--------	---------------------------

/debug

Restricted troubleshooting tools for server sync and role-state issues.

/engine

Restricted owner maintenance commands for operations, broadcasts, sync, and platform upkeep.

Getting Started & Access

Core access, support, help, and identity commands.

/about

Shows the bot's identity, positioning, and high-level product information.

/about

Usage

Use ``/about`` to learn more about The Secretary bot, its features, and purpose. Get a quick overview of what the bot offers for your server. Access profile: General.

Arguments: This command does not expose additional slash parameters.

Important

- Works in servers, DMs, and private channels.
- Prefix shortcuts exist for this area. Use ``/alias command:about`` to inspect the live shortcut list.

/help

Main discovery surface for browsing command families and learning available options.

/help

Usage

Use ``/help`` to view the complete help menu or search for a specific command. Useful for quickly learning features and finding command usage. Access profile: General.

Arguments: This command does not expose additional slash parameters.

Important

- Works in servers, DMs, and private channels.
- Prefix shortcuts exist for this area. Use ``/alias command:help`` to inspect the live shortcut list.

/info

Quick information or member-insight commands tied to the bot and server state.

/info

Usage

Use ``/info`` to open the main information panel for The Secretary™. Shows important details, highlights, and system overview. Access profile: General.

Arguments: This command does not expose additional slash parameters.

Important

- Prefix shortcuts exist for this area. Use ``/alias command:info`` to inspect the live shortcut list.

/website

Official links, dashboard entry points, and other public destinations.

/website

Usage

Use ``/website`` to get access to The Secretary official links and its features. Get a quick overview of all official links including dashboard. Access profile: General.

Arguments: This command does not expose additional slash parameters.

Important

- Works in servers, DMs, and private channels.
- Prefix shortcuts exist for this area. Use ``/alias command:website`` to inspect the live shortcut list.

/invite

Bot invite access for adding The Secretary to a server.

/invite

Usage

Use ``/invite`` to generate the official invite link for adding the bot. Useful for sharing setup access with other communities. Access profile: General.

Arguments: This command does not expose additional slash parameters.

Important

- Works in servers, DMs, and private channels.
- Prefix shortcuts exist for this area. Use ``/alias command:invite`` to inspect the live shortcut list.

/serverinvite

Creates a polished invite embed for the current server.

/serverinvite

Usage

Use ``/serverinvite`` to generate a professional invitation embed for this server. Access profile: General.

Arguments: This command does not expose additional slash parameters.

Important

- Prefix shortcuts exist for this area. Use ``/alias command:serverinvite`` to inspect the live shortcut list.

/ping

Checks bot responsiveness and API latency.

/ping

Usage

Use ``/ping`` to check the bot's current latency and API response speed. Helpful for testing whether the bot is responding normally. Access profile: General.

Arguments: This command does not expose additional slash parameters.

Important

- Works in servers, DMs, and private channels.
- Prefix shortcuts exist for this area. Use ``/alias command:ping`` to inspect the live shortcut list.

/prefix

Explains or updates the currently active predefined prefix for a server.

/prefix

Usage

Use ``/prefix`` to view or change the server's predefined prefix. Access profile: Staff | Premium-aware.

Arguments: This command does not expose additional slash parameters.

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Prefix shortcuts exist for this area. Use ``/alias command:prefix`` to inspect the live shortcut list.
- Premium or backend entitlement checks may affect whether this command runs in a specific server.

/alias

Looks up text-prefix shortcuts that map to slash commands.

/alias

Usage

Use ``/alias command:<text>`` to show all aliases for a command or group. Access profile: General.

Parameter	Type	Required	Details
command	text	Yes	Command name like ban or group like fun

Important

- Works in servers, DMs, and private channels.
- Prefix shortcuts exist for this area. Use ``/alias command:alias`` to inspect the live shortcut list.

/premium

Shows premium state, perks, and premium-related availability.

/premium

Usage

Use ``/premium`` to check your server's premium subscription status and benefits. Shows access to premium-only systems and active perks. Access profile: General | Premium-aware.

Arguments: This command does not expose additional slash parameters.

Important

- Prefix shortcuts exist for this area. Use ``/alias command:premium`` to inspect the live shortcut list.
- Premium or backend entitlement checks may affect whether this command runs in a specific server.

Moderation & Server Management

Moderation, role control, member insights, structure utilities, and server customization.

/automod

Configures automatic moderation filters and defensive behavior.

/automod

Usage

Use ``/automod`` to configure the automatic moderation system for your server. Set rules for filtering spam, abuse, and unwanted behavior. Access profile: Staff | Premium-aware.

Arguments: This command does not expose additional slash parameters.

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Prefix shortcuts exist for this area. Use ``/alias command:automod`` to inspect the live shortcut list.
- Premium or backend entitlement checks may affect whether this command runs in a specific server.

/blacklist (command group)

Blacklist, kick, review, and restore users from the server restriction list.

Command	Purpose	Access
/blacklist kick	Kick a user from the server without permanently blacklisting them. Useful for temporary removals without join restrictions.	Staff
/blacklist list	View all users currently blacklisted from your server. Helps staff review and manage restricted members.	General
/blacklist remove	Remove a user from the server blacklist. Allows the user to join again after blacklist removal.	Staff
/blacklist user	Blacklist a user and remove them from the server instantly. Prevents them from rejoining until manually removed.	Staff

/blacklist kick

Usage

Use ``/blacklist kick user:<user> [reason:<text>]`` to kick a user from the server without permanently blacklisting them. Useful for temporary removals without join restrictions. Access profile: Staff.

Parameter	Type	Required	Details
user	user	Yes	The user to kick
reason	text	No	Optional reason for kick Default: 'No reason provided'

Important

- Requires visible permission checks for: Kick Members.
- This command is typically used in a server context.
- Default values visible in code: reason defaults to 'No reason provided'.
- Prefix shortcuts exist for this area. Use ``/alias command:blacklist`` to inspect the live shortcut list.

`/blacklist list`

Usage

Use ``/blacklist list`` to view all users currently blacklisted from your server. Helps staff review and manage restricted members. Access profile: General.

Arguments: This command does not expose additional slash parameters.

Important

- Prefix shortcuts exist for this area. Use ``/alias command:blacklist list`` to inspect the live shortcut list.

`/blacklist remove`

Usage

Use ``/blacklist remove user:<user> [reason:<text>]`` to remove a user from the server blacklist. Allows the user to join again after blacklist removal. Access profile: Staff.

Parameter	Type	Required	Details
user	user	Yes	The user to remove from blacklist
reason	text	No	Optional reason for removal Default: 'No reason provided'

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Default values visible in code: reason defaults to 'No reason provided'.
- Prefix shortcuts exist for this area. Use ``/alias command:blacklist remove`` to inspect the live shortcut list.

`/blacklist user`

Usage

Use `/blacklist user user:<user> [reason:<text>]` to blacklist a user and remove them from the server instantly. Prevents them from rejoining until manually removed. Access profile: Staff.

Parameter	Type	Required	Details
user	user	Yes	The user to blacklist
reason	text	No	Optional reason for blacklist Default: 'No reason provided'

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Default values visible in code: reason defaults to 'No reason provided'.
- Prefix shortcuts exist for this area. Use `/alias command:blacklist` to inspect the live shortcut list.

/clean

Performs a full channel reset by recreating the channel.

/clean

Usage

Use `/clean` to completely wipe every message in the selected channel. Designed for administrators who need a full reset quickly. Access profile: Staff.

Arguments: This command does not expose additional slash parameters.

Important

- Requires visible permission checks for: Administrator, Manage Channels.
- This command is typically used in a server context.
- Prefix shortcuts exist for this area. Use `/alias command:clean` to inspect the live shortcut list.

/purge

Deletes recent messages without recreating the entire channel.

/purge

Usage

Use `/purge amount:<number>` to delete a specific number of recent messages from a channel. Useful for fast cleanup without deleting the entire history. Access profile: Staff.

Parameter	Type	Required	Details
amount	number	Yes	Number of messages to delete (max 5000).

Important

- Requires visible permission checks for: Manage Messages.
- This command is typically used in a server context.
- Prefix shortcuts exist for this area. Use ``/alias command:purge`` to inspect the live shortcut list.

`/lock`

Temporarily blocks sending access for the current channel.

`/lock`

Usage

Use ``/lock`` to lock the current channel for everyone in the server. Prevents members from sending messages until unlocked. Access profile: Staff.

Arguments: This command does not expose additional slash parameters.

Important

- Requires visible permission checks for: Manage Channels.
- This command is typically used in a server context.
- Prefix shortcuts exist for this area. Use ``/alias command:lock`` to inspect the live shortcut list.

`/unlock`

Restores sending access after a lock.

`/unlock`

Usage

Use ``/unlock`` to unlock the current channel and restore message access. Allows members to send messages again after a lock. Access profile: Staff.

Arguments: This command does not expose additional slash parameters.

Important

- Requires visible permission checks for: Manage Channels.
- This command is typically used in a server context.
- Prefix shortcuts exist for this area. Use ``/alias command:unlock`` to inspect the live shortcut list.

`/snipe`

Shows the most recently deleted message in the channel.

/snipe

Usage

Use `/snipe` to show the most recently deleted message in the channel. Useful for moderation checks and deleted message recovery. Access profile: General.

Arguments: This command does not expose additional slash parameters.

Important

- Prefix shortcuts exist for this area. Use `/alias command:snipe` to inspect the live shortcut list.

/role (command group)

Mass role assignment, autoroles, role inspection, and reaction roles.

Command	Purpose	Access
<code>/role all</code>	Give a selected role to all members including bots. Useful for mass updates during server restructuring.	Staff
<code>/role autoroleadd</code>	Add role to autorole list.	Staff
<code>/role autorolelist</code>	View all currently configured autoroles for the server. Includes automatic roles for members and bots.	Staff
<code>/role autoroleremove</code>	Remove role from autorole list.	Staff
<code>/role bots</code>	Assign a role only to bots in the server. Perfect for managing bot permissions and categories.	Staff
<code>/role info</code>	View detailed information about a specific role. Shows permissions, creation date, and member count.	General
<code>/role list</code>	Display all server roles sorted by hierarchy position. Helpful for staff management and permission checks.	General Interactive
<code>/role members</code>	Assign a role only to human members in the server. Bots will be excluded from this role distribution.	Staff
<code>/role reaction</code>	Create reaction roles using emoji-based selections. Allows members to self-assign roles from a message.	Staff Interactive

/role all

Usage

Use `/role all role:<role>` to give a selected role to all members including bots. Useful for mass updates during server restructuring. Access profile: Staff.

Parameter	Type	Required	Details
-----------	------	----------	---------

role	role	Yes	Role to assign
------	------	-----	----------------

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Prefix shortcuts exist for this area. Use `/alias command:role all` to inspect the live shortcut list.

/role autoroleadd

Usage

Use `/role autoroleadd target\_type:<choice> role:<role>` to add role to autorole list. Access profile: Staff.

Parameter	Type	Required	Details
target_type	choice	Yes	Member/Bot
role	role	Yes	Role to assign

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Prefix shortcuts exist for this area. Use `/alias command:role` to inspect the live shortcut list.

/role autorolelist

Usage

Use `/role autorolelist` to view all currently configured autoroles for the server. Includes automatic roles for members and bots. Access profile: Staff.

Arguments: This command does not expose additional slash parameters.

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Prefix shortcuts exist for this area. Use `/alias command:role` to inspect the live shortcut list.

/role autoroleremove

Usage

Use `/role autoroleremove target\_type:<choice> role:<role>` to remove role from autorole list. Access profile: Staff.

Parameter	Type	Required	Details
target_type	choice	Yes	Member/Bot

role	role	Yes	Role to remove
------	------	-----	----------------

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Prefix shortcuts exist for this area. Use ``/alias command:role`` to inspect the live shortcut list.

`/role bots`

Usage

Use ``/role bots role:<role>`` to assign a role only to bots in the server. Perfect for managing bot permissions and categories. Access profile: Staff.

Parameter	Type	Required	Details
role	role	Yes	Role to assign

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Prefix shortcuts exist for this area. Use ``/alias command:role bots`` to inspect the live shortcut list.

`/role info`

Usage

Use ``/role info role:<role>`` to view detailed information about a specific role. Shows permissions, creation date, and member count. Access profile: General.

Parameter	Type	Required	Details
role	role	Yes	No extra description found in code.

Important

- This command is typically used in a server context.
- Prefix shortcuts exist for this area. Use ``/alias command:role info`` to inspect the live shortcut list.

`/role list`

Usage

Use ``/role list`` to display all server roles sorted by hierarchy position. Helpful for staff management and permission checks. Access profile: General | Interactive.

Arguments: This command does not expose additional slash parameters.

Important

- Interactive flow: expect buttons, dropdowns, modals, or follow-up prompts after the initial command.
- Prefix shortcuts exist for this area. Use ``/alias command:role list`` to inspect the live shortcut list.

/role members

Usage

Use ``/role members role:<role>`` to assign a role only to human members in the server. Bots will be excluded from this role distribution. Access profile: Staff.

Parameter	Type	Required	Details
role	role	Yes	Role to assign

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Prefix shortcuts exist for this area. Use ``/alias command:role members`` to inspect the live shortcut list.

/role reaction

Usage

Use ``/role reaction`` to create reaction roles using emoji-based selections. Allows members to self-assign roles from a message. Access profile: Staff | Interactive.

Arguments: This command does not expose additional slash parameters.

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Interactive flow: expect buttons, dropdowns, modals, or follow-up prompts after the initial command.
- Prefix shortcuts exist for this area. Use ``/alias command:role reaction`` to inspect the live shortcut list.

/bulk

Bulk role creation or removal through one guided workflow.

/bulk

Usage

Use ``/bulk [action:<text>]`` to bulk create or bulk remove multiple roles at once. Saves time during large server role restructuring. Access profile: Staff.

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.

- Prefix shortcuts exist for this area. Use ``/alias command:bulk`` to inspect the live shortcut list.

/member (command group)

Member count and account-age views for staff visibility.

Command	Purpose	Access
/member count	Show the total member count including humans and bots. Useful for quick server growth and activity tracking.	General
/member info	Generate and download a text file containing member join details. Helpful for audits, records, and moderation review.	General
/member new	Display the 10 most recently joined members in the server. Useful for tracking recent growth and new arrivals.	General
/member old	Show the 10 oldest members based on server join date. Helpful for identifying veteran and long-term members.	General
/member young	Display members with the newest Discord account creation dates. Useful for checking suspiciously new or fresh accounts.	General

/member count

Usage

Use ``/member count`` to show the total member count including humans and bots. Useful for quick server growth and activity tracking. Access profile: General.

Arguments: This command does not expose additional slash parameters.

Important

- Prefix shortcuts exist for this area. Use ``/alias command:member`` to inspect the live shortcut list.

/member info

Usage

Use ``/member info`` to generate and download a text file containing member join details. Helpful for audits, records, and moderation review. Access profile: General.

Arguments: This command does not expose additional slash parameters.

Important

- Prefix shortcuts exist for this area. Use ``/alias command:member`` to inspect the live shortcut list.

/member new

Usage

Use `/member new` to display the 10 most recently joined members in the server. Useful for tracking recent growth and new arrivals. Access profile: General.

Arguments: This command does not expose additional slash parameters.

Important

- Prefix shortcuts exist for this area. Use `/alias command:member` to inspect the live shortcut list.

/member old

Usage

Use `/member old` to show the 10 oldest members based on server join date. Helpful for identifying veteran and long-term members. Access profile: General.

Arguments: This command does not expose additional slash parameters.

Important

- Prefix shortcuts exist for this area. Use `/alias command:member` to inspect the live shortcut list.

/member young

Usage

Use `/member young` to display members with the newest Discord account creation dates. Useful for checking suspiciously new or fresh accounts. Access profile: General.

Arguments: This command does not expose additional slash parameters.

Important

- Prefix shortcuts exist for this area. Use `/alias command:member` to inspect the live shortcut list.

/avatar

Displays a user's avatar in a larger view.

/avatar

Usage

Use `/avatar [user:<user>]` to display the full avatar of yourself or another user. Useful for profile viewing and image access. Access profile: General.

Parameter	Type	Required	Details
user	user	No	No extra description found in code.

Important

- Works in servers, DMs, and private channels.
- Prefix shortcuts exist for this area. Use ``/alias command:avatar`` to inspect the live shortcut list.

/userinfo

Detailed user profile information for moderation or curiosity.

/userinfo

Usage

Use ``/userinfo [user:<user>]`` to view detailed profile information about any server member. Includes account details, join data, and profile basics. Access profile: General.

Parameter	Type	Required	Details
user	user	No	No extra description found in code.

Important

- This command is typically used in a server context.
- Prefix shortcuts exist for this area. Use ``/alias command:userinfo`` to inspect the live shortcut list.

/serverinfo

Detailed guild statistics and metadata.

/serverinfo

Usage

Use ``/serverinfo`` to display detailed statistics and information about the server. Includes creation date, owner info, boosts, and counts. Access profile: General.

Arguments: This command does not expose additional slash parameters.

Important

- Prefix shortcuts exist for this area. Use ``/alias command:serverinfo`` to inspect the live shortcut list.

/counter

Creates live-updating counter channels for server metrics.

/counter

Usage

Use `/counter [prefix:<text>]`

`[type:<members_and_bots|members_only|bots_only|banned_members|pending_members|members_with_certain_roles|roles_in_the_server|members_without_roles|online_with_certain_roles|offline_with_certain_roles|online_members_(incl_bots)|offline_members_(incl_bots)>] [role:<role>]` to create a live counter channel for stats like members. Automatically updates with server values over time. Access profile: Staff.

Parameter	Type	Required	Details
prefix	text	No	Static prefix for the counter (optional)
type	members_and_bots members_only bots_only banned_members pending_members members_with_certain_roles roles_in_the_server members_without_roles online_with_certain_roles offline_with_certain_roles online_members_(incl_bots) offline_members_(incl_bots)	No	Type of counter to track (optional)
role	role	No	Role (optional)

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Prefix shortcuts exist for this area. Use `/alias command:counter` to inspect the live shortcut list.

/tools (command group)

Server-structure utilities for channels, categories, templates, copy, and cleanup.

Command	Purpose	Access
/tools capitalize	Automatically capitalize channel names for cleaner appearance. Useful for standardizing server naming styles professionally.	Staff
/tools categoryclone	Clone an entire category while preserving permissions. Useful for department duplication and structure expansion.	Staff
/tools channelclone	Clone a channel with the same permissions and settings. Helps duplicate working setups without manual recreation.	Staff
/tools copy	Copy the complete structure of the current Discord server. Includes channels, categories, and layout for later restoration.	General
/tools deleteall	Delete every removable channel in the server at once. Admin-only action intended for full resets and rebuilds.	Staff
/tools deletecategory	Delete a category along with all channels inside it. Useful for	Staff

quick cleanup of unused server sections.

/tools deletchannels	Delete multiple mentioned channels in one action. Designed for faster moderation and cleanup operations.	Staff Interactive
/tools emoji	Apply an emoji model or style across server channels. Helps improve visual structure and category organization.	Staff
/tools forcestop	Force stop all currently running toolkit processes. Useful when a long-running tool gets stuck or interrupted.	Staff
/tools movetocategory	Move multiple selected channels into one target category. Saves time during major server organization work.	Staff
/tools paste	Paste and rebuild a previously copied server structure. Useful for fast cloning, backups, and server rebuilding.	Staff
/tools sync	Sync category permissions down to all child channels. Ensures every channel follows the correct permission structure.	Staff
/tools template	Apply a prebuilt server template from the template library. Perfect for quick server setups with organized layouts.	Staff
/tools wrap	Wrap channel names with begin and end strings.	Staff

/tools capitalize

Usage

Use ``/tools capitalize action_type:<choice> [channel:<channel>]`` to automatically capitalize channel names for cleaner appearance. Useful for standardizing server naming styles professionally. Access profile: Staff.

Parameter	Type	Required	Details
action_type	choice	Yes	No extra description found in code.
channel	channel	No	Optional target channel

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Prefix shortcuts exist for this area. Use ``/alias command:tools`` to inspect the live shortcut list.

/tools categoryclone

Usage

Use ``/tools categoryclone category:<text>`` to clone an entire category while preserving permissions. Useful for department duplication and structure expansion. Access profile: Staff.

Parameter	Type	Required	Details
-----------	------	----------	---------

category	text	Yes	The category to clone (ID or name)
----------	------	-----	------------------------------------

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Prefix shortcuts exist for this area. Use `/alias command:tools` to inspect the live shortcut list.

/tools channelclone

Usage

Use `/tools channelclone channel:<channel>` to clone a channel with the same permissions and settings. Helps duplicate working setups without manual recreation. Access profile: Staff.

Parameter	Type	Required	Details
channel	channel	Yes	The channel to clone

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Prefix shortcuts exist for this area. Use `/alias command:tools` to inspect the live shortcut list.

/tools copy

Usage

Use `/tools copy` to copy the complete structure of the current Discord server. Includes channels, categories, and layout for later restoration. Access profile: General.

Arguments: This command does not expose additional slash parameters.

Important

- Prefix shortcuts exist for this area. Use `/alias command:tools` to inspect the live shortcut list.

/tools deleteall

Usage

Use `/tools deleteall` to delete every removable channel in the server at once. Admin-only action intended for full resets and rebuilds. Access profile: Staff.

Arguments: This command does not expose additional slash parameters.

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Prefix shortcuts exist for this area. Use `/alias command:tools` to inspect the live shortcut list.

/tools deletecategory

Usage

Use `/tools deletecategory category:<text>` to delete a category along with all channels inside it. Useful for quick cleanup of unused server sections. Access profile: Staff.

Parameter	Type	Required	Details
category	text	Yes	The category to delete (ID or name)

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Prefix shortcuts exist for this area. Use `/alias command:tools` to inspect the live shortcut list.

/tools deletechannels

Usage

Use `/tools deletechannels [channels:<text>]` to delete multiple mentioned channels in one action. Designed for faster moderation and cleanup operations. Access profile: Staff | Interactive.

Parameter	Type	Required	Details
channels	text	No	Mention channels in format #channel1 #channel2 ... (optional)

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Interactive flow: expect buttons, dropdowns, modals, or follow-up prompts after the initial command.
- Prefix shortcuts exist for this area. Use `/alias command:tools` to inspect the live shortcut list.

/tools emoji

Usage

Use `/tools emoji separator:<text> [channel:<channel>]` to apply an emoji model or style across server channels. Helps improve visual structure and category organization. Access profile: Staff.

Parameter	Type	Required	Details
separator	text	Yes	Separator to use
channel	channel	No	Optional target channel

Important

- Requires visible permission checks for: Administrator.

- This command is typically used in a server context.
- Prefix shortcuts exist for this area. Use ``/alias command:tools`` to inspect the live shortcut list.

`/tools forcestop`

Usage

Use ``/tools forcestop`` to force stop all currently running toolkit processes. Useful when a long-running tool gets stuck or interrupted. Access profile: Staff.

Arguments: This command does not expose additional slash parameters.

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Prefix shortcuts exist for this area. Use ``/alias command:tools`` to inspect the live shortcut list.

`/tools movetocategory`

Usage

Use ``/tools movetocategory [category:<text>] [channels:<text>]`` to move multiple selected channels into one target category. Saves time during major server organization work. Access profile: Staff.

Parameter	Type	Required	Details
category	text	No	Target category ID or name (optional — leave blank to set via button)
channels	text	No	Mention channels separated by spaces (optional — leave blank to set via button)

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Prefix shortcuts exist for this area. Use ``/alias command:tools`` to inspect the live shortcut list.

`/tools paste`

Usage

Use ``/tools paste`` to paste and rebuild a previously copied server structure. Useful for fast cloning, backups, and server rebuilding. Access profile: Staff.

Arguments: This command does not expose additional slash parameters.

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.

- Prefix shortcuts exist for this area. Use ``/alias command:tools`` to inspect the live shortcut list.

`/tools sync`

Usage

Use ``/tools sync [category:<text>]`` to sync category permissions down to all child channels. Ensures every channel follows the correct permission structure. Access profile: Staff.

Parameter	Type	Required	Details
category	text	No	Optional category to sync permissions from (ID or name)

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Prefix shortcuts exist for this area. Use ``/alias command:tools`` to inspect the live shortcut list.

`/tools template`

Usage

Use ``/tools template [theme:<text>]`` to apply a prebuilt server template from the template library. Perfect for quick server setups with organized layouts. Access profile: Staff.

Parameter	Type	Required	Details
theme	text	No	Optional theme name (leave empty to browse all templates)

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Prefix shortcuts exist for this area. Use ``/alias command:tools`` to inspect the live shortcut list.

`/tools wrap`

Usage

Use ``/tools wrap begin:<text> end:<text> [channel:<channel>]`` to wrap channel names with begin and end strings. Access profile: Staff.

Parameter	Type	Required	Details
begin	text	Yes	Begin string
end	text	Yes	End string

channel	channel	No	Optional target channel
---------	---------	----	-------------------------

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.

/forum

Creates a tailored forum channel setup.

/forum

Usage

Use ``/forum model:<text>`` to create a customized forum for your server. Access profile: Staff.

Parameter	Type	Required	Details
model	text	Yes	Choose the model for your form

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Prefix shortcuts exist for this area. Use ``/alias command:forum`` to inspect the live shortcut list.

/report gen

Generates a formal report workflow from bot-side data.

/report gen

Usage

Use ``/report gen [submitting_office:<channel>] [pings:<text>]`` to generate a professional formal report using guided input. Designed for staff reports, incident logs, and official records. Access profile: General | Interactive.

Parameter	Type	Required	Details
submitting_office	channel	No	No extra description found in code.
pings	text	No	No extra description found in code.

Important

- This command is typically used in a server context.
- Interactive flow: expect buttons, dropdowns, modals, or follow-up prompts after the initial command.
- Prefix shortcuts exist for this area. Use ``/alias command:report`` to inspect the live shortcut list.

/custom (command group)

Premium customization and command restriction tools.

Command	Purpose	Access
<code>/custom clear</code>	Reset the bot profile and customization settings completely. Removes applied branding and restores default appearance.	Staff
<code>/custom prefix</code>	Set a custom command prefix specifically for your server. Lets communities personalize how they use bot commands.	Staff
<code>/custom profile</code>	Customize the bot profile and appearance for your server. Useful for branding, presentation, and unique server identity.	Staff Interactive
<code>/custom restrict</code>	Restrict a specific command for selected users or roles. Useful for limiting access to sensitive command systems.	Staff
<code>/custom unrestrict</code>	Remove all active restrictions from a user or command. Restores normal command access permissions instantly.	Staff

/custom clear

Usage

Use ``/custom clear`` to reset the bot profile and customization settings completely. Removes applied branding and restores default appearance. Access profile: Staff.

Arguments: This command does not expose additional slash parameters.

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Prefix shortcuts exist for this area. Use ``/alias command:custom clear`` to inspect the live shortcut list.

/custom prefix

Usage

Use ``/custom prefix prefix:<text>`` to set a custom command prefix specifically for your server. Lets communities personalize how they use bot commands. Access profile: Staff.

Parameter	Type	Required	Details
<code>prefix</code>	text	Yes	Enter prefix

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Prefix shortcuts exist for this area. Use ``/alias command:custom prefix`` to inspect the live shortcut list.

/custom profile

Usage

Use `/custom profile` to customize the bot profile and appearance for your server. Useful for branding, presentation, and unique server identity. Access profile: Staff | Interactive.

Arguments: This command does not expose additional slash parameters.

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Interactive flow: expect buttons, dropdowns, modals, or follow-up prompts after the initial command.
- Prefix shortcuts exist for this area. Use `/alias command:custom profile` to inspect the live shortcut list.

/custom restrict

Usage

Use `/custom restrict command:<text> [member:<user>]` to restrict a specific command for selected users or roles. Useful for limiting access to sensitive command systems. Access profile: Staff.

Parameter	Type	Required	Details
command	text	Yes	Command to restrict
member	user	No	User (optional)

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Prefix shortcuts exist for this area. Use `/alias command:custom restrict` to inspect the live shortcut list.

/custom unrestrict

Usage

Use `/custom unrestrict [command:<text>] [member:<user>]` to remove all active restrictions from a user or command. Restores normal command access permissions instantly. Access profile: Staff.

Parameter	Type	Required	Details
command	text	No	No extra description found in code.
member	user	No	User to unrestrict

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.

- Prefix shortcuts exist for this area. Use ``/alias command:custom unrestricted`` to inspect the live shortcut list.

Messaging, Automation & Community Systems

Onboarding, ticketing, embeds, webhooks, and guided community workflows.

/welcome (command group)

Welcome message setup and testing for new member onboarding.

Command	Purpose	Access
<code>/welcome setup</code>	Interactively configure welcome messages for your server. Customize channels, embeds, and greeting behavior.	Staff
<code>/welcome test</code>	Test your current welcome message configuration instantly. Useful for checking appearance before going live.	General

/welcome setup

Usage

Use ``/welcome setup`` to interactively configure welcome messages for your server. Customize channels, embeds, and greeting behavior. Access profile: Staff.

Arguments: This command does not expose additional slash parameters.

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Prefix shortcuts exist for this area. Use ``/alias command:welcome setup`` to inspect the live shortcut list.

/welcome test

Usage

Use ``/welcome test`` to test your current welcome message configuration instantly. Useful for checking appearance before going live. Access profile: General.

Arguments: This command does not expose additional slash parameters.

Important

- Prefix shortcuts exist for this area. Use ``/alias command:welcome test`` to inspect the live shortcut list.

/verification setup

Admin setup flow for the verification system.

/verification setup

Usage

Use `/verification setup` to configure the verification system for your server. Set channels, methods, and access requirements securely. Access profile: Staff.

Arguments: This command does not expose additional slash parameters.

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Prefix shortcuts exist for this area. Use `/alias command:verification setup` to inspect the live shortcut list.

/verify

Member-facing verification link command.

/verify

Usage

Use `/verify` to generate your personal verification link for the server. Used by members to complete access verification safely. Access profile: General.

Arguments: This command does not expose additional slash parameters.

Important

- Prefix shortcuts exist for this area. Use `/alias command:verify` to inspect the live shortcut list.

/ticket (command group)

Support panel and ticket intake configuration.

Command	Purpose	Access
<code>/ticket complex</code>	Create advanced multi-type ticket systems with dropdowns. Ideal for support teams with multiple departments.	Staff
<code>/ticket send</code>	Send a ticket panel using your saved ticket setup. Includes dropdown menus and interactive ticket creation.	Staff
<code>/ticket simple</code>	Launch the simple ticket setup system interactively. Perfect for fast support systems with minimal setup.	Staff

/ticket complex

Usage

Use `/ticket complex` to create advanced multi-type ticket systems with dropdowns. Ideal for support teams with multiple departments. Access profile: Staff.

Arguments: This command does not expose additional slash parameters.

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Prefix shortcuts exist for this area. Use `/alias command:ticket complex` to inspect the live shortcut list.

/ticket send

Usage

Use `/ticket send` to send a ticket panel using your saved ticket setup. Includes dropdown menus and interactive ticket creation. Access profile: Staff.

Arguments: This command does not expose additional slash parameters.

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Prefix shortcuts exist for this area. Use `/alias command:ticket send` to inspect the live shortcut list.

/ticket simple

Usage

Use `/ticket simple` to launch the simple ticket setup system interactively. Perfect for fast support systems with minimal setup. Access profile: Staff.

Arguments: This command does not expose additional slash parameters.

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Prefix shortcuts exist for this area. Use `/alias command:ticket simple` to inspect the live shortcut list.

/embed (command group)

Saved embed templates, retrieval, and repeat posting.

Command	Purpose	Access
<code>/embed build</code>	Create and save a reusable embed message template. Perfect for announcements, applications, and repeated notices.	Staff
<code>/embed delete</code>	Delete a saved embed template from your collection. Helps clean	Staff Interactive

old or outdated stored message presets.

<code>/embed repeat</code>	Automatically repeat a saved embed at set intervals. Great for reminders, notices, and scheduled announcements.	Staff
<code>/embed retrieve</code>	Send one of your previously saved embed templates here. Useful for quickly posting recurring formatted messages.	Staff Interactive
<code>/embed stoprepeat</code>	Stop all repeating messages in this server.	Staff

`/embed build`

Usage

Use ``/embed build`` to create and save a reusable embed message template. Perfect for announcements, applications, and repeated notices. Access profile: Staff.

Arguments: This command does not expose additional slash parameters.

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Prefix shortcuts exist for this area. Use ``/alias command:embed build`` to inspect the live shortcut list.

`/embed delete`

Usage

Use ``/embed delete [save_name:<text>]`` to delete a saved embed template from your collection. Helps clean old or outdated stored message presets. Access profile: Staff | Interactive.

Parameter	Type	Required	Details
<code>save_name</code>	text	No	Pick a saved message to remove

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Interactive flow: expect buttons, dropdowns, modals, or follow-up prompts after the initial command.
- Prefix shortcuts exist for this area. Use ``/alias command:embed delete`` to inspect the live shortcut list.

`/embed repeat`

Usage

Use ``/embed repeat [duration:<text>] [channel:<channel>] [save_name:<text>]`` to automatically repeat a saved embed at set intervals. Great for reminders, notices, and scheduled announcements. Access profile: Staff.

Parameter	Type	Required	Details
-----------	------	----------	---------

duration	text	No	Interval between sends (e.g. 10m, 1h, 1d)
channel	channel	No	Channel to repeat in
save_name	text	No	Saved message to repeat

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Prefix shortcuts exist for this area. Use ``/alias command:embed repeat`` to inspect the live shortcut list.

/embed retrieve

Usage

Use ``/embed retrieve [save_name:<text>]`` to send one of your previously saved embed templates here. Useful for quickly posting recurring formatted messages. Access profile: Staff | Interactive.

Parameter	Type	Required	Details
save_name	text	No	Pick a saved message to send

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Interactive flow: expect buttons, dropdowns, modals, or follow-up prompts after the initial command.
- Prefix shortcuts exist for this area. Use ``/alias command:embed`` to inspect the live shortcut list.

/embed stoprepeat

Usage

Use ``/embed stoprepeat`` to stop all repeating messages in this server. Access profile: Staff.

Arguments: This command does not expose additional slash parameters.

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Prefix shortcuts exist for this area. Use ``/alias command:embed stoprepeat`` to inspect the live shortcut list.

/dropdown embed

Builds FAQ-style dropdown embeds for staff or support panels.

/dropdown embed

Usage

Use `/dropdown embed` to create a FAQ-style dropdown embed with multiple options. Useful for support panels, rules, and information hubs. Access profile: Staff.

Arguments: This command does not expose additional slash parameters.

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Prefix shortcuts exist for this area. Use `/alias command:dropdown embed` to inspect the live shortcut list.

/webhook

Sends styled webhook content or opens the editor workflow.

/webhook

Usage

Use `/webhook` to send custom webhook messages or open the Discord editor. Useful for announcements, embeds, and styled posting. Access profile: Staff.

Arguments: This command does not expose additional slash parameters.

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Prefix shortcuts exist for this area. Use `/alias command:webhook` to inspect the live shortcut list.

/npc (command group)

Creates and manages NPC or NPC-group automation inside channels.

Command	Purpose	Access
<code>/npc activate</code>	Activate an NPC or NPC Group.	Staff Interactive
<code>/npc create</code>	Create a brand-new NPC or an entire NPC group. Perfect for roleplay servers and immersive storytelling systems.	Staff Interactive
<code>/npc deactivate</code>	Deactivate currently active NPCs from the channel. Stops NPC interactions without deleting saved characters.	Staff
<code>/npc delete</code>	Permanently delete an NPC or NPC group from storage. Removes all saved data related to that created character.	Staff Interactive

/npc activate

Usage

Use ``/npc activate type:<individual|groups>`` to activate an NPC or NPC Group. Access profile: Staff | Interactive.

Parameter	Type	Required	Details
type	individual groups	Yes	No extra description found in code.

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Interactive flow: expect buttons, dropdowns, modals, or follow-up prompts after the initial command.
- Prefix shortcuts exist for this area. Use ``/alias command:npc`` to inspect the live shortcut list.

/npc create

Usage

Use ``/npc create`` to create a brand-new NPC or an entire NPC group. Perfect for roleplay servers and immersive storytelling systems. Access profile: Staff | Interactive.

Arguments: This command does not expose additional slash parameters.

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Interactive flow: expect buttons, dropdowns, modals, or follow-up prompts after the initial command.
- Prefix shortcuts exist for this area. Use ``/alias command:npc create`` to inspect the live shortcut list.

/npc deactivate

Usage

Use ``/npc deactivate`` to deactivate currently active NPCs from the channel. Stops NPC interactions without deleting saved characters. Access profile: Staff.

Arguments: This command does not expose additional slash parameters.

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Prefix shortcuts exist for this area. Use ``/alias command:npc deactivate`` to inspect the live shortcut list.

/npc delete

Usage

Use ``/npc delete`` to permanently delete an NPC or NPC group from storage. Removes all saved data related to that created character. Access profile: Staff | Interactive.

Arguments: This command does not expose additional slash parameters.

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Interactive flow: expect buttons, dropdowns, modals, or follow-up prompts after the initial command.
- Prefix shortcuts exist for this area. Use `/alias command:npc delete` to inspect the live shortcut list.

/giveaway

Guided giveaway setup flow.

/giveaway

Usage

Use `/giveaway` to start a fully interactive giveaway setup process. Configure prize, duration, winners, and announcement channel. Access profile: General.

Arguments: This command does not expose additional slash parameters.

Important

- Prefix shortcuts exist for this area. Use `/alias command:giveaway` to inspect the live shortcut list.

Utility & AI

Small daily-use tools plus AI-powered question and image features.

/afk

AFK status command with time-based support.

/afk

Usage

Use ``/afk [time:<text>] [message:<text>]`` to set or remove your AFK status in the server. Others will be notified when they mention you. Access profile: General.

Parameter	Type	Required	Details
time	text	No	Duration (e.g. 30m, 1h, 2h30m)
message	text	No	Optional reason for AFK

Important

- Works in servers, DMs, and private channels.
- Prefix shortcuts exist for this area. Use ``/alias command:afk`` to inspect the live shortcut list.

/remind

Personal reminder creation with short time formats.

/remind

Usage

Use ``/remind [time:<text>] [message:<text>]`` to create a personal reminder using time formats like s/m/h/d. The reminder stays active even after bot restarts. Access profile: General.

Parameter	Type	Required	Details
time	text	No	Time like 10s, 5m, 2h, 1d Default: '1h'
message	text	No	What to remind you about Default: 'You set a reminder!'

Important

- Works in servers, DMs, and private channels.
- Default values visible in code: time defaults to '1h'; message defaults to 'You set a reminder!'.
- Prefix shortcuts exist for this area. Use ``/alias command:remind`` to inspect the live shortcut list.

/timestamp

Returns Discord-friendly timestamp formatting for the current UTC time.

/timestamp

Usage

Use ``/timestamp`` to generate the current UTC time in Discord timestamp format. Useful for announcements, events, and scheduling. Access profile: General.

Arguments: This command does not expose additional slash parameters.

Important

- Works in servers, DMs, and private channels.
- Prefix shortcuts exist for this area. Use ``/alias command:timestamp`` to inspect the live shortcut list.

/ask

AI question answering and assistant help.

/ask

Usage

Use ``/ask query:<text>`` to ask for information using AI model. Example: Python programming, Discord moderation, etc. Access profile: General.

Parameter	Type	Required	Details
query	text	Yes	No extra description found in code.

Important

- Works in servers, DMs, and private channels.
- Prefix shortcuts exist for this area. Use ``/alias command:ask`` to inspect the live shortcut list.

/imagine

AI image generation.

/imagine

Usage

Use ``/imagine prompt:<text>`` to can be used to create AI images. Stay in set limits use whilst following TOS. Access profile: General.

Parameter	Type	Required	Details
-----------	------	----------	---------

prompt

text

Yes

Describe what you want to generate

Important

- Works in servers, DMs, and private channels.
- Prefix shortcuts exist for this area. Use `/alias command:imagine` to inspect the live shortcut list.

Economy

Global account setup, rewards, assets, jobs, business systems, and gambling.

/economy (command group)

Global economy progression: accounts, cash flow, businesses, assets, jobs, and games.

Command	Purpose	Access
/economy balance	Check your wallet cash and bank balance or view another user's public cash. Useful for tracking wealth and financial progress.	General
/economy blackjack	Play a full round of blackjack against the bot dealer. Win big by beating the dealer without going over 21.	General
/economy business	Manage your purchased businesses and activate income systems. Used for passive income and long-term wealth generation.	General
/economy closeaccount	Permanently delete your global economy account and stored progress. This removes balances, assets, and owned businesses.	General
/economy createaccount	Create your global economy account and begin using the economy system. Required before using jobs, gambling, banking, or assets.	General
/economy daily	Claim your once-per-day daily bank reward payout. A reliable way to grow your economy balance consistently.	General
/economy deposit	Move your cash-in-hand into your protected bank balance. Tax may apply depending on server economy settings.	General
/economy fish	Go fishing and earn cash through successful catches. Another progression-based grind command for extra income.	General
/economy gamble	Open the main gambling panel and choose your game. Provides quick access to all economy betting systems.	General
/economy holdings	View all your owned businesses, assets, and valuable unlocks. Shows the current strength of your economy profile.	General
/economy job	Use your unlocked job system to earn direct bank income. A steady and safe way to grow your account balance.	General
/economy mine	Mine for valuable resources and earn wallet cash rewards. Requires unlock progression through the shop system.	General
/economy rob	Attempt to steal wallet cash from another user. Risky action that may succeed or completely fail.	General
/economy sell	Sell owned assets and convert them back into money. Higher-value items are prioritized during the selling process.	General

/economy setup	Set the premium economy chat channels for your server. Helps organize economy commands into one dedicated location.	Staff Interactive
/economy shop	Browse the full economy shop for assets, upgrades, and unlocks. Used to purchase tools, businesses, and progression items.	General
/economy slots	Spin the slot machine and test your luck for rewards. High risk with potentially huge payout multipliers.	General
/economy spin	Spin the random outcome wheel for betting rewards. Luck decides whether you win profit or lose money.	General
/economy transaction	Know about total expenditure on upkeeps and stuff. Helps keep track of total money spent and earned.	General
/economy transfer	Securely transfer money from your bank to another user. Handled through a protected modal-based confirmation system.	General
/economy withdraw	Withdraw stored bank money back into your wallet cash. Useful when preparing for gambling or transfers.	General

/economy balance

Usage

Use `/economy balance [user:<user>]` to check your wallet cash and bank balance or view another user's public cash. Useful for tracking wealth and financial progress. Access profile: General.

Parameter	Type	Required	Details
user	user	No	Optional member to inspect.

Important

- Designed for server use only.
- Prefix shortcuts exist for this area. Use `/alias command:economy` to inspect the live shortcut list.

/economy blackjack

Usage

Use `/economy blackjack bet:<text>` to play a full round of blackjack against the bot dealer. Win big by beating the dealer without going over 21. Access profile: General.

Parameter	Type	Required	Details
bet	text	Yes	Amount of cash to bet.

Important

- Designed for server use only.
- Prefix shortcuts exist for this area. Use `/alias command:economy` to inspect the live shortcut list.

/economy business

Usage

Use ``/economy business`` to manage your purchased businesses and activate income systems. Used for passive income and long-term wealth generation. Access profile: General.

Arguments: This command does not expose additional slash parameters.

Important

- Designed for server use only.
- Prefix shortcuts exist for this area. Use ``/alias command:economy`` to inspect the live shortcut list.

/economy closeaccount

Usage

Use ``/economy closeaccount`` to permanently delete your global economy account and stored progress. This removes balances, assets, and owned businesses. Access profile: General.

Arguments: This command does not expose additional slash parameters.

Important

- Designed for server use only.
- Prefix shortcuts exist for this area. Use ``/alias command:economy`` to inspect the live shortcut list.

/economy createaccount

Usage

Use ``/economy createaccount`` to create your global economy account and begin using the economy system. Required before using jobs, gambling, banking, or assets. Access profile: General.

Arguments: This command does not expose additional slash parameters.

Important

- Designed for server use only.
- Prefix shortcuts exist for this area. Use ``/alias command:economy`` to inspect the live shortcut list.

/economy daily

Usage

Use ``/economy daily`` to claim your once-per-day daily bank reward payout. A reliable way to grow your economy balance consistently. Access profile: General.

Arguments: This command does not expose additional slash parameters.

Important

- Designed for server use only.

- Prefix shortcuts exist for this area. Use ``/alias command:economy`` to inspect the live shortcut list.

/economy deposit

Usage

Use ``/economy deposit [amount:<text>]`` to move your cash-in-hand into your protected bank balance. Tax may apply depending on server economy settings. Access profile: General.

Parameter	Type	Required	Details
amount	text	No	Optional amount to deposit, or use all/max.

Important

- Designed for server use only.
- Prefix shortcuts exist for this area. Use ``/alias command:economy`` to inspect the live shortcut list.

/economy fish

Usage

Use ``/economy fish`` to go fishing and earn cash through successful catches. Another progression-based grind command for extra income. Access profile: General.

Arguments: This command does not expose additional slash parameters.

Important

- Designed for server use only.
- Prefix shortcuts exist for this area. Use ``/alias command:economy`` to inspect the live shortcut list.

/economy gamble

Usage

Use ``/economy gamble`` to open the main gambling panel and choose your game. Provides quick access to all economy betting systems. Access profile: General.

Arguments: This command does not expose additional slash parameters.

Important

- Designed for server use only.
- Prefix shortcuts exist for this area. Use ``/alias command:economy`` to inspect the live shortcut list.

/economy holdings

Usage

Use ``/economy holdings`` to view all your owned businesses, assets, and valuable unlocks. Shows the current strength of your economy profile. Access profile: General.

Arguments: This command does not expose additional slash parameters.

Important

- Designed for server use only.
- Prefix shortcuts exist for this area. Use ``/alias command:economy`` to inspect the live shortcut list.

`/economy job`

Usage

Use ``/economy job`` to use your unlocked job system to earn direct bank income. A steady and safe way to grow your account balance. Access profile: General.

Arguments: This command does not expose additional slash parameters.

Important

- Designed for server use only.
- Prefix shortcuts exist for this area. Use ``/alias command:economy`` to inspect the live shortcut list.

`/economy mine`

Usage

Use ``/economy mine`` to mine for valuable resources and earn wallet cash rewards. Requires unlock progression through the shop system. Access profile: General.

Arguments: This command does not expose additional slash parameters.

Important

- Designed for server use only.
- Prefix shortcuts exist for this area. Use ``/alias command:economy`` to inspect the live shortcut list.

`/economy rob`

Usage

Use ``/economy rob user:<user>`` to attempt to steal wallet cash from another user. Risky action that may succeed or completely fail. Access profile: General.

Parameter	Type	Required	Details
user	user	Yes	The member you want to rob.

Important

- Designed for server use only.
- Prefix shortcuts exist for this area. Use ``/alias command:economy`` to inspect the live shortcut list.

/economy sell

Usage

Use `/economy sell` to sell owned assets and convert them back into money. Higher-value items are prioritized during the selling process. Access profile: General.

Arguments: This command does not expose additional slash parameters.

Important

- Designed for server use only.
- Prefix shortcuts exist for this area. Use `/alias command:economy` to inspect the live shortcut list.

/economy setup

Usage

Use `/economy setup` to set the premium economy chat channels for your server. Helps organize economy commands into one dedicated location. Access profile: Staff | Interactive.

Arguments: This command does not expose additional slash parameters.

Important

- Requires visible permission checks for: Manage Guild.
- Designed for server use only.
- Interactive flow: expect buttons, dropdowns, modals, or follow-up prompts after the initial command.
- Prefix shortcuts exist for this area. Use `/alias command:economy setup` to inspect the live shortcut list.

/economy shop

Usage

Use `/economy shop` to browse the full economy shop for assets, upgrades, and unlocks. Used to purchase tools, businesses, and progression items. Access profile: General.

Arguments: This command does not expose additional slash parameters.

Important

- Designed for server use only.
- Prefix shortcuts exist for this area. Use `/alias command:economy` to inspect the live shortcut list.

/economy slots

Usage

Use `/economy slots bet:<text>` to spin the slot machine and test your luck for rewards. High risk with potentially huge payout multipliers. Access profile: General.

Parameter	Type	Required	Details
-----------	------	----------	---------

bet	text	Yes	Amount of cash to bet.
------------	------	-----	------------------------

Important

- Designed for server use only.
- Prefix shortcuts exist for this area. Use `/alias command:economy`` to inspect the live shortcut list.

`/economy spin`

Usage

Use `/economy spin bet:<text>` to spin the random outcome wheel for betting rewards. Luck decides whether you win profit or lose money. Access profile: General.

Parameter	Type	Required	Details
bet	text	Yes	Amount of cash to bet.

Important

- Designed for server use only.
- Prefix shortcuts exist for this area. Use `/alias command:economy`` to inspect the live shortcut list.

`/economy transaction`

Usage

Use `/economy transaction`` to know about total expenditure on upkeeps and stuff. Helps keep track of total money spent and earnt. Access profile: General.

Arguments: This command does not expose additional slash parameters.

Important

- Designed for server use only.
- Prefix shortcuts exist for this area. Use `/alias command:economy`` to inspect the live shortcut list.

`/economy transfer`

Usage

Use `/economy transfer user:<user> amount:<text>` to securely transfer money from your bank to another user. Handled through a protected modal-based confirmation system. Access profile: General.

Parameter	Type	Required	Details
user	user	Yes	The member who should receive the bank transfer.
amount	text	Yes	Amount to transfer (e.g. 500, all, max).

Important

- Designed for server use only.

- Prefix shortcuts exist for this area. Use `/alias command:economy` to inspect the live shortcut list.

/economy withdraw

Usage

Use `/economy withdraw [amount:<text>]` to withdraw stored bank money back into your wallet cash. Useful when preparing for gambling or transfers. Access profile: General.

Parameter	Type	Required	Details
amount	text	No	Optional amount to cash out, or use all/max.

Important

- Designed for server use only.
- Prefix shortcuts exist for this area. Use `/alias command:economy` to inspect the live shortcut list.

Fun, Social & Quotes

Social reactions, games, quotes, and community engagement commands.

/act

Self-directed reaction/GIF actions.

/act

Usage

Use `/act option:<text>` to perform a fun reaction action on yourself using a GIF. Great for expressive roleplay and casual interactions. Access profile: General.

Parameter	Type	Required	Details
option	text	Yes	Choose an action

Important

- Works in servers, DMs, and private channels.
- Prefix shortcuts exist for this area. Use `/alias command:act` to inspect the live shortcut list.

/action

Targeted RP-style actions against another user or yourself.

/action

Usage

Use `/action [user:<user>] [option:<text>]` to send dramatic RP-style actions with animated GIFs. Useful for roleplay servers and expressive social moments. Access profile: General.

Parameter	Type	Required	Details
user	user	No	Target user
option	text	No	Choose an action

Important

- Works in servers, DMs, and private channels.
- Prefix shortcuts exist for this area. Use `/alias command:action` to inspect the live shortcut list.

/fun (command group)

Games, randomizers, chat revivers, and playful commands.

Command	Purpose	Access
/fun coinflip	Flip a virtual coin and let luck decide the result. Simple heads-or-tails fun for quick decisions.	General
/fun compliment	Send a random wholesome compliment to someone. Useful for positive interactions and community fun.	General
/fun howgay	Randomly calculate how gay someone is for fun. Purely joke-based entertainment and not serious.	General
/fun meme	Fetch a random meme instantly for entertainment. Perfect for reviving chats and casual fun moments.	General
/fun os	Boot into an Operating System simulation inside Discord. A unique interactive experience built for fun exploration.	General
/fun populate	Revive inactive channels using random engaging prompts. Perfect for keeping quiet chats active and interesting.	General
/fun roast	Send a playful and light-hearted roast to a user. Designed for jokes without serious toxicity.	General
/fun rps	Play Rock Paper Scissors against the bot or another member. Public challenge mode makes it fun for server interactions.	General Interactive
/fun tictactoe	Challenge another user to a game of Tic Tac Toe. Interactive and perfect for casual competition.	General Interactive
/fun wyr	Start a Would You Rather voting game with reactions. Lets members vote and compare the crowd favorite.	General Interactive

/fun coinflip

Usage

Use ``/fun coinflip`` to flip a virtual coin and let luck decide the result. Simple heads-or-tails fun for quick decisions. Access profile: General.

Arguments: This command does not expose additional slash parameters.

Important

- Works in servers, DMs, and private channels.
- Prefix shortcuts exist for this area. Use ``/alias command:fun`` to inspect the live shortcut list.

/fun compliment

Usage

Use ``/fun compliment member:<user>`` to send a random wholesome compliment to someone. Useful for positive interactions and community fun. Access profile: General.

Parameter	Type	Required	Details
member	user	Yes	No extra description found in code.

Important

- Works in servers, DMs, and private channels.
- Prefix shortcuts exist for this area. Use `/alias command:fun` to inspect the live shortcut list.

/fun howgay

Usage

Use `/fun howgay [member:<user>]` to randomly calculate how gay someone is for fun. Purely joke-based entertainment and not serious. Access profile: General.

Parameter	Type	Required	Details
member	user	No	The user to check defaults to you

Important

- Works in servers, DMs, and private channels.
- Prefix shortcuts exist for this area. Use `/alias command:fun` to inspect the live shortcut list.

/fun meme

Usage

Use `/fun meme` to fetch a random meme instantly for entertainment. Perfect for reviving chats and casual fun moments. Access profile: General.

Arguments: This command does not expose additional slash parameters.

Important

- Works in servers, DMs, and private channels.
- Prefix shortcuts exist for this area. Use `/alias command:fun` to inspect the live shortcut list.

/fun os

Usage

Use `/fun os` to boot into an Operating System simulation inside Discord. A unique interactive experience built for fun exploration. Access profile: General.

Arguments: This command does not expose additional slash parameters.

Important

- Works in servers, DMs, and private channels.
- Prefix shortcuts exist for this area. Use `/alias command:fun` to inspect the live shortcut list.

/fun populate

Usage

Use `/fun populate`` to revive inactive channels using random engaging prompts. Perfect for keeping quiet chats active and interesting. Access profile: General.

Arguments: This command does not expose additional slash parameters.

Important

- Works in servers, DMs, and private channels.
- Prefix shortcuts exist for this area. Use `/alias command:fun`` to inspect the live shortcut list.

/fun roast

Usage

Use `/fun roast member:<user>`` to send a playful and light-hearted roast to a user. Designed for jokes without serious toxicity. Access profile: General.

Parameter	Type	Required	Details
member	user	Yes	No extra description found in code.

Important

- Works in servers, DMs, and private channels.
- Prefix shortcuts exist for this area. Use `/alias command:fun`` to inspect the live shortcut list.

/fun rps

Usage

Use `/fun rps [opponent:<user>]`` to play Rock Paper Scissors against the bot or another member. Public challenge mode makes it fun for server interactions. Access profile: General | Interactive.

Parameter	Type	Required	Details
opponent	user	No	No extra description found in code.

Important

- Works in servers, DMs, and private channels.
- Interactive flow: expect buttons, dropdowns, modals, or follow-up prompts after the initial command.
- Prefix shortcuts exist for this area. Use `/alias command:fun`` to inspect the live shortcut list.

/fun tictactoe

Usage

Use `/fun tictactoe opponent:<user>`` to challenge another user to a game of Tic Tac Toe. Interactive and perfect for casual competition. Access profile: General | Interactive.

Parameter	Type	Required	Details
opponent	user	Yes	No extra description found in code.

Important

- Works in servers, DMs, and private channels.
- Interactive flow: expect buttons, dropdowns, modals, or follow-up prompts after the initial command.
- Prefix shortcuts exist for this area. Use `/alias command:fun` to inspect the live shortcut list.

/fun wyr

Usage

Use `/fun wyr` to start a Would You Rather voting game with reactions. Lets members vote and compare the crowd favorite. Access profile: General | Interactive.

Arguments: This command does not expose additional slash parameters.

Important

- Works in servers, DMs, and private channels.
- Interactive flow: expect buttons, dropdowns, modals, or follow-up prompts after the initial command.
- Prefix shortcuts exist for this area. Use `/alias command:fun` to inspect the live shortcut list.

/quote

Random or numbered built-in quote retrieval.

/quote

Usage

Use `/quote [number:<number>] [custom:<text>]` to get a random quote or request a specific saved quote. Useful for inspiration, fun, or memorable server moments. Access profile: General.

Parameter	Type	Required	Details
number	number	No	Specific quote number
custom	text	No	Create a custom quote

Important

- Works in servers, DMs, and private channels.
- Prefix shortcuts exist for this area. Use `/alias command:quote` to inspect the live shortcut list.

/quotes (command group)

Custom server quote storage, listing, and premium quote access.

Command	Purpose	Access
<code>/quotes add</code>	Add a custom quote to your server's quote collection. Perfect for saving iconic messages and funny moments.	General
<code>/quotes list</code>	View all saved custom quotes available in your server. Makes it easy to browse memorable stored messages.	General Interactive
<code>/quotes my</code>	View the premium custom quote collection for your server. Available only for premium-enabled communities.	General Premium-aware
<code>/quotes remove</code>	Delete a quote from your server's saved collection. Useful for cleanup or removing outdated entries.	General

`/quotes add`

Usage

Use ``/quotes add field:<text> [author:<text>]`` to add a custom quote to your server's quote collection. Perfect for saving iconic messages and funny moments. Access profile: General.

Parameter	Type	Required	Details
<code>field</code>	text	Yes	Quote text
<code>author</code>	text	No	Author of the quote (optional)

Important

- Prefix shortcuts exist for this area. Use ``/alias command:quotes add`` to inspect the live shortcut list.

`/quotes list`

Usage

Use ``/quotes list`` to view all saved custom quotes available in your server. Makes it easy to browse memorable stored messages. Access profile: General | Interactive.

Arguments: This command does not expose additional slash parameters.

Important

- Interactive flow: expect buttons, dropdowns, modals, or follow-up prompts after the initial command.
- Prefix shortcuts exist for this area. Use ``/alias command:quotes list`` to inspect the live shortcut list.

`/quotes my`

Usage

Use ``/quotes my [number:<number>]`` to view the premium custom quote collection for your server. Available only for premium-enabled communities. Access profile: General | Premium-aware.

Parameter	Type	Required	Details
-----------	------	----------	---------

number	number	No	Specific quote number (optional)
---------------	--------	----	----------------------------------

Important

- Prefix shortcuts exist for this area. Use `/alias command:quotes` to inspect the live shortcut list.
- Premium or backend entitlement checks may affect whether this command runs in a specific server.

/quotes remove

Usage

Use `/quotes remove number:<number>` to delete a quote from your server's saved collection. Useful for cleanup or removing outdated entries. Access profile: General.

Parameter	Type	Required	Details
number	number	Yes	Quote number to remove

Important

- Prefix shortcuts exist for this area. Use `/alias command:quotes remove` to inspect the live shortcut list.

Staff & Operations

Staff tools, LOA workflows, and emergency response systems.

/callout (command group)

Operational callout dispatching and responder tracking.

Command	Purpose	Access
<code>/callout create</code>	Create a live callout request inside the current channel. Useful for emergency responses, support teams, or alerts.	Staff
<code>/callout forceend</code>	Forcefully end an active callout session immediately. Useful for emergencies, mistakes, or completed operations.	Staff
<code>/callout responders</code>	View all active responders currently assigned to callouts. Helps track who has accepted and joined active requests.	Staff

/callout create

Usage

Use `/callout create [roles:<text>]` to create a live callout request inside the current channel. Useful for emergency responses, support teams, or alerts. Access profile: Staff.

Parameter	Type	Required	Details
<code>roles</code>	text	No	Roles to ping (mention them, e.g. @Role1 @Role2, optional)

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Prefix shortcuts exist for this area. Use `/alias command:callout create` to inspect the live shortcut list.

/callout forceend

Usage

Use `/callout forceend` to forcefully end an active callout session immediately. Useful for emergencies, mistakes, or completed operations. Access profile: Staff.

Arguments: This command does not expose additional slash parameters.

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.

- Prefix shortcuts exist for this area. Use ``/alias command:callout forceend`` to inspect the live shortcut list.

/callout responders

Usage

Use ``/callout responders`` to view all active responders currently assigned to callouts. Helps track who has accepted and joined active requests. Access profile: Staff.

Arguments: This command does not expose additional slash parameters.

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Prefix shortcuts exist for this area. Use ``/alias command:callout responders`` to inspect the live shortcut list.

/staff (command group)

Staff registration, promotions, duty tools, infractions, and leaderboards.

Command	Purpose	Access
/staff demotion	Demote a staff member and apply the updated lower role. Old roles can be removed automatically during the process.	Staff
/staff embed	Create a professional staff duty embed with interactive buttons. Allows quick On Duty and Off Duty status updates.	Staff
/staff infraction	Apply an infraction record to a staff member for rule violations. Can also adjust staff roles depending on server setup.	Staff
/staff leaderboard	Display the all-time duty leaderboard for staff performance. Useful for measuring activity, consistency, and dedication.	Staff
/staff manage	Open the staff profile manager with On Duty and Off Duty controls. Useful for tracking activity and managing work status quickly.	Staff
/staff promotion	Promote a staff member by assigning the new role automatically. Optional previous role removal helps keep hierarchy clean.	Staff
/staff register	Register a member as official staff inside the management system. Used to begin tracking duty status, promotions, and infractions.	Staff
/staff remove	Remove a user from the staff management system completely. Useful when a staff member resigns or is no longer active.	Staff

/staff demotion

Usage

Use ``/staff demotion user:<user> [demoted_role:<role>] [old_role:<role>] [reason:<text>]`` to demote a staff member and apply the updated lower role. Old roles can be removed automatically during the process. Access profile: Staff.

Parameter	Type	Required	Details
user	user	Yes	User to demote
demoted_role	role	No	Role to give (mention)
old_role	role	No	Old role to remove (optional, mention)
reason	text	No	Optional reason

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Prefix shortcuts exist for this area. Use ``/alias command:staff`` to inspect the live shortcut list.

/staff embed

Usage

Use ``/staff embed [title:<text>] [description:<text>] [channel:<channel>] [thumbnail:<text>] [image:<text>]`` to create a professional staff duty embed with interactive buttons. Allows quick On Duty and Off Duty status updates. Access profile: Staff.

Parameter	Type	Required	Details
title	text	No	Title of the embed
description	text	No	Description for the embed
channel	channel	No	Channel where to send the embed
thumbnail	text	No	Optional thumbnail image URL
image	text	No	Optional image URL

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.

/staff infraction

Usage

Use ``/staff infraction user:<user> [infraction_role:<role>] [remove_roles:<text>] [reason:<text>]`` to apply an infraction record to a staff member for rule violations. Can also adjust staff roles depending on server setup. Access profile: Staff.

Parameter	Type	Required	Details
user	user	Yes	User to action
infraction_role	role	No	Optional role to add as infraction (mention)
remove_roles	text	No	Optional roles to remove (mention multiple separated by spaces or commas)
reason	text	No	Optional reason

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Prefix shortcuts exist for this area. Use ``/alias command:staff infraction`` to inspect the live shortcut list.

`/staff leaderboard`

Usage

Use ``/staff leaderboard`` to display the all-time duty leaderboard for staff performance. Useful for measuring activity, consistency, and dedication. Access profile: Staff.

Arguments: This command does not expose additional slash parameters.

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Prefix shortcuts exist for this area. Use ``/alias command:staff`` to inspect the live shortcut list.

`/staff manage`

Usage

Use ``/staff manage`` to open the staff profile manager with On Duty and Off Duty controls. Useful for tracking activity and managing work status quickly. Access profile: Staff.

Arguments: This command does not expose additional slash parameters.

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Prefix shortcuts exist for this area. Use ``/alias command:staff manage`` to inspect the live shortcut list.

/staff promotion

Usage

Use ``/staff promotion user:<user> [promoted_role:<role>] [old_role:<role>] [reason:<text>]`` to promote a staff member by assigning the new role automatically. Optional previous role removal helps keep hierarchy clean.

Access profile: Staff.

Parameter	Type	Required	Details
user	user	Yes	User to promote
promoted_role	role	No	Role to give (mention)
old_role	role	No	Old role to remove (optional, mention)
reason	text	No	Optional reason

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Prefix shortcuts exist for this area. Use ``/alias command:staff`` to inspect the live shortcut list.

/staff register

Usage

Use ``/staff register user:<user> [roles:<text>] [rank:<text>] [callsign:<text>]`` to register a member as official staff inside the management system. Used to begin tracking duty status, promotions, and infractions. Access profile: Staff.

Parameter	Type	Required	Details
user	user	Yes	User to register
roles	text	No	Mention one or more roles to assign (e.g. @Role1 @Role2)
rank	text	No	Staff rank (e.g., Sergeant)
callsign	text	No	Optional callsign for nickname

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Prefix shortcuts exist for this area. Use ``/alias command:staff register`` to inspect the live shortcut list.

/staff remove

Usage

Use ``/staff remove user:<user>`` to remove a user from the staff management system completely. Useful when a staff member resigns or is no longer active. Access profile: Staff.

Parameter	Type	Required	Details
user	user	Yes	No extra description found in code.

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Prefix shortcuts exist for this area. Use ``/alias command:staff remove`` to inspect the live shortcut list.

/loa

Leave-of-absence configuration and lifecycle management.

/loa

Usage

Use ``/loa`` to configure the Leave of Absence system for formal inactivity requests. Useful for staff teams, departments, and roleplay communities. Access profile: Staff.

Arguments: This command does not expose additional slash parameters.

Important

- Requires visible permission checks for: Administrator.
- This command is typically used in a server context.
- Prefix shortcuts exist for this area. Use ``/alias command:loa`` to inspect the live shortcut list.

Restricted / Owner Only

Maintenance commands that should stay with the bot owner or trusted operators.

These commands are documented for completeness, but they are maintenance tools. Do not hand them out as general staff commands unless you intentionally trust the operator with owner-level actions.

/debug (command group)

Restricted troubleshooting tools for server sync and role-state issues.

Command	Purpose	Access
<code>/debug grant</code>	Grant premium sync fixes and debug-related permissions. Mostly used by developers for support and issue resolution.	Restricted Premium-aware
<code>/debug revoke</code>	Revoke premium sync access or debug-linked permissions. Useful for reversing mistaken grants or expired access.	Restricted Premium-aware

/debug grant

Usage

Use ``/debug grant role:<role>`` to grant premium sync fixes and debug-related permissions. Mostly used by developers for support and issue resolution. Access profile: Restricted | Premium-aware.

Parameter	Type	Required	Details
<code>role</code>	role	Yes	Grant server sync api key

Important

- This command is typically used in a server context.
- Prefix shortcuts exist for this area. Use ``/alias command:debug grant`` to inspect the live shortcut list.
- Premium or backend entitlement checks may affect whether this command runs in a specific server.

/debug revoke

Usage

Use ``/debug revoke role:<role>`` to revoke premium sync access or debug-linked permissions. Useful for reversing mistaken grants or expired access. Access profile: Restricted | Premium-aware.

Parameter	Type	Required	Details
<code>role</code>	role	Yes	Remove server sync api key from database

Important

- This command is typically used in a server context.

- Prefix shortcuts exist for this area. Use `/alias command:debug revoke` to inspect the live shortcut list.
- Premium or backend entitlement checks may affect whether this command runs in a specific server.

/engine (command group)

Restricted owner maintenance commands for operations, broadcasts, sync, and platform upkeep.

Command	Purpose	Access
/engine blacklist	Add/Remove servers from the blacklist (bot cannot join).	Restricted
/engine commands	Inspect registered commands and descriptions.	Restricted
/engine console	Download the full bot console log.	Restricted
/engine economy	Add cash to a user's economy account.	Restricted
/engine leave	Remove The Secretary from a particular server using Guild ID.	Restricted
/engine memory	Trigger an immediate database cleanup sweep.	Restricted
/engine message	Send messages or fetch transcripts sent or received by the bot.	Restricted Interactive
/engine premiumgrant	Grant premium to a server after purchase.	Restricted Premium-aware
/engine premiumrevoke	Revoke premium from a server due to early problems.	Restricted Premium-aware
/engine publish	Publish a message to all community servers.	Restricted
/engine servers	Total Server Database of The Secretary.	Restricted
/engine sync	Reload The Secretary Command Panel.	Restricted Interactive
/engine topgg	Update Top.gg stats.	Restricted

/engine blacklist

Usage

Use `/engine blacklist action:<text> server\_id:<text>` to add/Remove servers from the blacklist (bot cannot join).

Access profile: Restricted.

Parameter	Type	Required	Details
action	text	Yes	Choose add or remove
server_id	text	Yes	ID of the server to add/remove

Important

- Read the argument list carefully and expect normal Discord role, channel, and hierarchy rules to apply.

/engine commands

Usage

Use `/engine commands [command:<text>]` to inspect registered commands and descriptions. Access profile: Restricted.

Parameter	Type	Required	Details
command	text	No	Specific command to inspect

Important

- Read the argument list carefully and expect normal Discord role, channel, and hierarchy rules to apply.

/engine console

Usage

Use `/engine console` to download the full bot console log. Access profile: Restricted.

Arguments: This command does not expose additional slash parameters.

Important

- Read the argument list carefully and expect normal Discord role, channel, and hierarchy rules to apply.

/engine economy

Usage

Use `/engine economy user\_id:<text> amount:<number>` to add cash to a user's economy account. Access profile: Restricted.

Parameter	Type	Required	Details
user_id	text	Yes	The user ID of the economy account
amount	number	Yes	Amount of cash to add

Important

- Read the argument list carefully and expect normal Discord role, channel, and hierarchy rules to apply.

/engine leave

Usage

Use `/engine leave server\_id:<text>` to remove The Secretary from a particular server using Guild ID. Access profile: Restricted.

Parameter	Type	Required	Details
-----------	------	----------	---------

server_id	text	Yes	No extra description found in code.
-----------	------	-----	-------------------------------------

Important

- Read the argument list carefully and expect normal Discord role, channel, and hierarchy rules to apply.

/engine memory

Usage

Use ``/engine memory`` to trigger an immediate database cleanup sweep. Access profile: Restricted.

Arguments: This command does not expose additional slash parameters.

Important

- Read the argument list carefully and expect normal Discord role, channel, and hierarchy rules to apply.

/engine message

Usage

Use ``/engine message action:<text>`` to send messages or fetch transcripts sent or received by the bot. Access profile: Restricted | Interactive.

Parameter	Type	Required	Details
action	text	Yes	Select the action to perform

Important

- Interactive flow: expect buttons, dropdowns, modals, or follow-up prompts after the initial command.

/engine premiumgrant

Usage

Use ``/engine premiumgrant server_id:<text> [end_date:<text>]`` to grant premium to a server after purchase. Access profile: Restricted | Premium-aware.

Parameter	Type	Required	Details
server_id	text	Yes	No extra description found in code.
end_date	text	No	No extra description found in code.

Important

- Premium or backend entitlement checks may affect whether this command runs in a specific server.

/engine premiumrevoke

Usage

Use `/engine premiumrevoke server_id:<text>` to revoke premium from a server due to early problems. Access profile: Restricted | Premium-aware.

Parameter	Type	Required	Details
server_id	text	Yes	No extra description found in code.

Important

- Premium or backend entitlement checks may affect whether this command runs in a specific server.

/engine publish

Usage

Use `/engine publish message_link:<text>` to publish a message to all community servers. Access profile: Restricted.

Parameter	Type	Required	Details
message_link	text	Yes	No extra description found in code.

Important

- Read the argument list carefully and expect normal Discord role, channel, and hierarchy rules to apply.

/engine servers

Usage

Use `/engine servers` to total Server Database of The Secretary. Access profile: Restricted.

Arguments: This command does not expose additional slash parameters.

Important

- Requires visible permission checks for: Administrator, Manage Guild.
- This command is typically used in a server context.

/engine sync

Usage

Use `/engine sync` to reload The Secretary Command Panel. Access profile: Restricted | Interactive.

Arguments: This command does not expose additional slash parameters.

Important

- Interactive flow: expect buttons, dropdowns, modals, or follow-up prompts after the initial command.

/engine topgg

Usage

Use `/engine topgg`` to update Top.gg stats. Access profile: Restricted.

Arguments: This command does not expose additional slash parameters.

Important

- Read the argument list carefully and expect normal Discord role, channel, and hierarchy rules to apply.