

Presentation Title

Author Name

author@example.com

Institution / Affiliation

May 15, 2026



Outline

- 1 Citation System
- 2 Theorems and Blocks
- 3 Tables

In-text citation example I

本模板提供学术蓝色右上角引用样式, 例如 [1] 与 [2]。每进入新的 \section, 编号自动重置为 1。

[1] A. Author, “Sample paper title,” *Journal Name*, Year.

[2] B. Author, C. Author, “Another sample title,” *Conference*, Year.

Outline

- 1 Citation System
- 2 Theorems and Blocks**
- 3 Tables

Definitions, theorems and proofs

Beamer 内置 `definition`, `theorem`, `lemma`, `corollary`, `proof` 等环境, 可直接使用。

Definition (Concept name)

一段定义文字。设 $f: X \rightarrow Y$ 为映射,...

Theorem (Main result)

对任意 $x \in \mathbb{R}$, 有 $x^2 \geq 0$, 等号成立当且仅当 $x = 0$ 。

Proof.

$x^2 = x \cdot x$, 实数与自身相乘所得非负。 □

Block environments

Beamer 提供三种带颜色的内容块, 分别用于普通说明、警示和示例。

Standard block

用于一般性结论、说明或概览。

Alert block

用于强调需要注意的重点或限制条件。

Example block

用于举例说明, 通常呈现为绿色。

Outline

- 1 Citation System
- 2 Theorems and Blocks
- 3 Tables**

Table I: booktabs three-line table

使用 booktabs 的

|,

|,

| 制作干净的三线表。

Table: Example three-line table.

Item	Value	Unit
A	1.23	m
B	4.56	s
C	7.89	kg

Table II: tabularx with wrapping cells

当列内容较长、需要按页面宽度自动换行时,使用 `tabularx` 环境配合自定义列类型 `L`(导言区已定义)。

Table: Example table with wrapping description column.

Topic	Description
Item 1	较长的描述文字, 会根据列宽自动换行, 适合放置说明性内容。
Item 2	另一段较长的描述, 同样会自动换行。