

a
Feature effect matrix (top stable features)
vader_within_post_vola
vader_positive_mean
swearing_rate
temporal_balance
tentative_language_rat
tenure_days_log
cognitive_flexibility
controversy_rate
discrepancy_rate
discussion_initiated_r
self_focus_index
social_focus_variabili
social_sub_ratio
entertainment_sub_rati
exclamation_ratio
filler_word_rate
first_person_rate
sadness_rate
score_min
impersonal_pronoun_rat
insight_rate
mattr_vocabulary_diver
post_length_mean
post_length_std
present_focus_rate
Top stable features (ordered by consistency)
MDD
BD
ANX
OCD
PTSD
BPD
ED
SCZ
ADHD
ASD
Disorder
Hedges' g
1.0
0.5
0.0
−0.5
−1.0
b
Effect-size categories
negligible
minimal
small
medium
large
438
197
212
73
60
0
100
200
300
400
500
Feature x disorder effects
c
Per-feature consistency
Features
0
5
10
15
20
25
30
35
40
0 1 2 3 4 5 6 7 8 9 10
Significant disorders (of 10)
d
Top diagnostic features
mental_health_sub_
support_sub_ratio
interval_median_ho
sadness_rate
anxiety_rate
score_median
third_person_rate
net_emotion_tone
positive_affect_ra
post_length_cv
first_person_rate
entertainment_sub_
posts_per_day
information_sub_ra
active_day_ratio
0.00
0.02
0.04
0.06
0.08
0.10
Stored diagnostic value