## 1 Example FoxH-2\_9\_13.wls

File content

Fox H-function

$$H_{2,2}^{1,2}\left( \cdot \middle| \begin{array}{c} \left(\frac{1}{2},1\right),\left(1,1\right) \\ \left(\frac{1}{2},1\right),\left(0,1\right) \end{array} \right)$$

$$H_{2,2}^{1,2}\left(\cdot \left| \begin{array}{c|c} \left(\frac{1}{2},1\right),\left(1,1\right) \\ \hline \left(\frac{1}{2},1\right) & \left(0,1\right) \end{array} \right)$$

Summary

$$a^* = 2$$

$$\Delta = 0$$

$$\delta = \text{ComplexInfinity}$$

$$\mu = -1$$

$$a_1^* = 1$$

$$a_2^* = 1$$

$$\xi = 2$$

 $c^* = 1$ 

Poles 1. First eight poles from upper front list

$$a_{i,k} = \begin{pmatrix} \frac{1}{2} & \frac{3}{2} & \frac{5}{2} & \frac{7}{2} & \frac{9}{2} & \frac{11}{2} & \frac{13}{2} & \frac{15}{2} \\ 0 & 1 & 2 & 3 & 4 & 5 & 6 & 7 \end{pmatrix}$$

2. First eight poles from lower front list

$$b_{j,\ell} = \begin{pmatrix} -\frac{1}{2} & -\frac{3}{2} & -\frac{5}{2} & -\frac{7}{2} & -\frac{9}{2} & -\frac{11}{2} & -\frac{13}{2} & -\frac{15}{2} \end{pmatrix}$$