## 1 Example FoxH-Sin.wls

## File content

```
(* (2.9.7) and (2.9.9) of Kilbas & Saigo 04 *)
{
    (* Upper List *) {
        (* Upper Front List *) {},
        (* Upper Rear List *) {}
},
    (* Lower List *) {
        (* Lower Front List *) {{1/2, 1}},
        (* Lower Rear List *) {{0, 1}}
}
```

## Fox H-function

$$H_{0,2}^{1,0}\left(oldsymbol{\cdot} \middle| \left(rac{1}{2},1
ight),\left(0,1
ight)
ight)$$

$$H_{0,2}^{1,0}\left(\cdot\left|\begin{array}{c|c} & & \\\hline & \left(rac{1}{2},1
ight) & (0,1) \end{array}
ight)$$

## Summary

$$a^* = 0$$

$$\Delta = 2$$

$$\delta = \text{ComplexInfinity}$$

$$\mu = -\frac{1}{2}$$

$$a_1^* = 1$$

$$a_2^* = -1$$

$$\xi = \frac{1}{2}$$

$$c^* = 0$$

Poles 1. First ten poles from upper front list

2. First ten poles from lower front list

$$b_{j,\ell} = \begin{pmatrix} -\frac{1}{2} \\ -\frac{3}{2} \\ -\frac{5}{2} \\ -\frac{7}{2} \\ -\frac{9}{2} \\ -\frac{11}{2} \\ -\frac{13}{2} \\ -\frac{15}{2} \\ -\frac{17}{2} \\ -\frac{19}{2} \\ -\frac{21}{2} \end{pmatrix}$$