

USDT0 · SECURITY REVIEW

USDT0

Solana Transaction Verification.

A security review of Solana Transaction Verification.

CLIENT	PROJECT	AUDITORS	AUDIT WINDOW	FINAL REPORT
USDT0	Solana Transaction Verification	Guardian	April 25 – April 25, 2026	May 4, 2026

§ 00

Contents.

14 pages — overview, confidence ranking, scope, 4 findings, disclaimer, and about Guardian.

§ 01	Overview	P. 03
§ 02	Confidence Ranking	P. 04
§ 03	Scope & Classifications	P. 05
	Files in Scope	P. 06
§ 04	Findings	P. 07
	Main Review · 4 findings	P. 08
§ 05	Disclaimer	P. 13
§ 06	About Guardian	P. 14

§ 01

Overview.

Guardian reviewed Solana Transaction Verification across a single review round. The final report includes 1 Medium, 3 Informational findings.

AUDIT FIRM

Guardian

METHODOLOGY

Smart contract · Manual · Main Review

CLIENT

USDT0

PROJECT

Solana Transaction Verification

PREPARED BY

Guardian

AUDIT WINDOW

April 25 – April 25, 2026

FINAL REPORT

May 4, 2026

1.1 Confidence Ranking

5 / 5

Very High Confidence

Guardian assigns a Confidence Ranking of 5 out of 5, combining finding severity, remediation outcome, and the reviewer’s assessment of latent risk. The full scale is on the next page.



1.2 Findings at a Glance

SEVERITY	TOTAL	PENDING	ACK	PARTIAL	RESOLVED
Critical	0	0	0	0	0
High	0	0	0	0	0
Medium	1	0	1	0	0
Low	0	0	0	0	0
Informational	3	0	3	0	0
All severities	4	0	4	0	0

§ 02

Confidence Ranking.

Guardian assigns a project-level confidence score using the scale below. The ranking combines finding severity, remediation outcome, and the reviewer's assessment of latent risk.

CONFIDENCE RANKING	DEFINITION AND RECOMMENDATION	RISK PROFILE
5 Very High Confidence ASSIGNED	Codebase is mature, clean, and secure. No High or Critical vulnerabilities were found. Follows modern best practices with high test coverage and thoughtful design. Recommendation: code is highly secure at time of audit.	0 High/Critical findings and few Low/Medium severity findings.
4 High Confidence	Code is clean, well-structured, and adheres to best practices. Design patterns are sound and test coverage is strong. Recommendation: suitable for deployment after remediations; consider periodic review with changes.	0-1 High/Critical findings per engagement week and little to no Medium severity findings.
3 Moderate Confidence	Code is functional but shows gaps in defensive programming or test coverage. Recommendation: remediate the findings and re-review the changes before deployment.	Some High/Critical findings, with various Medium severity findings.
2 Low Confidence	Recurring issues suggest systemic gaps rather than isolated mistakes. Recommendation: remediate, then commission a follow-up review at a frozen commit.	Over 6 High and Critical findings across the engagement.
1 Very Low Confidence	The volume and severity of findings indicate the codebase is not ready for production. Recommendation: substantial rework, then a full re-review.	Over 12 High and Critical findings across the engagement.

§ 03

Scope & Classifications.

Guardian reviewed Solana Transaction Verification.

3.1 Severity Matrix

	IMP · HIGH	IMP · MED	IMP · LOW
LIK · HIGH	Critical	High	Medium
LIK · MED	High	Medium	Low
LIK · LOW	Medium	Low	Low

IMPACT · HIGH

Significant loss of assets, harm to a group of users, or core protocol functionality is disrupted.

IMPACT · MEDIUM

Small amount of funds can be lost, or ancillary functionality is affected. Users may experience reduced or delayed receipt.

IMPACT · LOW

Unexpected behavior in some functionality that is notable but does not meet the criteria for higher severity.

LIKELIHOOD · HIGH

Possible with reasonable assumptions that mimic on-chain conditions; cost is low compared to amount gained.

LIKELIHOOD · MEDIUM

Possible only in uncommon cases or requires a large amount of capital relative to disruption caused.

LIKELIHOOD · LOW

Unlikely to ever occur in production.

Files in Scope.

FILE	NSLOC	TOTAL
No files were recorded in scope.		

§ 04

Findings.

Grouped by round. Visible IDs reset by severity within each round, so a finding is named the same way in the report as it was in the channel it was written in.

ID	TITLE	CATEGORY	SEVERITY	STATUS	PAGE
MAIN REVIEW					
M-01	Solana XAUT0 Stable peer is not configured	Warning	MEDIUM	ACKNOWLEDGED	p. 8
I-01	Solana XAUT0 TON does not receive Canary DVN update	Warning	INFORMATIONAL	ACKNOWLEDGED	p. 9
I-02	Solana XAUT0 BSC and Monad setConfig updates are deferred	Warning	INFORMATIONAL	ACKNOWLEDGED	p. 10
I-03	Solana XAUT0 Squads has an undocumented seventh member	Warning	INFORMATIONAL	ACKNOWLEDGED	p. 11

MEDIUM **M-01**

ACKNOWLEDGED

Solana XAUT0 Stable peer is not configured

CATEGORY Warning
LOCATION —
REVIEW Main Review

DESCRIPTION

The XAUT0 config includes the Solana to/from Stable connection with the Canary DVN set. The corresponding Solana peer account is not configured. A direct confirmed RPC read of Stable peer PDA `GAroeCTLbyHVZ2kv9caXoiEr3jbnTw1qKuBQ7H1YcFcG` returned no account at slot `415630082`. The expected peer value is `0x00000000000000000000000000000000d8479f87686ed263d00ca7505f86327dbed4171a`.

Proposals #47 and #50 cover the receive and send ULN `setConfig` updates for Stable. They set the Stable ULN configs to the intended Canary DVN set and executor settings. They do not initialize or repair the missing peer account.

#47 and #50 Safe transactions update Stable send and receive configs to the intended Canary target, but the peer remains absent because neither proposal contains a peer initialization instruction. Consequently, the Stable connection should not be treated as fully wired after this bundle.

RECOMMENDATION

Submit a follow-up Solana Squads proposal that initializes or repairs the Stable peer account before treating Stable as covered. The peer PDA should exist and decode to

`0x00000000000000000000000000000000d8479f87686ed263d00ca7505f86327dbed4171a`.

RESOLUTION

Status: Acknowledged.

INFORMATIONAL **I-01**

ACKNOWLEDGED

Solana XAUT0 TON does not receive Canary DVN update

CATEGORY Warning
LOCATION –
REVIEW Main Review

— DESCRIPTION

The Solana to/from TON config still lists only the LayerZero and USDT0 DVNs. Proposals #34-#53 do not include a TON `InitConfig`, send `setConfig`, or receive `setConfig` instruction.

Consequently, approving this Squads bundle updates the other covered Solana remotes to the three-DVN Canary set but leaves TON at two required DVNs. This is inconsistent with the stated goal of adding Canary as the third required DVN on every XAUT0 Solana connection.

— RECOMMENDATION

Submit a follow-up Solana Squads proposal for TON that applies the intended send and receive ULN configs with the sorted required DVN set `LayerZero, Canary, USDT0`. If TON is intentionally excluded, remove it from the scoped Canary rollout and document the exclusion before signer approval.

— RESOLUTION

Status: Acknowledged.

INFORMATIONAL I-02

ACKNOWLEDGED

Solana XAUT0 BSC and Monad setConfig updates are deferred

CATEGORY Warning
LOCATION –
REVIEW Main Review

DESCRIPTION

The XAUT0 config includes Solana to/from Monad and Solana to/from BSC entries with the Canary DVN set. The live Squads bundle only includes `InitConfig` for those two remotes in proposals #34 and #35. It does not include the matching send or receive `setConfig` instructions.

If signers treat #34-#53 as complete coverage, BSC and Monad will remain without the intended Solana Canary ULN configs until a second bundle is proposed and executed. The init proposals allocate state, but they do not apply the required DVN set.

RECOMMENDATION

Execute #34 and #35 only with an explicit follow-up requirement for the four missing BSC and Monad `setConfig` instructions. After the follow-up bundle is proposed, decode and simulate it with the same checks used for #34-#53 before approval.

RESOLUTION

Status: Acknowledged.

INFORMATIONAL I-03

ACKNOWLEDGED

Solana XAUT0 Squads has an undocumented seventh member

CATEGORY Warning
LOCATION –
REVIEW Main Review

DESCRIPTION

The Solana XAUT0 scope identifies the Squads multisig `BiFqKEtVL9iv2ZYBw4oE7qFysftof69G6N5LTpQ7xitp` as a 3-of-6 Squads V4 account. The live account decodes with the expected threshold of `3`, but it has `7` members.

The live Squads member/owner addresses are:

```
5jDc8Hp3uLzgpNo9cq8eUw45nDuoJVqgMgfxRmWhvYHb permissionsMask=7
831ZwU7LvAF1Xt6BRdpX54UxdhJAuiS3S4xpcmYmRaHn permissionsMask=5
BgPzTQS5Rdkoqq6ecz74vKe6Ljcd14fwsyTDYH4wYsB permissionsMask=5
GR9VreJzeV1r5iRjVmddvqHsB3Mo5mvLfTKtvPRi52JD permissionsMask=7
GTzaBWhq6h4zQSsqVjsD14ABWosjXy5g9xrzrqsLUyar permissionsMask=7
Gnn9hC32LHmTzaCqmH5rsvbSX3qCrbKFMzzQ6zkqnJED permissionsMask=7
Hr8YvdxTpc9u2QfDqo4Ve3ViVnG59EjBRRFfwrtWfURj permissionsMask=7
```

For Squads V4, `permissionsMask=7` means Initiate, Vote, and Execute. `permissionsMask=5` means Initiate and Execute. Therefore the live state is not the documented 3-of-6 owner set. It is seven members total, with five vote-enabled members.

The intended owner addresses are not recoverable from the provided scope. The only documented intended state is a six-member Squads account with threshold `3`.

RECOMMENDATION

Publish the intended six Squads member/owner addresses for

`BiFqKEtVL9iv2ZYBw4oE7qFysftof69G6N5LTpQ7xitp` before treating #34-#53 as fully signer-verified. If the live 3-of-7 state is wrong, execute the required Squads config transaction to remove the unexpected member or correct its permissions. If the live state is intentional, update the Solana scope and verifier documentation from 3-of-6 to the exact live member set so future approval checks use the intended governance state.

I-03 Solana XAUTO Squads has an undocumented seventh member

CONTINUED

— RESOLUTION

Status: Acknowledged.

§ 05

Disclaimer.

This report is not, nor should be considered, an "endorsement" or "disapproval" of any particular project or team. This report is not, nor should be considered, an indication of the economics or value of any "product" or "asset" created by any team or project that contracts Guardian to perform a security assessment. This report does not provide any warranty or guarantee regarding the absolute bug-free nature of the technology analyzed, nor do they provide any indication of the technologies proprietors, business, business model or legal compliance.

This report should not be used in any way to make decisions around investment or involvement with any particular project. This report in no way provides investment advice, nor should be leveraged as investment advice of any sort. This report represents an extensive assessing process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology.

Blockchain technology and cryptographic assets present a high level of ongoing risk. Guardian's position is that each company and individual are responsible for their own due diligence and continuous security. Guardian's goal is to help reduce the attack vectors and the high level of variance associated with utilizing new and consistently changing technologies, and in no way claims any guarantee of security or functionality of the technology we agree to analyze.

The assessment services provided by Guardian is subject to dependencies and under continuing development. You agree that your access and/or use, including but not limited to any services, reports, and materials, will be at your sole risk on an as-is, where-is, and as-available basis.

Cryptographic tokens are emergent technologies and carry with them high levels of technical risk and uncertainty. The assessment reports could include false positives, false negatives, and other unpredictable results. The services may access, and depend upon, multiple layers of third-parties.

Notice that smart contracts deployed on the blockchain are not resistant from internal/external exploit. Notice that active smart contract owner privileges constitute an elevated impact to any smart contract's safety and security. Therefore, Guardian does not guarantee the explicit security of the audited smart contract, regardless of the verdict.

§ 06

About Guardian.

Guardian is a smart contract security firm. Every engagement is worked by two independent teams competing on the same scope, each with its own tooling and methods, so no single reviewer's blind spot survives.

\$45B+DIGITAL ASSETS UNDER
REVIEW**200+**

ENGAGEMENTS COMPLETED

500+CRITICAL & HIGH FINDINGS
REPORTED

Reach us at audits@guardianaudits.com.