USDT0 · SECURITY REVIEW

# USDT0
# USAT Reconfiguration.

A security review of USAT Reconfiguration.

| CLIENT | PROJECT | AUDITORS | AUDIT WINDOW | FINAL REPORT |
|---|---|---|---|---|
| USDT0 | USAT Reconfiguration | Roberto Reigada | July 22 – August 31, 2026 | August 31, 2026 |

§ 00

# Contents.

9 pages: overview, confidence ranking, scope, 1 finding, disclaimer, and about Guardian.


§ 01 Overview P. 03

§ 02 Confidence Ranking P. 04

§ 03 Scope & Classifications P. 05

§ 04 Findings P. 06

Main Review · 1 finding P. 07

§ 05 Disclaimer P. 08

§ 06 About Guardian P. 09

§ 01

# Overview.

Guardian reviewed USAT Reconfiguration across a single review round. The final report includes 1 Low finding.

AUDIT FIRM
Guardian

CLIENT
USDT0

PROJECT
USAT Reconfiguration

PREPARED BY
Roberto Reigada

AUDIT WINDOW
July 22 – August 31, 2026

FINAL REPORT
August 31, 2026

REPOSITORY
https://github.com/Everdawn-Labs/usdt0-oft-contracts

METHODOLOGY
Smart contract · Manual · Main Review

## 1.1 Confidence Ranking

**5 / 5**

**Very High Confidence**

Guardian assigns a Confidence Ranking of 5 out of 5, combining finding severity, remediation outcome, and the reviewer's assessment of latent risk. The full scale is on the next page.

| 1 | 2 | 3 | 4 | 5 |
|---|---|---|---|---|
| VERY LOW CONFIDENCE | LOW CONFIDENCE | MODERATE CONFIDENCE | HIGH CONFIDENCE | VERY HIGH CONFIDENCE |

## 1.2 Findings at a Glance

| SEVERITY | TOTAL | PENDING | ACK | PARTIAL | RESOLVED |
|---|---|---|---|---|---|
| Critical | **0** | 0 | 0 | 0 | 0 |
| High | **0** | 0 | 0 | 0 | 0 |
| Medium | **0** | 0 | 0 | 0 | 0 |
| **Low** | **1** | 1 | 0 | 0 | 0 |
| Informational | **0** | 0 | 0 | 0 | 0 |
| **All severities** | **1** | **1** | **0** | **0** | **0** |

§ 02

# Confidence Ranking.

Guardian assigns a project-level confidence score using the scale below. The ranking combines finding severity, remediation outcome, and the reviewer's assessment of latent risk.

| CONFIDENCE RANKING | DEFINITION AND RECOMMENDATION | RISK PROFILE |
|---|---|---|
| **5 Very High Confidence** ASSIGNED | Codebase is mature, clean, and secure. No High or Critical vulnerabilities were found. Follows modern best practices with high test coverage and thoughtful design. Recommendation: code is highly secure at time of audit. | 0 High/Critical findings and few Low/Medium severity findings. |
| **4 High Confidence** | Code is clean, well-structured, and adheres to best practices. Design patterns are sound and test coverage is strong. Recommendation: suitable for deployment after remediations; consider periodic review with changes. | 0-1 High/Critical findings per engagement week and little to no Medium severity findings. |
| **3 Moderate Confidence** | Code is functional but shows gaps in defensive programming or test coverage. Recommendation: remediate the findings and re-review the changes before deployment. | Some High/Critical findings, with various Medium severity findings. |
| **2 Low Confidence** | Recurring issues suggest systemic gaps rather than isolated mistakes. Recommendation: remediate, then commission a follow-up review at a frozen commit. | Over 6 High and Critical findings across the engagement. |
| **1 Very Low Confidence** | The volume and severity of findings indicate the codebase is not ready for production. Recommendation: substantial rework, then a full re-review. | Over 12 High and Critical findings across the engagement. |

§ 03

# Scope & Classifications.

Guardian reviewed USAT Reconfiguration in `https://github.com/Everdawn-Labs/usdt0-oft-contracts`.

## 3.1 Severity Matrix

| | IMP · HIGH | IMP · MED | IMP · LOW |
|---|---|---|---|
| LIK · HIGH | Critical | High | Medium |
| LIK · MED | High | Medium | Low |
| LIK · LOW | Medium | Low | Low |

| | |
|---|---|
| IMPACT · HIGH | Significant loss of assets, harm to a group of users, or core protocol functionality is disrupted. |
| IMPACT · MEDIUM | Small amount of funds can be lost, or ancillary functionality is affected. Users may experience reduced or delayed receipt. |
| IMPACT · LOW | Unexpected behavior in some functionality that is notable but does not meet the criteria for higher severity. |
| LIKELIHOOD · HIGH | Possible with reasonable assumptions that mimic on-chain conditions; cost is low compared to amount gained. |
| LIKELIHOOD · MEDIUM | Possible only in uncommon cases or requires a large amount of capital relative to disruption caused. |
| LIKELIHOOD · LOW | Unlikely to ever occur in production. |

§ 04

# Findings.

Grouped by round. Visible IDs reset by severity within each round, so a finding is named the same way in the report as it was in the channel it was written in. Status is where each finding ended up; its own page says how.

| ID | TITLE | CATEGORY | SEVERITY | STATUS | PAGE |
|---|---|---|---|---|---|
| **MAIN REVIEW** | | | | | |
| L-01 | DVN verifiers ignore the three-DVN configuration | Warning | LOW | PENDING | p. 7 |

LOW L-01

PENDING

# DVN verifiers ignore the three-DVN configuration

| | |
|---|---|
| CATEGORY | Warning |
| LOCATION | `scripts/usat-oUpgradeable-deployment-config-check.ts:288-307, scripts/usat-oAdapterUpgradeable-deployment-config-check.ts:254-266` |
| REVIEW | Main Review |

## DESCRIPTION

`resolveDVNAddresses` ignores its `dvnNamesOrAddresses` argument and always returns the hardcoded LayerZero Labs and USDT0 addresses. It also has no Anchorage entry. Consequently, the Celo verifier derives an expected required-DVN count of two even though `layerzero-usat.config.ts` now requires LayerZero Labs, USDT0 and Anchorage. The same defect exists in `scripts/usat-oAdapterUpgradeable-deployment-config-check.ts:254-266` for Ethereum.

This can hide a failed or omitted configuration transaction. For example, the current Celo deployment still has only the original two required DVNs in its send and receive ULN configurations. The verifier nevertheless reports `Required DVNs: 2 (expected: 2)`, says that the ULN configuration matches the LayerZero config and exits successfully. An operator relying on this result could conclude that Anchorage is required when the intended third-DVN policy is not active.

## RECOMMENDATION

Resolve every entry supplied in `dvnNamesOrAddresses` instead of replacing the argument with a fixed list. Add Anchorage to each chain mapping, reject unknown names and compare the exact resolved set and count against the live ULN configuration.

## RESOLUTION

Status: Pending.

§ 05

# Disclaimer.

This report is not, nor should be considered, an "endorsement" or "disapproval" of any particular project or team. This report is not, nor should be considered, an indication of the economics or value of any "product" or "asset" created by any team or project that contracts Guardian to perform a security assessment. This report does not provide any warranty or guarantee regarding the absolute bug-free nature of the technology analyzed, nor do they provide any indication of the technologies proprietors, business, business model or legal compliance.

This report should not be used in any way to make decisions around investment or involvement with any particular project. This report in no way provides investment advice, nor should be leveraged as investment advice of any sort. This report represents an extensive assessing process intending to help our customers increase the quality of their code while reducing the high level of risk presented by cryptographic tokens and blockchain technology.

Blockchain technology and cryptographic assets present a high level of ongoing risk. Guardian's position is that each company and individual are responsible for their own due diligence and continuous security. Guardian's goal is to help reduce the attack vectors and the high level of variance associated with utilizing new and consistently changing technologies, and in no way claims any guarantee of security or functionality of the technology we agree to analyze.

The assessment services provided by Guardian is subject to dependencies and under continuing development. You agree that your access and/or use, including but not limited to any services, reports, and materials, will be at your sole risk on an as-is, where-is, and as-available basis.

Cryptographic tokens are emergent technologies and carry with them high levels of technical risk and uncertainty. The assessment reports could include false positives, false negatives, and other unpredictable results. The services may access, and depend upon, multiple layers of third-parties.

Notice that smart contracts deployed on the blockchain are not resistant from internal/external exploit. Notice that active smart contract owner privileges constitute an elevated impact to any smart contract's safety and security. Therefore, Guardian does not guarantee the explicit security of the audited smart contract, regardless of the verdict.

§ 06

# About Guardian.

Guardian is a smart contract security firm. Every engagement is worked by two independent teams competing on the same scope, each with its own tooling and methods, so no single reviewer's blind spot survives.

**$45B+**
DIGITAL ASSETS UNDER REVIEW

**200+**
ENGAGEMENTS COMPLETED

**500+**
CRITICAL & HIGH FINDINGS REPORTED

Reach us at audits@guardianaudits.com.