WEB PROGRAMIRANJE PHP2

DOKUMENTACIJA PROJEKTA

Student:

Stefan Popovic 328/15

Beograd 2018.

SADRŽAJ

1.Opis funkcionalnosti.....1
2. Skica struktura stranica.....3
3. Dijagram baze podataka.....4
3.MVC Organizacija.....5
Kontroleri.....5
Modeli.....6
View.....8
4. javaScript kod.....9
5. PHP kod.....10

1.Opis funkcionalnosti



Komentare mogu da unesu samo autorizovani korisnici, pored toga mogu da obrisu i promene sopstvene komentare, dok administrator moze svaki komentar da obrise ali samo svoje da menja i da unese sopstveni komentar. Autorizovani korisnici mogu menjaju i brisu svoje postove dok administrator moze svacije. Administrator upravlja celim sadrzajem na sajtu i to: korisnicima, postovima, i ulogama.

Koriščeni jezici	• HTML 4 i HTML 5 • CSS • javaScript • PHP • MySQL
Korišćeni HTML šabloni (framework-ci)	https://startbootstrap.com/template-overviews/blog-home/
Koriščene biblioteke i njihovi url-ovi odakle ste ih preuzeli	• jQuery • Bootstrap • Sve biblioteke koje su koriscene su vec bile u okviru template-a
Korišćene biblioteke iz framework-a	• Laravel
Korišćene php biblioteke van fremework-a	
Koje funkcionalnosti su realizove putem AJAX-a	Editovanje komentara
Navesti lokacije gde je napisan AJAX kod (fajlovi ili delovi html stranice)	public/js/ajax.js
Navesti lokacije gde je napisan sopstveni javaScript kod (fajlovi ili delovi html stranice)	public/js/provera.js
URL sajta/aplikacije	guardna.000webhostapp.com
Pristupni parametri	poslati su na mail

2. Skica struktura stranica

Pocetna strana:



Admin strana:



3. Dijagram baze podataka



3.MVC Organizacija

Kontroleri

CommentsController
postComment(Request $request, $postId)
editComment(Request $request, $commentId)
deleteComment($commentId)
show($commentId)

FrontendController
__construct()
index()
autor()
galerija()
getPost($id)
download()

KorisnikController
__construct()
show($id = null)
regshow($id = null)
store(Request $request)
regstore(Request $request)
update($id, Request $request)
destroy($id)

LoginController
login(Request $request)
logout(Request $request)

PostController
__construct()
create()
store(Request $request)
postshow($id = null)
update($id, Request $request)
destroy($id)

UlogaController
__construct()
show($id = null)
store(Request $request)
update($id, Request $request)
destroy($id)

Modeli

CommentsModel
save()
update($id)
getPostComments($postId)
delete($id)
getUserComments($userId)
find($id)
canUserDeleteComment($commentId)

Korisnik
getAll()
get()
getByUsernameAndPassword()
save()
update()
delete()

Meni
getAll()

Post
getAll()
save()
get($id)
update()
delete()
deleted()
getPictureId($postId)

Slika
save()
find($id)
delete($id)

Uloga
getAll()
get()

save()
update()
delete()

View

pages
autor.blade.php
createKorisnik.blade.php
createPost.blade.php
createUloga.blade.php
galerija.blade.php
home.blade.php
post.blade.php
register.blade.php

layouts
front.blade.php

components
comments.blade.php
footer.blade.php
nav.blade.php
sidebar.blade.php

4. javaScript kod

provera.js

```
function proveraKontakt(){
	var ime = document.getElementById("imeprezime").value;
	var regIme = /^[a-z\d]{4,}$/;
	if(regIme.test(ime)){
		document.getElementById("imeprezime").style.borderColor = "green";
	}
	else {
		document.getElementById("imeprezime").style.borderColor = "red";
	}
	var password = document.getElementById("sifra").value;
	var regpassword = /^(?=.*[a-z])(?=.*[A-Z])(?=.*\d)[a-zA-Z\d]{6,}$/;
	if(regpassword.test(password)){
		document.getElementById("sifra").style.borderColor = "green";
	}
	else {
		document.getElementById("sifra").style.borderColor = "red";
	}



}
```

5. PHP kod

CommentsController.php

```
<?php

namespace App\Http\Middleware;

use Closure;

class CheckUserRole
{
    /**
     * Handle an incoming request.
     *
     * @param  \Illuminate\Http\Request  $request
     * @param  \Closure  $next
     * @return mixed
     */
    public function handle($request, Closure $next)
    {
        if($request->session()->has('user')){
            $korisnik = $request->session()->get('user')[0];
            if($korisnik->naziv == 'admin'){
                return $next($request);
```

```
            } else {
                return redirect()->back()->with('error','Nemate pravo pristupa ovoj stranici!');
            }
        }

        return redirect()->back()->with('error','Nemate pravo pristupa ovoj stranici!');
    }
}
```

FrontendController.php

```
<?php

/*
 * To change this license header, choose License Headers in Project Properties.
 * To change this template file, choose Tools | Templates
 * and open the template in the editor.
 */

namespace App\Http\Controllers;
use App\Models\CommentsModel;
use App\Models\Meni;
use App\Models\Post;
use App\Models\Korisnik;
use DB;
/**
```

```
 * Description of FrontendController
 *
 * @author korisnik
 */
class FrontendController extends Controller {
    //put your code here
    private $data = [];


    public function __construct(){
            $meni = new Meni();
            $this->data['menus'] = $meni->getAll();
    }
    public function index(){
            $post = new Post();
        $this->data['posts'] =$post->getAll();


        $users = DB::table('post')->select('*','post.id as postId','post.created_at as
create','post.updated_at as update')->join('slika as s','post.slika_id','=','s.id')->join('korisnik as
k','post.korisnik_id','=','k.id')->join('uloga as u','k.uloga_id','=','u.id')-
>orderBy('post.created_at','desc');
        $this->data['users'] =$users->simplePaginate(5);


        return view('pages.home', $this->data);
    }
    public function autor(){
        $korisnik = new Korisnik();
```

```
        $this->data['korisnici'] = $korisnik->getAll();
        return view('pages.autor', $this->data);
    }
     public function galerija(){
        $post = new Post();
        $this->data['posts'] =$post->getAll();
        return view('pages.galerija', $this->data);
    }
    public function getPost($id){
        $post = new Post();
        // var_dump($post->get($id));
        $this->data['singlePost'] = $post->get($id);

        $commentModel = new CommentsModel();
        $this->data['comments'] = $commentModel->getPostComments($id);

        return view('pages.post', $this->data);
    }
    public function download(){
        $headers = array(
          'Content-Type: application/pdf',
        );
        return response()->download(public_path('dokumentacija.pdf'), 'dokumentacija.pdf',
$headers);
    }
```

}

KorisnikController.php

```
<?php

namespace App\Http\Controllers;
use App\Models\Meni;
use App\Models\Uloga;
use App\Models\Korisnik;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\File;

class KorisnikController extends Controller {

	private $data = [];

	public function __construct() {
		$uloga = new Uloga();
		$this->data['uloge'] = $uloga->getAll();
	    $meni = new Meni();
	    $this->data['menus'] = $meni->getAll();
	}
```

```
    public function show($id = null){
        $korisnik = new Korisnik();
        $this->data['korisnici'] = $korisnik->getAll();

        if(!empty($id)){
            $korisnik->id = $id;
            $this->data['korisnik'] = $korisnik->get();
        }

        return view('pages.createKorisnik', $this->data);
    }
public function regshow($id = null){
        $korisnik = new Korisnik();
        $this->data['korisnici'] = $korisnik->getAll();

        if(!empty($id)){
            $korisnik->id = $id;
            $this->data['korisnik'] = $korisnik->get();
        }

        return view('pages.register', $this->data);
    }

    public function store(Request $request){
```

```
$rules=[
                'korisnickoIme' => 'required|unique:korisnik,korisnicko_ime',
        'ddlUloga' => 'required|not_in:0',
        'lozinka' => [
            'required',
            'min:6',
            'regex:/^(?=.*[a-z])(?=.*[A-Z])(?=.*\d)[a-zA-Z\d]{6,}$/'],
                'slika' => 'required|mimes:jpg,jpeg,png,gif'
        ];

$messages = [
"lozinka.regex" => 'Password must contain one uppercase letter and one number.'];

$validator = \Validator::make($request->all(), $rules, $messages);
$validator->validate();



        $korisnicko_ime = $request->get('korisnickoIme');
        $lozinka = $request->get('lozinka');
        $uloga_id = $request->get('ddlUloga');

        $slika = $request->file('slika');

        $tmp_putanja = $slika->getPathName(); // tmp putanja
```

```
$ekstenzija = $slika->getClientOriginalExtension(); // vraca: jpg, png - bez .
$ime_fajla = time().'.'.$ekstenzija;
$putanja = 'images/'.$ime_fajla;

$putanja_server = public_path($putanja); // kao sto je asset potreban u view, tako je ovde potrebna metoda public_path() da bi se dohvatila puna putanja do foldera images

try {
    File::move($tmp_putanja, $putanja_server);

    // unos u bazu

    $korisnik = new Korisnik();
    $korisnik->korisnicko_ime = $korisnicko_ime;
    $korisnik->lozinka = $lozinka;
    $korisnik->slika = $putanja;
    $korisnik->uloga_id = $uloga_id;

    $rez = $korisnik->save();
    // echo $rez;
    if($rez == 1){
        return redirect('/users')->with('message','Uspesan unos!');
    }
    else {
        return redirect('/users')->with('message','Greska pri unosu!');
```

```
                }
            }
            catch (\Exception $ex){
                \Log::error('MOJA GRESKA: '.$ex->getMessage());
            }
    }
public function regstore(Request $request){

            $rules=[
                'korisnickoIme' => 'required|unique:korisnik,korisnicko_ime',
            'lozinka' => [
                'required',
                'min:6',
                'regex:/^(?=.*[a-z])(?=.*[A-Z])(?=.*\d)[a-zA-Z\d]{6,}$/'],
                'slika' => 'required|mimes:jpg,jpeg,png,gif'
            ];

        $messages = [
        "lozinka.regex" => 'Password must contain one uppercase letter and one number.'];

        $validator = \Validator::make($request->all(), $rules, $messages);
        $validator->validate();

            $korisnicko_ime = $request->get('korisnickoIme');
            $lozinka = $request->get('lozinka');
```

```
$uloga_id = "2";

$slika = $request->file('slika');

$tmp_putanja = $slika->getPathName(); // tmp putanja
$ekstenzija = $slika->getClientOriginalExtension(); // vraca: jpg, png - bez .
$ime_fajla = time().'.'.$ekstenzija;
$putanja = 'images/'.$ime_fajla;

$putanja_server = public_path($putanja); // kao sto je asset potreban u view, tako je ovde potrebna metoda public_path() da bi se dohvatila puna putanja do foldera images

try {
    File::move($tmp_putanja, $putanja_server);

    // unos u bazu

    $korisnik = new Korisnik();
    $korisnik->korisnicko_ime = $korisnicko_ime;
    $korisnik->lozinka = $lozinka;
    $korisnik->slika = $putanja;
    $korisnik->uloga_id = $uloga_id;

    $rez = $korisnik->save();
    // echo $rez;
```

```
                if($rez == 1){
                        return redirect('/register')->with('message','Uspesan unos!');
                }
                else {
                        return redirect('/register')->with('message','Greska pri unosu!');
                }
        }
        catch (\Exception $ex){
                \Log::error('MOJA GRESKA: '.$ex->getMessage());
        }
}

public function update($id, Request $request) {
        $korisnicko_ime = $request->get('korisnickoIme');
        $lozinka = $request->get('lozinka');
        $uloga_id = $request->get('ddlUloga');

        $slika = $request->file('slika');

        $korisnik = new Korisnik();
        $korisnik->id = $id;
        $korisnik->korisnicko_ime = $korisnicko_ime;
        $korisnik->lozinka = $lozinka;
        $korisnik->uloga_id = $uloga_id;
```

```
if(!empty($slika)){ // ako je uploadovana slika

        // brisanje stare slike sa servera
        $korisnik_to_update = $korisnik->get();
        Error! Hyperlink reference not valid.);

        // upload nove slike
        $tmp_putanja = $slika->getPathName();
        $ime_fajla = time().'.'.$slika->getClientOriginalExtension();
        $putanja = 'images/'.$ime_fajla;
        $putanja_server = public_path($putanja);

        File::move($tmp_putanja, $putanja_server);

        $korisnik->slika = $putanja;
}

$rez = $korisnik->update();

if($rez == 1){ // ako je uspeo update
        return redirect('/users')->with('message','Uspesan update!');
}
else {
        return redirect('/users')->with('message','Greska pri update-u!');
}
```

```
        }

        public function destroy($id){
                $korisnik = new Korisnik();
                $korisnik->id = $id;

                // brisanje stare slike sa servera
                $korisnik_to_update = $korisnik->get();
                Error! Hyperlink reference not valid.);

                $rez = $korisnik->delete();
                if($rez == 1){
                        return redirect('/users')->with('message','Uspesan delete!');
                }
                else {
                        return redirect('/users')->with('message','Greska pri delete-u!');
                }
        }
}
```

LoginController.php

```
<?php
```

```
namespace App\Http\Controllers;
use Illuminate\Http\Request;
use App\Models\Korisnik;

class LoginController extends Controller {

	public function login(Request $request){
		$request->validate([
			'tbKorisnickoIme' => ['required','alpha'],
		], [
			'required' => 'Polje :attribute je obavezno!'
		]);

		$korisnickoIme = $request->get('tbKorisnickoIme');
		$lozinka = $request->get('tbLozinka');

		$korisnik = new Korisnik();
		$korisnik->korisnicko_ime = $korisnickoIme;
		$korisnik->lozinka = $lozinka;

		$loginKorisnik = $korisnik->getByUsernameAndPassword();

		if(!empty($loginKorisnik)){
			$request->session()->push('user', $loginKorisnik);
```

```
                return redirect()->back()->with('success','Uspesno ste se ulogovali!');
            }
            return redirect()->back()->with('error','Niste registrovani!');
        }

        public function logout(Request $request){
            $request->session()->forget('user');
            $request->session()->flush();
            return redirect('/');
        }
}
```

PostController.php

```
<?php

namespace App\Http\Controllers;
use Validator;
use App\Models\CommentsModel;
use App\Models\Meni;
use App\Models\Post;
use App\Models\Slika;
use Illuminate\Http\Request;
```

```
use Illuminate\Support\Facades\File;




class PostController extends Controller {

        private $data = [];

    public function __construct(){
        $meni = new Meni();
        $this->data['menus'] = $meni->getAll();
    }

        public function create(){
            // 1 - Prikaz formulara
            return view('pages.createPost', $this->data);
        }

        public function store(Request $request) {

            // 2 - Validacija unosa

            $rules = [
                'title' => 'regex:/^[A-Z][a-z]+(\s[\w\d\-]+)*$/',
                'body' => 'required',
```

```
        'photo' => 'required|mimes:jpg,jpeg,png,gif|max:3000',
        'alt' => 'required'
];
$custom_messages = [
        'required' => 'Polje :attribute je obavezno!',
        'title.regex' => 'Polje title nije u ispravnom formatu!',
        'max' => 'Fajl ne sme biti veci od :max KB.',
        'mimes' => 'Dozvoljeni formati su: :values.'
];
$request->validate($rules, $custom_messages);

/*
         Kod ce se dalje izvrsavati jedino ako prodje validacija!
*/


// 3 - Dohvatanje informacija o slici

$photo = $request->file('photo');
$extension = $photo->getClientOriginalExtension();
$tmp_path = $photo->getPathName();

$folder = 'images/';
$file_name = time().".".$extension;
$new_path = public_path($folder).$file_name;
```

```
try {
        // 4 - Upload slike na server

        File::move($tmp_path, $new_path);

        // 5 - Unos slike u bazu

        $slika = new Slika();
        $slika->alt = trim($request->get('alt'));
        $slika->putanja = 'images/'.$file_name;
        $slika_id = $slika->save();

        // 6 - Unos posta u bazu
        $post = new Post();
        $post->naslov = $request->get('title');
        $post->sadrzaj = $request->get('body');
$post->korisnik_id = session()->get('user')[0]->id;
        $post->slika_id = $slika_id;
        $post->save();

        // Ako se ne desi nijedan Exception - otici ce na pocetnu stranu!
        return redirect('/')->with('success','Uspesno ste dodali post i sliku!');
}
catch(\Illuminate\Database\QueryException $ex){ // greske u upitu
```

```
                \Log::error($ex->getMessage());
                return redirect()->back()->with('error','Greska pri dodavanju posta u
bazu!');
            }
            catch(\Symfony\Component\HttpFoundation\File\Exception\FileException $ex) {
// greske sa fajlom
                \Log::error('Problem sa fajlom!! '.$ex->getMessage());
                return redirect()->back()->with('error','Greska pri dodavanju slike!');
            }
            catch(\ErrorException $ex) {
                \Log::error('Problem sa fajlom!! '.$ex->getMessage());
                return redirect()->back()->with('error','Desila se greska..');
            }
        }
    public function postshow($id = null){
            $post = new Post();
            $this->data['postovi'] = $post->getAll();

            if(!empty($id)){
                $post->id = $id;
                $this->data['post'] = $post->get($id);
            }

            return view('pages.createPost', $this->data);
        }
```

```
public function update($id, Request $request) {
    $rules = [
            'title' => 'regex:/^[A-Z][a-z]+(\s[\w\d\-]+)*$/',
            'body' => 'required',
            'photo' => 'required|mimes:jpg,jpeg,png,gif|max:3000',
            'alt' => 'required'
        ];
        $custom_messages = [
            'required' => 'Polje :attribute je obavezno!',
            'title.regex' => 'Polje title nije u ispravnom formatu!',
            'max' => 'Fajl ne sme biti veci od :max KB.',
            'mimes' => 'Dozvoljeni formati su: :values.'
        ];
        $request->validate($rules, $custom_messages);



    $oldPictureId = null;



  $post = new post();
  $post->id = $id;
  $post->title = $request->get('title');
  $post->body = $request->get('body');
  $post->alt =trim($request->get('alt'));
  try {
```

```
            $post->update($id);


            try {
                if($oldPictureId) {
                    $slika = new Slika();
                    $photo = $slika->find($oldPictureId);
                    unlink(public_path($photo->putanja));
                    $slika->delete($oldPictureId);
                }
            } catch(\Exception $e) {
                \Log::error("Greska pri brisanju slike:" . $e->getMessage());
            }


            //Brisanje prethodne slike i fizicki i iz baze, ako dodje do greske, ne treba obavestiti
korisnika
            return redirect(route('/posts'))->with("success", "Post successfully edited!");
        } catch (QueryException $e) {
            \Log::error("Greska pri update-u objave: " . $e->getMessage());
            return redirect()->back()->with("error", "An error occurred, please try again later");
        }
        if ($request->hasFile('photo')){ // ako je uploadovana slika
                        $oldPictureId = $post->getPictureId($id);
                try{
                    $photo = $request->file('photo');
                    $folder = public_path('images/');
```

```
                $extension = $photo->getClientOriginalExtension();
                $file_name = time().".".$extension;
                $photo->move($folder, $file_name);

                $slika = new Slika();
                $slika->putanja = 'images/' . $file_name;
                $slika->alt = $request->get('alt');
                $this->id = $slika->save();



            }catch (QueryException $e) {
        \Log::error("Greska pri update-u objave: " . $e->getMessage());
    } catch (FileException $e) {
        \Log::error("Greska pri update-u objave u dodavanju slike: " . $e->getMessage());
    }
        }



    }



public function destroy($id){
```

```
            $post = new Post();
            $post->id = $id;

        $post->slika_id=$post->get($id)->slika_id;

        $rezz=$post->deleted();


            $rez = $post->delete();
            if($rez == 1 && $rezz==1){
                return redirect('/posts')->with('message','Uspesan delete!');
            }
            else {
                return redirect('/posts')->with('message','Greska pri delete-u!');
            }
        }
}
```

UlogaController.php

```
<?php

namespace App\Http\Controllers;
```

```
use App\Models\Meni;
use App\Models\Uloga;
use Illuminate\Http\Request;

class UlogaController extends Controller
{
        private $data = [];
        private $model = null;

      public function __construct(){
        $meni = new Meni();
        $this->data['menus'] = $meni->getAll();
   }

        public function show($id = null){
                $uloga = new Uloga();
                $this->data['roles'] = $uloga->getAll();

                if(!empty($id)){
                        $uloga->id = $id;
                        $this->data['updateRole'] = $uloga->get();
                }
                return view('pages.createUloga', $this->data);
        }
```

```
public function store(Request $request){
	$request->validate([
		'naziv' => [
			'required', 'unique:uloga'
		]
	], [
		'required' => 'Polje :attribute je obavezno',
		'unique' => 'Polje :attribute mora biti jedinstveno u bazi.'
	]);

	$naziv = $request->get('naziv');

	$uloga = new Uloga();
	$uloga->naziv = $naziv;

	$rez = $uloga->save();

	if($rez == 1){
		return redirect()->back()->with('success', 'Dodata uloga!');
	}
	else {
		return redirect()->back()->with('error','Greska pri dodavanju uloge!');
	}
}
```

```
public function update($id, Request $request){
	$naziv = $request->get('naziv');

	$uloga = new Uloga();
	$uloga->id = $id;
	$uloga->naziv = $naziv;

	$rez = $uloga->update();

	if($rez == 1){
		return redirect()->back()->with('success', 'Azurirana uloga!');
	}
	else {
		return redirect()->back()->with('error','Greska pri azuriranju uloge!');
	}

}

public function destroy($id){
	$uloga = new Uloga();
	$uloga->id = $id;
	$rez = $uloga->delete();

	if($rez == 1){
		return redirect()->back()->with('success', 'Obrisana uloga!');
```

```
                }
                else {
                        return redirect()->back()->with('error','Greska pri brisanju uloge!');
                }
        }
}
```

Middleware/CheckUserRole.php

```
<?php

namespace App\Http\Middleware;

use Closure;

class CheckUserRole
{
    /**
     * Handle an incoming request.
     *
     * @param  \Illuminate\Http\Request  $request
     * @param  \Closure  $next
```

```
     * @return mixed
     */
    public function handle($request, Closure $next)
    {
        if($request->session()->has('user')){
            $korisnik = $request->session()->get('user')[0];
            if($korisnik->naziv == 'admin'){
                return $next($request);
            } else {
                return redirect()->back()->with('error','Nemate pravo pristupa ovoj stranici!');
            }
        }

        return redirect()->back()->with('error','Nemate pravo pristupa ovoj stranici!');
    }
}
```

CommentsModel.php

```
<?php
```

```
namespace App\Models;



class CommentsModel
{
    public $content;
    public $post_id;
    private $table = 'comments';

    public function save()
    {
        return \DB::table($this->table)
            ->insert([
               'user_id' => session()->get('user')[0]->id,
               'post_id' => $this->post_id,
                'content' => $this->content,
                'created_at' => date("Y-m-d H:i:s"),
                'updated_at' => date("Y-m-d H:i:s")
            ]);
    }

    public function update($id)
    {
        return \DB::table($this->table)
            ->where('id', $id)
```

```
        ->update([
            'content' => $this->content,
            'updated_at' => date("Y-m-d H:i:s")
        ]);
}

public function getPostComments($postId)
{
    return \DB::table($this->table)
        ->join("korisnik", "comments.user_id", "=", "korisnik.id")
        ->where('post_id', $postId)
        ->select('comments.*', 'korisnik.korisnicko_ime')
        ->orderBy('comments.created_at','desc')
        ->get();
}

public function delete($id)
{
    if($this->canUserDeleteComment($id)) {
        return \DB::table($this->table)->delete($id);
    }
    return 0;
}

public function getUserComments($userId)
```

```
    {
        return \DB::table($this->table)->where('user_id', $userId)->get();
    }

    public function find($id)
    {
        return \DB::table($this->table)
            ->where('id', $id)->get()->first();
    }
    private function canUserDeleteComment($commentId)
    {
        $comment = $this->find($commentId);
        //Samo ukoliko je korisnik admin ili komentar odgovara tekucem ulogovanom korisniku, dozvoljeno je brisanje komentara
        return $comment ? (session()->get('user')[0]->naziv == 'admin') || ($comment->user_id == session()->get('user')[0]->id) : false;
    }
}
```

Korisnik.php

```
<?php
```

```
namespace App\Models;
use Illuminate\Support\Facades\DB;

class Korisnik
{
	public $id;
	public $korisnicko_ime;
	public $lozinka;
	public $slika;
	public $uloga_id;

	public function getAll(){
		$rezultat = DB::table('korisnik')
				->select('*', 'korisnik.id AS korisnikId')
				->join('uloga','uloga.id','=','korisnik.uloga_id')
				->get();
		return $rezultat;
	}

	public function get() {
		$rezultat = DB::table('korisnik')
				->select('*')
				->where('id',$this->id)
				->first();
		return $rezultat;
```

```
}

public function getByUsernameAndPassword(){
	$rezultat = DB::table('korisnik')
				->select('korisnik.*','uloga.naziv')
				->join('uloga','korisnik.uloga_id', '=', 'uloga.id')
				->where([
					'korisnicko_ime' => $this->korisnicko_ime,
					'lozinka' => md5($this->lozinka)
				])
				->first();
	return $rezultat;
}

public function save() {
	$rez = DB::table('korisnik')->insert([
		'korisnicko_ime' => $this->korisnicko_ime,
		'lozinka' => md5($this->lozinka),
		'slika' => $this->slika,
		'uloga_id' => $this->uloga_id,
	'created_at' => time()
	]);
	return $rez;
}
```

```
public function update(){
	$data = [
		'korisnicko_ime' => $this->korisnicko_ime,
		'lozinka' => md5($this->lozinka),
		'uloga_id' => $this->uloga_id,
	'updated_at' => time(),
	];

	if(!empty($this->slika)){ // ako je upload-ovana slika
		$data['slika'] = $this->slika;
	}

	$rez = DB::table('korisnik')
	->where('id',$this->id)
			->update($data)
			;
	return $rez;
}

public function delete(){
	$rezultat = DB::table('korisnik')
				->where('id', $this->id)
				->delete();
	return $rezultat;
}
```

```
}
```

Meni.php

```
<?php

namespace App\Models;

use Illuminate\Support\Facades\DB;

class Meni {
    //put your code here

    public function getAll(){
        $rezultat = DB::table('meni')->get();
        return $rezultat;
    }
}
```

Post.php

```
<?php

namespace App\Models;
use Illuminate\Support\Facades\DB;
```

```
class Post {
        public $id;
        public $naslov;
        public $sadrzaj;
        public $korisnik_id;
        public $slika_id;
      private $table = 'post';

        public function getAll(){
                $rezultat = DB::table('post')
                                ->select('*','post.id as postId','post.created_at as
create','post.updated_at as update')
                                ->join('slika as s','post.slika_id','=','s.id')
                                ->join('korisnik as k','post.korisnik_id','=','k.id')
                        ->join('uloga as u','k.uloga_id','=','u.id')
                                ->orderBy('post.created_at','desc')
                                ->get();
                return $rezultat;
        }

        public function save() {
                $rezultat = DB::table('post')->insert([
```

```
                'naslov' => $this->naslov,
                'sadrzaj' => $this->sadrzaj,
                'korisnik_id' => $this->korisnik_id,
                'created_at' => time(),
                'slika_id' => $this->slika_id
            ]);
            return $rezultat;
        }


public function get($id){
    $rezultat =
        DB::table($this->table)
        ->select('*',
            'post.id AS postId',
            'post.created_at as create',
            'post.updated_at as update',
            'korisnik.korisnicko_ime as postKorisnik',
            'k.korisnicko_ime as komentarKorisnik',
            'comments.post_id as comments')
        ->join('slika','slika.id','=','post.slika_id')
        // Komentari se mogu dohvatati i posebnim upitom
        ->join('korisnik','korisnik.id','=','post.korisnik_id')
        ->leftJoin('comments','comments.post_id','=','post.id')
        ->leftJoin('korisnik AS k','k.id','=','comments.user_id')
```

```
            ->where('post.id','=',$id )
            ->first();
    return $rezultat;
}
public function update(){
                $data = [
                        'naslov' => $this->naslov,
                        'sadrzaj' => $this->sadrzaj,
                        'alt' => $this->alt,
                'updated_at' => time(),
                ];

            if ($this->slika_id != null) {
            $data['slika_id'] = $this->slika_id;
            }

                $rez = DB::table('post')
                ->where('id',$this->id)
                                ->update($data)
                                ;
                return $rez;

        }
```

```
        public function delete(){
                $rezultat = DB::table('post')
                                ->where('id', $this->id)
                                ->delete();
                return $rezultat;
        }
    public function deleted(){
                $rezultat = DB::table('slika')
                                ->where('id', $this->slika_id)
                                ->delete();
                return $rezultat;
        }
    public function getPictureId($postId)
  {
    return \DB::table($this->table)
        ->where('slika_id', $postId->slika_id)
        ->select("slika.id as id")
        ->get()->first()->id;
  }

}
```

Slika.php

```
<?php
```

```
namespace App\Models;
use Illuminate\Support\Facades\DB;

class Slika {

        public $id;
        public $alt;
        public $putanja;

        public function save(){
                $id = DB::table('slika')
                        ->insertGetId([
                                'alt' => $this->alt,
                                'putanja' => $this->putanja
                        ]);
                return $id;
        }
    public function find($id)
  {
    return \DB::table($this->table)
        ->where('id', $id)
        ->get()
        ->first();
  }
```

```
    public function delete($id)
    {
        return \DB::table($this->table)
            ->delete($id);
    }
}
```

Uloga.php

```
<?php

namespace App\Models;
use Illuminate\Support\Facades\DB;

class Uloga {

        private $table = 'uloga';
        public $id;
        public $naziv;

        public function getAll(){
                $rezultat = DB::table($this->table)->get();
                return $rezultat;
        }
```

```
public function get(){
        return DB::table($this->table)
                        ->select('*')
                        ->where('id',$this->id)
                        ->first();
}

public function save(){
        return DB::table($this->table)
                ->insert([
                        'naziv' => $this->naziv
                ]);
}

public function update(){
        return DB::table($this->table)
                ->where('id', $this->id)
                ->update([
                        'naziv' => $this->naziv
                ]);
}

public function delete(){
        return DB::table($this->table)
```

```
                ->where('id', $this->id)
                ->delete()
            ;
        }



}
```

comments.blade.php

```
<?php

namespace App\Models;
use Illuminate\Support\Facades\DB;

class Uloga {

    private $table = 'uloga';
    public $id;
    public $naziv;

    public function getAll(){
        $rezultat = DB::table($this->table)->get();
        return $rezultat;
    }
```

```
public function get(){
        return DB::table($this->table)
                        ->select('*')
                        ->where('id',$this->id)
                        ->first();
}

public function save(){
        return DB::table($this->table)
                ->insert([
                        'naziv' => $this->naziv
                ]);
}

public function update(){
        return DB::table($this->table)
                ->where('id', $this->id)
                ->update([
                        'naziv' => $this->naziv
                ]);
}

public function delete(){
        return DB::table($this->table)
```

```
                        ->where('id', $this->id)
                        ->delete()
                ;
        }



}
```

footer.blade.php

```
<!-- Footer -->
   <footer class="py-5 bg-dark">
     <div class="container">
       <p class="m-0 text-center text-white">Copyright &copy; Stefan Popovic 2018</p>
     </div>
   </footer>
          <!--// Footer -->
```

nav.blade.php

```
<!-- Navigacija -->
   <nav class="navbar navbar-expand-lg navbar-dark bg-dark fixed-top">
     <div class="container">
       <a class="navbar-brand" href="">Film Kritika</a>
```

```
<button class="navbar-toggler" type="button" data-toggle="collapse" data-target="#navbarResponsive" aria-controls="navbarResponsive" aria-expanded="false" aria-label="Toggle navigation">
  <span class="navbar-toggler-icon"></span>
</button>
<div class="collapse navbar-collapse" id="navbarResponsive">
  <ul class="navbar-nav ml-auto">
    @isset($menus)
      @foreach($menus as $menu)
      <li class="nav-item {{ (Request::url().'/' == asset($menu->link))? 'active' : '' }}">
        <a class="nav-link" href="{{ asset($menu->link) }}">
          {{ $menu->naziv }}
        </a>
      </li>
      @endforeach
    @endisset

    @if(session()->has('user'))

      <li>
        <a class="nav-link" href="{{ route('logout') }}">
          Logout
        </a>
      </li>
    @endif
  </ul>
```

```
      </div>
    </div>
  </nav>
        <!--// Navigacija -->
```

sidebar.blade.php

```
<!-- Desna strana -->
      <div class="col-md-4">
        <div class="card my-4">
          <h5 class="card-header">Dokumentacija</h5>
          <div class="card-body">
            <div class="input-group">
                <a href="{{ asset('/download') }}" class="btn btn-danger">Download</a>
            </div>
          </div>
        </div>
          @if(!session()->has('user'))
        <div class="card my-4">
          <h5 class="card-header">Login</h5>
          <div class="card-body">
            <div class="row">
              <div class="col-lg-12">
```

```
@isset($errors)
  @if($errors->any())
    @foreach($errors->all() as $error)
      {{ $error }}
    @endforeach
  @endif
@endisset

<!-- LOGIN FORM -->

<form action="{{ route('login') }}" method="POST">
  {{ csrf_field() }}
  <div class="form-group">
      <label>Korisnicko ime:</label>
      <input type="text" id="imeprezime" name="tbKorisnickoIme" class="form-
control" />
  </div>

  <div class="form-group">
    <label>Lozinka:</label>
    <input type="password" id="sifra" name="tbLozinka" class="form-control"/>
  </div>

  <input type="submit" name="btnLogin" value="Login" class="btn btn-primary"/>
<a href="{{ asset('register') }}" class="btn btn-warning">Register</a>
```

```
        </form>

        <!--// LOGIN FORM -->

      </div>
    </div>
  </div>
</div>
  @endif
@if(session()->has('user'))
<div class="card my-4">
  <h5 class="card-header">Panel</h5>
  <div class="card-body">
    <p>
      @if(session()->get('user')[0]->naziv == 'admin')
      <a href="{{ asset('/posts') }}" class="btn btn-warning">Create/Change post</a>
      <br/> <br/>
      <a href="{{ asset('/users') }}" class="btn btn-warning">Upravljanje korisnicima</a>
      <br/> <br/>
      <a href="{{ asset('/roles') }}" class="btn btn-warning">Upravljanje ulogama</a>
      @endif
      @if(session()->get('user')[0]->naziv != 'admin')
      <a href="{{ asset('/posts/create') }}" class="btn btn-warning">Create/Change post</a>
      @endif
    </p>
```

```
          </div>
        </div>
        @endif
      </div>
                <!--// Desna strana -->
```

front.blade.php

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="utf-8">
    <link rel="icon" type="image/jpg" href="images/film.png" />
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
    <meta name="description" content="kritike filmove,ocene i misljenja">
    <meta name="keywords" content="filmovi,kritika,ocene,forum" />
    <meta name="author" content="Stefan Popovic">

    <title> Film Kritike | @yield('title') </title>

    @section('appendCss')
    <!-- Bootstrap core CSS -->
    <link href="{{ asset('/') }}vendor/bootstrap/css/bootstrap.min.css" rel="stylesheet">
    @show
```

```
    <script src="{{ asset('/') }}vendor/jquery/jquery.min.js"></script>


<link rel="stylesheet" type="text/css" href="{{URL::to('../public/js/Popup/dist/magnific-popup.css')}}">

<script src="{{url('../public/js/Popup/dist/jquery.magnific-popup.min.js')}}"></script>

<script type="text/javascript">

        $(document).ready(function() {


                $('.image-popup-vertical-fit').magnificPopup({

                        type: 'image',

                        closeOnContentClick: true,

                        mainClass: 'mfp-img-mobile',

                        image: {

                                verticalFit: true

                        }


                });


                $('.image-popup-fit-width').magnificPopup({

                        type: 'image',

                        closeOnContentClick: true,

                        image: {

                                verticalFit: false

                        }

                });
```

```
$('.image-popup-no-margins').magnificPopup({
type: 'image',
closeOnContentClick: true,
closeBtnInside: false,
fixedContentPos: true,
mainClass: 'mfp-no-margins mfp-with-zoom', // class to remove default margin from left and right side
image: {
verticalFit: true
},
zoom: {
enabled: true,
duration: 300 // don't foget to change the duration also in CSS
}
});

});

</script>

</head>
<body>
```

```
@include('components.nav')

<div class="container">

  <div class="row">
    <div class="col-lg-12"></div>
    <div class="col-lg-12">
      @empty(!session('error'))
        <div class="alert alert-danger">{{ session('error') }}</div>
      @endempty

      @empty(!session('success'))
        <div class="alert alert-success">{{ session('success') }} </div>
      @endempty
    </div>
    <!-- MESTO ZA SADRZAJ KOJI SE MENJA U ZAVISNOSTI OD STRANICE-->
    @yield('content')

    @include('components.sidebar')

  </div>

</div>
```

```
    @include('components.footer')



    @section('appendJavascript')
    <!-- Bootstrap core JavaScript -->

    <script src="{{ asset('/') }}vendor/bootstrap/js/bootstrap.bundle.min.js"></script>
    <script src="{{ asset("js/ajax.js") }}"></script>
    @show

  </body>

</html>
```

autor.blade.php

```
@extends('layouts.front')

@section('title')
    Autor page
@endsection

@section('appendCss')
    @parent
```

```
    <!-- Custom styles for this template -->
    <link href="{{ asset('/') }}css/blog-home.css" rel="stylesheet"/>
@endsection
@section('content')
<!-- Sadrzaj -->
        <div class="col-md-8">

          <h1 class="my-4">O Autoru
          </h1>

          <!-- Blog Post -->
          <div class="card mb-4">
              @isset($korisnici)
              @foreach($korisnici as $korisnik)
              @if($korisnik->korisnikId==9)
            <img class="card-img-top" src="{{ asset($korisnik->slika) }}" alt="autor" >@endif
              @endforeach
            @endisset
          </div>
          <table class="table">
                <tr>
                  <td>Ime i Prezime:</td>
                  <td>Stefan Popovic</td>
                </tr>
                <tr>
```

```
<td>Datum rodjenja:</td>
<td>02.04.1994</td>
</tr>
<tr>
<td>Skola:</td>
<td>Visoka ICT</td>
</tr>
<tr>
<td>Email:</td>
<td>stefan.popovic.328.15@ict.edu.rs</td>
</tr>
<td></td><td></td>
</table>

</div>

@endsection
```

createKorisnik.blade.php

```
@extends('layouts.front')
```

```
@section('title')
    Korisnik create
@endsection

@section('appendCss')
    @parent
    <!-- Custom styles for this template -->
    <link href="{{ asset('/') }}css/blog-home.css" rel="stylesheet"/>
@endsection

@section('content')
<!-- Sadrzaj -->
        <div class="col-md-8">
            <h3>Add korisnik</h3>

            @empty(!session('message'))
              {{ session('message') }}
            @endempty

            @isset($errors)
              @if($errors->any())
                @foreach($errors->all() as $error)
                  <div class="alert alert-danger"> {{ $error }} </div>
                @endforeach
              @endif
```

```
@endisset

<form action="{{ (isset($korisnik))? asset('/users/update/'.$korisnik->id)  :
asset('/users/store') }}" method="POST" enctype="multipart/form-data">

  {{ csrf_field() }}

  <div class="form-group">
    <label>Korisnicko ime:</label>
    <input type="text" name="korisnickoIme" class="form-control" value="{{
(isset($korisnik))? $korisnik->korisnicko_ime : old('korisnickoIme') }}"/>
  </div>
  <div class="form-group">
    <label>Lozinka:</label>
    <input type="password" name="lozinka" class="form-control" value="{{
(isset($korisnik))? $korisnik->lozinka : old('lozinka') }}"/>
  </div>
  <div class="form-group">
    <label>Slika:</label>

@isset($korisnik)
<img src="{{ asset($korisnik->slika) }}" width="35" height="35" style="border-radius:
500px; -moz-border-radius: 500px; margin-top: 2px;"/>
    @endisset
```

```
            <input type="file" name="slika" class="form-control"  />


          </div>

          <div class="form-group">

            <label>Uloga:</label>

            <select name="ddlUloga">

              <option value="0">Izaberite</option>


              @foreach($uloge as $uloga)

                <option value="{{ $uloga->id }}" {{ (isset($korisnik) && $korisnik->uloga_id ==
$uloga->id)? 'selected' : (old('ddlUloga')==$uloga->id)? 'selected' : '' }} > {{ $uloga->naziv }}
</option>

              @endforeach


            </select>

          </div>

          <div class="form-group">

            <input type="submit" name="addKorisnik" value="{{ (isset($korisnik))? 'Change
korisnik' : 'Add korisnik' }} " class="btn btn-default" />

          </div>

        </form>


        <table class="table">

            <tr>

              <td>ID</td>

              <td>Korisnicko ime</td>
```

```
            <td>Slika</td>
            <td>Datum Kreiranja/Izmene</td>
            <td>Uloga</td>
            <td>Izmeni</td>
            <td>Obrisi</td>
          </tr>
          <!-- Prikaz korisnika-->
          @isset($korisnici)
          @foreach($korisnici as $korisnik)
            <tr>
              <td> {{ $korisnik->korisnikId }} </td>
              <td> {{ $korisnik->korisnicko_ime }} </td>
              <td> <img src="{{ asset($korisnik->slika) }}" width="75" height="75"
style="border-radius: 500px; -moz-border-radius: 500px;" /> </td>
              <td> {{ date("d.m.Y. H:i:s", $korisnik->created_at) }}</br>@if($korisnik-
>updated_at!=null){{ date("d.m.Y. H:i:s", $korisnik->updated_at) }}@endif </td>
              <td> {{ $korisnik->naziv }} </td>
              <td> <a href="{{ asset('/users/'.$korisnik->korisnikId) }}">Izmeni</a> </td>
              <td> <a href="{{ asset('/users/destroy/'.$korisnik->korisnikId) }}">Obrisi</a>
</td>
            </tr>
          @endforeach
          @endisset
        </table>
      </div>
                <!--// Sadrzaj -->
```

```
@endsection
```

createPost.blade.php

```
@extends('layouts.front')

@section('title')
    Post create
@endsection

@section('appendCss')
    @parent
    <!-- Custom styles for this template -->
    <link href="{{ asset('/') }}css/blog-home.css" rel="stylesheet"/>
@endsection

@section('content')
<!-- Sadrzaj -->
        <div class="col-md-8">
            <h3>Add post</h3>

            @isset($errors)
              @if($errors->any())
                @foreach($errors->all() as $error)
                  <div class="alert alert-danger"> {{ $error }} </div>
```

```
            @endforeach
          @endif
        @endisset
        <form action="{{ asset('/posts/store') }}" method="POST" enctype="multipart/form-data">
          {{ csrf_field() }}
          <div class="form-group">
            <label>Title:</label>
            <input type="text" name="title" class="form-control" value="{{ (isset($post))? $post->naslov : old('naslov') }}"/>
          </div>
          <div class="form-group">
            <label>Body:</label>
            <textarea name="body" class="form-control" rows="7">{{ (isset($post))? $post->sadrzaj : old('sadrzaj') }}</textarea>
          </div>
          <div class="form-group">
            <label>Photo:</label>
            @isset($post)
            <img src="{{ asset($post->putanja) }}" width="35" height="35"/>
            @endisset
            <input type="file" name="photo" class="form-control"  />
          </div>
          <div class="form-group">
            <label>Alt:</label>
            <input type="text" name="alt" class="form-control" value="{{ (isset($post))? $post->alt : old('alt') }}"/>
```

```
    </div>
    <div class="form-group">
      <input type="submit" name="addPost" value="{{ (isset($post))? 'Change post' : 'Add post' }}" class="btn btn-default" />
    </div>
  </form>


  <table class="table">
     <tr>
       <td>ID</td>
       <td>Korisnicko ime</td>
       <td>Naslov</td>
       <td>Slika</td>
       <td>Datum Kreiranja/Izmene</td>
       <td>Uloga</td>
       <td>Izmeni</td>
       <td>Obrisi</td>
     </tr>
     <!-- Prikaz postova-->
     @isset($postovi)
     @if(session()->get('user')[0]->naziv == 'admin')
     @foreach($postovi as $post)
       <tr>
         <td> {{ $post->postId }} </td>
         <td> {{ $post->korisnicko_ime }} </td>
```

```
            <td> {{ $post->naslov }} </td>

            <td> <img src="{{ asset($post->putanja) }}" width="75" height="75" /> </td>

            <td> {{ date("d.m.Y. H:i:s", $post->create) }}</br>@if($post->update!=null){{
date("d.m.Y. H:i:s", $post->update) }}@endif </td>

            <td> {{ $post->naziv }} </td>

            <td> <a href="{{ asset('/posts/'.$post->postId) }}">Izmeni</a> </td>

            <td> <a href="{{ asset('/posts/destroy/'.$post->postId) }}">Obrisi</a> </td>

          </tr>

        @endforeach

        @endif

        @if(session()->get('user')[0]->naziv != 'admin')

        @foreach($postovi->where("korisnik_id", "=", session()->get('user')[0]->id) as $post)

          <tr>

            <td> {{ $post->postId }} </td>

            <td> {{ $post->korisnicko_ime }} </td>

            <td> {{ $post->naslov }} </td>

            <td> <img src="{{ asset($post->putanja) }}" width="75" height="75" /> </td>

            <td> {{ date("d.m.Y. H:i:s", $post->create) }}</br>@if($post->update!=null){{
date("d.m.Y. H:i:s", $post->update) }}@endif </td>

            <td> {{ $post->naziv }} </td>

            <td> <a href="{{ asset('/posts/'.$post->postId) }}">Izmeni</a> </td>

            <td> <a href="{{ asset('/posts/destroy/'.$post->postId) }}">Obrisi</a> </td>

          </tr>

        @endforeach

        @endif

        @endisset
```

```
            </table>

        </div>
                    <!--// Sadrzaj -->
@endsection
```

createUloga.blade.php

```
@extends('layouts.front')

@section('title')
    Manage users
@endsection

@section('appendCss')
    @parent
    <!-- Custom styles for this template -->
    <link href="{{ asset('/') }}css/blog-home.css" rel="stylesheet"/>
@endsection


@section('content')
<!-- Sadrzaj -->
        <div class="col-md-8">
            <h3>Manage users</h3>
```

```
@isset($errors)
  @if($errors->any())
    @foreach($errors->all() as $error)
      <div class="alert alert-danger"> {{ $error }} </div>
    @endforeach
  @endif
@endisset


<form action="{{ isset($updateRole)? asset('/roles/update/'.$updateRole->id) : asset('/roles/store') }}" method="POST">
  {{ csrf_field() }}
  <div class="form-group">
    <label>Naziv:</label>
    <input type="text" name="naziv" class="form-control" value="{{ isset($updateRole)? $updateRole->naziv : old('naziv') }}"/>
  </div>
  <div class="form-group">
    <input type="submit" name="addUloga" value="{{ isset($updateRole)? 'Change role' : 'Add uloga' }}" class="btn btn-default" />
  </div>
</form>


<table class="table">
  <tr>
    <th>ID</th>
```

```
            <th>Naziv</th>
            <th>Izmeni</th>
            <th>Obrisi</th>
          </tr>

          @foreach($roles as $role)
            <tr>
              <td>{{ $role->id }}</td>
              <td>{{ $role->naziv }}</td>
              <td><a href="{{ asset('/roles/'.$role->id) }}">Izmeni</a></td>
              <td><a href="{{ asset('/roles/destroy/'.$role->id) }}">Obrisi</a></td>
            </tr>
          @endforeach
        </table>
      </div>
                <!--// Sadrzaj -->
@endsection
```

galerija.blade.php

```
@extends('layouts.front')

@section('title')
   Galerija
@endsection
```

```
@section('appendCss')
    @parent
    <!-- Custom styles for this template -->
    <link href="{{ asset('/') }}css/blog-home.css" rel="stylesheet"/>
@endsection


@section('content')
<!-- Sadrzaj -->


              <div class="col-md-8">
            <div class="gallery-top heading"><br>
                <h3>Nasa galerija</h3><br>
            </div>
                <div class="card mb-4"></div>
            <div class="container">
            <div class="row">
            @isset($posts)
            @foreach($posts as $post)
            <div class="col-sm-3" style="height: 200px">
            <a class="image-popup-no-margins" href="{{ asset('/').$post->putanja }}"><img src="{{ asset('/').$post->putanja }}" class="img img-thumbnail" alt="{{ $post->alt }}"></a>
            <br>
            <center><strong>{{ $post->alt }}</strong></center>
                </div>
```

```
            @endforeach
            @endisset
            </div>
            </div>
                <div class="card mb-4"></div>
        </div>
@endsection
```

home.blade.php

```
@extends('layouts.front')

@section('title')
    Home page
@endsection

@section('appendCss')
    @parent
    <!-- Custom styles for this template -->
    <link href="{{ asset('/') }}css/blog-home.css" rel="stylesheet"/>
@endsection

@section('content')
<!-- Sadrzaj -->
        <div class="col-md-8">
```

```
<h1 class="my-4">Film Artikli


</h1>


@isset($users)
{{-- var_dump($posts) --}}


@foreach($users as $post)
  {{-- var_dump($post) --}}
<!-- Blog Post -->
<div class="card mb-4">
  <img class="card-img-top" src="{{ asset('/').$post->putanja }}" alt="{{ $post->alt }}">
  <div class="card-body">
    <h2 class="card-title">{{ $post->naslov }}</h2>
    <p class="card-text">
        {{ $post->sadrzaj }}
    </p>
    <a href="{{ asset('/post/'.$post->postId )}}" class="btn btn-primary">Read More
&rarr;</a>
  </div>
  <div class="card-footer text-muted">
    Posted on {{ date("d.m.Y. H:i:s", $post->create) }} by
    <a href="#">{{ $post->korisnicko_ime }}</a>
  </div>
```

```
        </div>
                <!--// Blog Post -->
            @endforeach
            @endisset

        <!-- Pagination -->
        <ul class="pagination justify-content-center mb-4">
          <li class="page-item">
            {{ $users->links() }}
          </li>
        </ul>
      </div>
                <!--// Sadrzaj -->
@endsection
```

post.blade.php

```
@extends('layouts.front')

@section('appendCss')
   @parent
   <!-- Custom styles for this template -->
   <link href="{{ asset('/') }}css/blog-home.css" rel="stylesheet"/>
@endsection
@section('content')
```

```
@isset($singlePost)
<!-- Sadrzaj -->
    <div class="col-md-8">



      <!-- Title -->
      <h1 class="mt-4">{{ $singlePost->naslov }}</h1>


      <!-- Author -->
      <p class="lead">
        by
        <a href="#">{{ $singlePost->postKorisnik }}</a>
      </p>


      <hr>


      <!-- Date/Time -->
      <p>Posted on {{ date("d.m.Y. H:i:s", $singlePost->create) }}</p>


      <hr>


      <!-- Preview Image -->
      <img class="img-fluid rounded" src="{{ asset('/'.$singlePost->putanja)}}" alt="{{
$singlePost->alt}}">
```

```
<hr>

<!-- Post Content -->
<p> {{ $singlePost->sadrzaj }}</p>

            <hr>

<!-- Comments Form -->
@if(session()->get('user'))
<div class="card my-4">
  <h5 class="card-header">Leave a Comment:</h5>
  <div class="card-body">
    <form action="{{ route("postComment", ['postId' => $singlePost->postId]) }}"
method="post">
      {{ csrf_field() }}
     <div class="form-group">
      <textarea class="form-control" rows="3" name="content"></textarea>
     </div>
     <button type="submit" class="btn btn-primary">Submit</button>
    </form>
     <br>
     @if(session('success'))
        <div class="alert alert-success">
        {{ session('success') }}
```

```
            </div>
        @endif
        @if(session('warning'))
            <div class="alert alert-warning">
            {{ session('warning') }}
            </div>
        @endif
    </div>
  </div>
  @else
  <h4>Da bi komentarisali morate da se ulogujete.</h4>
  @endif
                <!--// Comments Form -->

  <!-- Single Comment -->

      @isset($comments)
       @include('components.comments')
      @endisset

                <!--// Single Comment -->

</div>
```

```
                <!--// Sadrzaj -->
@endisset
@endsection
```

register.blade.php

```
@extends('layouts.front')

@section('title')
   Korisnik create
@endsection

@section('appendCss')
   @parent
   <!-- Custom styles for this template -->
   <link href="{{ asset('/') }}css/blog-home.css" rel="stylesheet"/>
@endsection

@section('content')
<!-- Sadrzaj -->
      <div class="col-md-8">
         <h3>Add korisnik</h3>

         @empty(!session('message'))
           {{ session('message') }}
```

```
@endempty


@isset($errors)
  @if($errors->any())
    @foreach($errors->all() as $error)
      <div class="alert alert-danger"> {{ $error }} </div>
    @endforeach
  @endif
@endisset


<form action="{{ asset('/register/store') }}" method="POST" enctype="multipart/form-data">


  {{ csrf_field() }}


  <div class="form-group">
    <label>Korisnicko ime:</label>
    <input type="text" name="korisnickoIme" class="form-control" value="{{ (isset($korisnik))? $korisnik->korisnicko_ime : old('korisnickoIme') }}"/>
  </div>
  <div class="form-group">
    <label>Lozinka:</label>
    <input type="password" name="lozinka" class="form-control" value="{{ (isset($korisnik))? $korisnik->lozinka : old('lozinka') }}"/>
  </div>
  <div class="form-group">
```

```
            <label>Slika:</label>



        @isset($korisnik)

            <img src="{{ asset($korisnik->slika) }}" width="35" height="35" style="border-radius: 500px; -moz-border-radius: 500px; margin-top: 2px;"/>

            @endisset



            <input type="file" name="slika" class="form-control"  />


          </div>

          <div class="form-group">

            <input type="submit" name="addKorisnik" value="Add korisnik" class="btn btn-default" />

          </div>

        </form>

      </div>

                <!--// Sadrzaj -->

@endsection
```

routes.php

```
<?php


Route::get('/','FrontendController@index');
```

```
Route::get('/autor','FrontendController@autor');
Route::get('/galerija','FrontendController@galerija');


Route::group(['middleware' => 'admin'], function() {


        // Upravljanje korisnicima

        Route::get('/users/{id?}', 'KorisnikController@show');
        Route::post('/users/store', 'KorisnikController@store');
        Route::post('/users/update/{id}','KorisnikController@update');
        Route::get('/users/destroy/{id}','KorisnikController@destroy');
});


Route::get('/posts/{id?}', 'PostController@postshow');
Route::post('/posts/store', 'PostController@store');
Route::post('/posts/update/{id}','PostController@update');
Route::get('/posts/destroy/{id}','PostController@destroy');


// Upravljanje ulogama
```

```
Route::get('/roles/{id?}', 'UlogaController@show');

Route::post('/roles/store', 'UlogaController@store');

Route::post('/roles/update/{id}','UlogaController@update');

Route::get('/roles/destroy/{id}','UlogaController@destroy');


// Logovanje


Route::post('/login', 'LoginController@login')->name('login');

Route::get('/register', 'KorisnikController@regshow');

Route::post('/register/store', 'KorisnikController@regstore');


Route::get('/logout', 'LoginController@logout')->name('logout');

Route::get('/post/{id}','FrontendController@getPost');


/*

    Rute za upravljanje komentarima

*/

Route::post("/comments/{postId}", "CommentsController@postComment")-
>name("postComment");

Route::post("/comments/{commentId}/edit", "CommentsController@editComment")-
>name("editComment");

Route::get("/comments/{commentId}/delete", "CommentsController@deleteComment")-
>name("deleteComment");


Route::get('/download','FrontendController@download');
```