

Dokumentacija sajta

Web Programiranje PHP-2

Student: Stefan Popovic 328/15

Smer: IT

1. Uvod


1.1 Korisceni programski jezici

U izradi sajta korisceni su HTML, CSS, JavaScript, JQuery, PHP, Ajax, kao i HTML5, CSS3. Sajt je radjen u programu: Notepad++, dok su slike obradjivane u programu Paintu.

1.2 Opis funkcionalnosti

Dugme Proizvodi odmah pokrece pretragu i lista sve proizvode iz baze. Klikom na link Pretrazi mogu se pretraziti odredjeni proizvodi. Link registracija sluzi za pravljenje novih naloga a dugme Ulogujte se sluzi za logovanje korisnika. Prilikom prijave korisnika prikazuje se novi link Logout a u slucaju da je korisnik admin dodatan link za admin panel.

1.3 Template



HTML kod structure

```
<?php
```

```
session_start();
```

```
include "php/konekcija.php";
```

```
$page = "";
```

```
if(isset($_GET['page'])){
```

```
    $page = $_GET['page'];
```

```
}
```

```
include "views/head.php";
```

```
include "views/header.php";
```

```
include "views/slider.php";
```

```
include "views/levo.php";
```

```
switch($page){
```

```
    case "pocetna":
```

```
        include "views/centar.php";
```

```
        break;
```

```
    case "admin":
```

```
        if(isset($_SESSION['korisnickolme']) && $_SESSION['tip'] == 'admin'){
```

```
            include "views/admin.php";
```

```
        }else{include "views/centar.php";}
```

```
        break;

        case "autor":

            include "views/autor.php";

            break;

        case "pretraga":

            case "apple":

            case "samsung":

            case "huawei":

            case "xiaomi":

            case "proizvodi":

            include "views/pretraga.php";

            break;

        case "registracija":

            include "views/registracija.php";

            break;

        default:

            include "views/centar.php";

            break;

    }
```

```
include "views/footer.php";
```


1.4 Korisceni CSS: modifikovani templat sa dodatnim svojim cssom

2. Organizacija

2.1 Organizaciona sema

3. Baza podataka

Koriscena je mysql baza podataka. Postoji 3 tabele. Koriscen je skup karaktera UTF8.



3. Baza podataka

Koriscena je mysql baza podataka. Postoji 3 tabele. Koriscen je skup karaktera UTF8.

galerije
id_galerije
naziv_galerije

korisnici
id
korisnicko_ime
lozinka
imeprezime
mejl
tip

slike
id_slike
id_galerije
naziv_slike
slika
cena

4. Kodovi

Admin.php

```
<form method="POST" action="index.php?page=admin" name="form" enctype="multipart/form-data">
```

```
<div id='content' class="float_r">
```

```
<table width='100%'
```

```
<tr>
```

```
<td>
```

```
<input type="submit" value="Lista svih korisnika"
name="listaSvihKorisnika" id="listaSvihKorisnika" />
```

```
</td>
```

```
<td>
```

```
        <input type="submit" value="Lista svih proizvoda"
name="listaSvihProizvoda" id="listaSvihProizvoda" />
```

```
    </td>
```

```
    <td>
```

```
        <input type="submit" value="Dodaj korisnika"
name="dodajKorisnika" id="dodajKorisnika" />
```

```
    </td>
```

```
    <td>
```

```
        <input type="submit" value="Dodaj proizvod"
name="dodajProizvoda" id="dodajProizvoda" />
```

```
    </td>
```

```
</tr>
```

```
</table>
```

```
<?php
```

```
if(isset($_SESSION['tip']) == "admin")
```

```
{
```

```
    echo("<table width='100%'>");
```

```
    if(isset($_REQUEST['listaSvihKorisnika']))
```

```
    {
```

```
        $sviKorisnici = "SELECT * FROM korisnici ORDER BY tip DESC";
```

```
$rezKorisnici = $konekcija->query($sviKorisnici)->fetchAll();
```

```
if((count($rezKorisnici) > 0)
```

```
{
```

```
    echo("<tr>");
```

```

        echo("<th>Korisnicko ime</th>");

        echo("<th>Lozinka</th>");

        echo("<th>Ime i Prezime</th>");

        echo("<th>Mail</th>");

        echo("<th>Uloga</th>");

        echo("<th>Brisanje/Menjanje</th>");

        echo("</tr>");

    foreach($rezKorisnici as $redKorisnici):

        echo("<tr>");

        echo("<td>".$redKorisnici->Korisnicko_ime."</td>");

        echo("<td>".$redKorisnici->lozinka."</td>");

        echo("<td>".$redKorisnici->imeprezime."</td>");

        echo("<td>".$redKorisnici->mejl."</td>");

        echo("<td>".$redKorisnici->tip."</td>");

        echo("<td><input type='checkbox'
name='selKorisnici[]' value='".$redKorisnici->ID.'" /></td>");

        echo("</tr>");

    endforeach;

}else echo("Trenutno ne postoji ni jedan korisnik.");

        echo("<tr>");

        echo("<td><input type='submit'
name='obrisiKorisnike' value='Obrisi' /></td>");

```



```
echo("<td><input type='submit'
name='menjajKorisnike' value='Menjaj' /></td>");
```

```
echo("<td colspan='4'></td>");
```

```
echo("</tr>");
```

```
}else
```

```
if(isset($_REQUEST['listaSvihProizvoda']))
```

```
{
```

```
$sviProizvodi = "SELECT * FROM slike s INNER JOIN galerije g ON
s.id_galerije=g.id_galerije";
```

```
$rezProizvodi = $konekcija->query($sviProizvodi)->fetchall();
```

```
if($rezProizvodi)
```

```
{
```

```
echo("<tr>");
```

```
echo("<th>Kategorija</th>");
```

```
echo("<th>Ime proizvoda</th>");
```

```
echo("<th>Slika</th>");
```

```
echo("<th>Cena</th>");
```

```
echo("</tr>");
```

```
foreach($rezProizvodi as $r):
```

```
echo("<tr>");
```

```
echo("<td>".$r->naziv_galerije."</td>");
```

```

        echo("<td>".$r->naziv_slike."</td>");

        echo("<td><img src='images/product/'".$r->slika.'" width='50px' height='50px' /></td>");

        echo("<td>".$r->cena."</td>");

        echo("<td><input type='checkbox'
name='selProizvodi[]' value='".$r->id_slike.'" /></td>");

        echo("</tr>");

        endforeach;

    }else echo("Trenutno ne postoji ni jedan proizvod!");

        echo("<tr>");

        echo("<td><input type='submit'
name='obrisiProizvod' value='Obrisi' /></td>");

        echo("<td><input type='submit'
name='menjajProizvod' value='Menjaj' /></td>");

        echo("<td colspan='4'></td>");

        echo("</tr>");

    }

    if(isset($_REQUEST['dodajKorisnika']))

    {

        echo("<tr>");

        echo("<th>Korisnicko ime:</th>");

        echo("<td><input type='text'
name='korisnickoIme' /></td>");

        echo("</tr>");

```

```

        echo("<tr>");

        echo("<th>Lozinka:</th>");

        echo("<td><input type='text'
name='korisnikLozinka' /></td>");

        echo("</tr>");

        echo("<tr>");

        echo("<th>Ime i Prezime:</th>");

        echo("<td><input type='text'
name='korisnikIme' /></td>");

        echo("</tr>");

        echo("<tr>");

        echo("<th>Mail:</th>");

        echo("<td><input type='text'
name='korisnikPrezime' /></td>");

        echo("</tr>");

        echo("<tr>");

        echo("<th>Uloga</th>");

        echo("<td>

        <select name='korisnikUloga'>

                <option
value='0'>Izaberite</option>

                <option
value='1'>admin</option>

```

```

                                <option
value='2'>kupac</option>

                                </select>

                                </td>");

                                echo("</tr>");

                                echo("<tr>");

                                echo("<td><input type='submit'
name='dodajKor' value='Dodaj korisnika' /></td>");

                                echo("<td><input type='reset' value='Ponisti'
/></td>");

                                echo("</tr>");

                                }

                                if(isset($_REQUEST['dodajProizvoda']))

                                {

                                $upit_sve_kategorije = "SELECT * FROM galerije";

                                $rez_sve_kategorije = $konekcija-
>query($upit_sve_kategorije)->fetchAll();

                                $kategorije = "";

                                foreach($rez_sve_kategorije as $red_sve_kategorije):

                                $kategorije.="<option
value='".$red_sve_kategorije->id_galerije.'">".$red_sve_kategorije->naziv_galerije."</option>";

                                endforeach;

```

```

        echo("<tr>");
        echo("<th>Kategorija</th>");

        echo("<td>
        <select name='proizvodKategorija'>
        <option value='0'>Izaberite</option> ");

        echo($kategorije);

        echo("</select>
        </td>");

        echo("</tr>");
        echo("<tr>");

        echo("<th>Ime proizvoda</th>");
        echo("<td><input type='text' name='proizvodIme'
        /></td>");

        echo("</tr>");
        echo("<tr>");

        echo("<th>Slika</th>");
        echo("<td><input type='file' name='proizvodSlika'
        /></td>");

        echo("</tr>");
        echo("<tr>");

        echo("<th>Cena</th>");
        echo("<td><input type='text' name='proizvodCPK'
        /></td>");

        echo("</tr>");

        echo("<tr>");

```

```

                                echo("<td><input type='submit'
name='dodajPro' value='Dodaj proizvod' /></td>");

                                echo("<td><input type='reset' value='Ponisti'
/></td>");

                                echo("</tr>");

                                }

                                echo("</table>");

```

```

                                if(isset($_REQUEST['obrisiKorisnike']))

                                {

                                        $korisnici = (empty($_REQUEST['selKorisnici']) ? null :
                                        $_REQUEST['selKorisnici']);

                                        if($korisnici)

                                                {

                                                        $deleted="";

                                                        foreach($korisnici as $kor => $val)

                                                                {

                                                                        $provera = "SELECT * FROM korisnici
WHERE ID= ".$val;

                                                                        $red = $konekcija->query($provera)-
>fetch(PDO::FETCH_ASSOC);

                                                                        $deleted .= $red['imeprezime'].'.';

                                                                        $obrisi = "DELETE FROM korisnici
WHERE ID=".$val;

                                                                        $konekcija->prepare($obrisi)-
>execute();

```

```

    }

    $deleted = explode(':', $deleted);
    for($i=0; $i<count($deleted); $i++)

        if($deleted[$i] != "")

            echo("Obrisali ste
". $deleted[$i]. "<br/>");

        }else echo("Niste izabrali ni jednog korisnika.");

    }//obrisiKorisnika

    if(isset($_REQUEST['menjajKorisnike']))

    {

        $korisnici = (empty($_REQUEST['selKorisnici']) ? null
: $_REQUEST['selKorisnici']);

        if($korisnici)

        {

            echo("<form method='POST' action='admin.php'>");

            echo("<table>");

            echo("<tr>");

            echo("<th>Korisnicko ime</th>");

            echo("<th>Lozinka</th>");

            echo("<th>Ime i Prezime</th>");

            echo("<th>Mail</th>");

            echo("<th>Uloga</th>");

            echo("</tr>");

            foreach($korisnici as $kor => $val)

```

```

        {
            $provera = "SELECT * FROM korisnici WHERE
ID= ".$val;

            $r = $konekcija->query($provera)-
>fetch(PDO::FETCH_ASSOC);

            echo("<tr>");

            echo("<td>

            <input type='hidden'
name='id[]' value='".$r['ID']."' />

            <input type='text'
name='korIme[]' value='".$r['Korisnicko_ime']."' />

            </td>");

            echo("<td>

            <input type='text'
name='lozinka' value='".$r['lozinka']."' />

            </td>");

            echo("<td>

            <input type='text' name='ime[]'
value='".$r['imeprezime']."' />

            </td>");

            echo("<td>

            <input type='text'
name='prezime[]' value='".$r['mejl']."' />

            </td>");

            echo("<td>

            <input type='text' name='tip[]'
value='".$r['tip']."' />

            </td>");

```



```

        echo("</tr>");

    }

    echo("<tr>");

        echo("<td colspan='5'><input type='submit'
value='Sacuvaj promene' name='sacuvajKorisnike'</td>");

    echo("</tr>");

    echo("</form>");

echo("</table>");

    }else echo("Niste nista odabrali.");

    }//menjaj korisnike

if(isset($_REQUEST['sacuvajKorisnike']))

    {

        $id_kor = $_REQUEST['id'];

        $korisnicko_ime = $_REQUEST['korIme'];

        $lozinka = md5($_REQUEST['lozinka']);

        $ime = $_REQUEST['ime'];

        $prezime = $_REQUEST['prezime'];

        $tip = $_REQUEST['tip'];

        $i=0;

        foreach($id_kor as $id)

            {

```

```

                                $unapredi = "UPDATE korisnici SET
Korisnicko_ime='".$$korisnicko_ime[$i]."', lozinka='".$$lozinka.""
```

```

                                , imeprezime='".$$ime[$i]."',
mejl='".$$prezime[$i]."', tip='".$$tip[$i]."' WHERE ID=$id";
```

```

                                $r = $konekcija->prepare($unapredi)-
>execute();
```

```

                                if($r)
```

```

                                echo("Uspesno ste promenili korisnika
$ime[$i]<br/>");
```

```

                                else
```

```

                                echo("Niste uspeali da promenite
korisnika $ime[$i]<br/>");
```

```

                                $i++;
```

```

                                }
```

```

                                }//sacuvaj
```

```

                                if(isset($_REQUEST['obrisiProizvod']))
```

```

                                {
```

```

                                $proizvod = (empty($_REQUEST['selProizvodi']) ? null :
$_REQUEST['selProizvodi']);
```

```

                                if($proizvod)
```

```

                                {
```

```

                                $deleted="";
```

```

                                foreach($proizvod as $pro => $val)
```

```

                                {
```

```

        $provera = "SELECT * FROM slike
WHERE id_slike=".$sval;

        $r = $konekcija->query($provera)-
>fetch(PDO::FETCH_ASSOC);

        unlink('images/product/'.$r['slika']);

        $deleted .= $r['naziv_slike'].'.';

        $obrisi = "DELETE FROM slike WHERE
id_slike=".$sval;

        $konekcija->prepare($obrisi)-
>execute();

    }

    $deleted = explode(':', $deleted);
    for($i=0; $i<count($deleted); $i++)
        if($deleted[$i] != "")
            echo("Obrisali ste
".$deleted[$i].".<br/>");
        }else echo("Niste izabrali ni jedan proizvod.");
    }//obrisiKorisnika

    if(isset($_REQUEST['menjajProizvod']))
    {
        $proizvod = (empty($_REQUEST['selProizvodi']) ? null :
$_REQUEST['selProizvodi']);

        if($proizvod)

```

```

        {
            echo("<form method='POST' action='admin.php'
enctype='multipart/form-data'>");

            echo("<table>");

            echo("<tr>");

            echo("<th>Kategorija</th>");

            echo("<th>Naziv</th>");

            echo("<th>Slike</th>");

            echo("<th>Cena</th>");

            echo("</tr>");

            foreach($proizvod as $pro => $val)
            {
                $provera = "SELECT * FROM slike
WHERE id_slike= ".$val;

                $r = $konekcija->query($provera)-
>fetch(PDO::FETCH_ASSOC);

                $kategorije = "SELECT * FROM galerije
WHERE id_galerije= ".$r['id_galerije'];

                $re = $konekcija->query($kategorije)-
>fetch(PDO::FETCH_ASSOC);

                echo("<tr>");

                echo("<td>

                <input type='hidden'
name='id[]' value='".$r['id_slike']."' />

```

```

        <input type='text'
name='naziv_kat[]' size='4' value='".$re['naziv_galerije']."' />

        </td>");

        echo("<td>

        <input type='text'

name='naziv_pro[]' size='15' value='".$r['naziv_slike']."' />

        </td>");

        echo("<td>

        <img

src='images/product/".$r['slika']."' width='100px' height='100px' />

        <input type='file'

name='slike[]' />

        </td>");

        echo("<td>

        <input type='text'

name='cena_po_kol[]' size='2' value='".$r['cena']."' />

        </td>");

        echo("</tr>");

    }

    echo("<tr>");

    echo("<td colspan='5'><input

type='submit' value='Sacuvaj promene' name='sacuvajProizvode'</td>");

    echo("</tr>");

    echo("</form>");

    echo("</table>");

```

```
}else echo("Niste izabrali ni jedan proizvod.");
```

```
//menjajKorisnika
```

```
if(isset($_REQUEST['sacuvajProizvod']))
```

```
{
```

```
    $id_pro = $_REQUEST['id'];
```

```
    $naziv_kat = $_REQUEST['naziv_kat'];
```

```
    $naziv_pro = $_REQUEST['naziv_pro'];
```

```
    $imeSlike = $_FILES['slike']['name'];
```

```
    $tmp_slike = $_FILES['slike']['tmp_name'];
```

```
    $cena_po_kol = $_REQUEST['cena_po_kol'];
```

```
    $i=0;
```

```
    $root = "images/product/";
```

```
    foreach($id_pro as $id)
```

```
    {
```

```
        $upit_slika = "SELECT * FROM slike WHERE  
id_slike=".$id."";
```

```
        $red_slika = $konekcija->query($upit_slika)->fetch();
```

```

        $putanjaSlike = ($tmp_slike[$i] != null)?
        $root.$simeSlike[$i]: $red_slike->slika;

        echo $putanjaSlike."<br/>";

        if($putanjaSlike != $red_slike->slika)
        {

            $rez = move_uploaded_file($tmp_slike[$i],
            $putanjaSlike);

            unlink('images/product/'.$red_slike->slika);

            $putanjaZaKorisnike = $simeSlike[$i];

        }else $putanjaZaKorisnike = $putanjaSlike;

        $upit_id_kategorija = "SELECT * FROM galerije WHERE
        naziv_galerije LIKE ".$naziv_kat[$i]."";

        $red_kat = $konekcija->query($upit_id_kategorija)-
        >fetch();

        $upit_update = "UPDATE slike SET
        id_galerije=".$red_kat->id_galerije.", naziv_slike=".$naziv_pro[$i].",slika=".$putanjaZaKorisnike.",
        cena=".$scena_po_kol[$i]."" WHERE id_slike=$id";

        $r = $konekcija->prepare($upit_update)->execute();

        if($r)

            echo("Uspesno ste promenili proizvod
            $naziv_kat[$i] $naziv_pro[$i]<br/>");

        else

            echo("Niste usplei da promenite proizvod
            $naziv_kat[$i] $naziv_pro[$i]<br/>");

```

```
$i++;
```

```
}
```

```
}
```

```
if(isset($_REQUEST['dodajKor']))
```

```
{
```

```
$korIme = $_REQUEST['korisnickoIme'];
```

```
$lozinka = md5($_REQUEST['korisnikLozinka']);
```

```
$ime = $_REQUEST['korisnikIme'];
```

```
$prezime = $_REQUEST['korisnikPrezime'];
```

```
$uloga = $_REQUEST['korisnikUloga'];
```

```
$greska_dodaj = false;
```

```
if(strlen($korIme) == 0)
```

```
$greska_dodaj = true;
```

```
if(strlen($lozinka) == 0)
```

```
$greska_dodaj = true;
```

```
if(strlen($ime) == 0)
```

```
$greska_dodaj = true;
```

```
if(strlen($prezime) == 0)
```

```
$greska_dodaj = true;
```

```
if($uloga == "0")
```

```
$greska_dodaj = true;
```



```

        if(!$greska_dodaj)
        {
            switch($uloga)
            {
                case "1": $ulogaString = "admin"; break;
                case "2": $ulogaString = "kupac"; break;
            }

            $upit_dodaj_korisnika = "INSERT INTO
korisnici(Korisnicko_ime, lozinka, imeprezime, mejl, tip)

            VALUES('".$korIme."', '".$lozinka."', '".$sime."',
            '".$sprezime."', '".$ulogaString.'")";

            $r = $konekcija->prepare($upit_dodaj_korisnika)-
            >execute();

            if($r)
            echo("Uspesno ste dodali korisnika!");
            else
            echo("Niste uspeli da dodate korisnika!");

        }

        }else echo("Niste popunili neko polje!");

    }

    if(isset($_REQUEST['dodajPro']))
    {
        $kategorija = $_REQUEST['proizvodKategorija'];
        $ime = $_REQUEST['proizvodIme'];
    }

```

```
$imeSlike = $_FILES['proizvodSlika']['name'];
$tmpPozSlike = $_FILES['proizvodSlika']['tmp_name'];

$cena_po_kol = $_REQUEST['proizvodCPK'];

$greska_dodaj = false;

if(strlen($ime) == 0)
    $greska_dodaj = true;
if(strlen($imeSlike) == 0)
    $greska_dodaj = true;
if(strlen($cena_po_kol) == 0)
    $greska_dodaj = true;
if($kategorija == 0)
    $greska_dodaj = true;

if(!$greska_dodaj)
{
    $rootZaUploadSlika="images/product/";
    $rootZaBazu="";

    $rootZaUploadSlika.=$imeSlike;

    move_uploaded_file($tmpPozSlike,
    $rootZaUploadSlika);

    $rootZaBazu.=$imeSlike;
```

```
$upit_dodaj = "INSERT INTO slike(id_galerije,  
naziv_slike, slika, cena)  
  
VALUES('.$kategorija.', ' '.$ime.', ' '.$rootZaBazu.' ,  
 '.$cena_po_kol.')";
```

```
$r = $konekcija->prepare($upit_dodaj)->execute();
```

```
if($r)
```

```
echo("Uspesno ste ubacili novi proizvod!");
```

```
else
```

```
echo("Niste ubacili novi proizvod!");
```

```
}else echo("Nisu sva polja popunjena!");
```

```
}
```

```
}
```

```
?>
```

```
</div><div class="cleaner"></div>
```

```
</form>
```

```
</div>
```

Autor.php

```
<form method="POST" action="index.php?page=autor" name="form" enctype="multipart/form-data">
```

```
<div id="content" class="float_r" >
```

```
<h1>O Autoru</h1>
```

```
<div class="aslika"></div>
```

```
<table id="about">
```

```
<tr>
```

```
<td><label>Ime i
```

```
Prezime:</label></td>
```

```
<td>Stefan
```

```
Popovic</td>
```

```
</tr>
```

```
<tr>
```

```
<td><label>Datum
```

```
rodjenja:</label></td>
```

```
<td>02.04.1994</td>
```

```
</tr>
```

```
<tr>
```

```
<td><label>Srednja
```

```
skola:</label></td>
```

```
<td>Gimnazija
```

```
Krusevac</td>
```

```
</tr>
```

```
<tr>
```

```
<td><label>Fakultet:</label></td>
```

```
<td>Visoka ICT</td>
```

```
</tr>
```

```
<tr>

<td><label>Email:</label></td>

<td>stefan.popovic.328.15@ict.edu.rs</td>

</tr>

</table>
```

```
</div>

<div class="cleaner"></div>

</form>

</div>
```

Centar.php

```
<form method="POST" action="index.php?page=pocetna" name="form"
    enctype="multipart/form-data">

    <?php

    print "<div id='content' class='float_r'>";

    print "<h1>Novi Postovi</h1>";

    $upit_g = "SELECT * FROM slike ORDER BY id_slike DESC";

    $rez_g = $konekcija->query($upit_g)->fetchAll();

    if(count($rez_g) == 0)

    {

        print "Trenutno nema slika za izabranu galeriju!";
```

```

    }

    else

    {

        for ($i=0;$i<9;$i++){

            $slike = array();

foreach($rez_g as $r):

                $slike[] = $r;

                print "<div class='product_box'>";

                print "<a href='".$dir_velike.$slike[$i]->slika.'" class='highslide'
onclick='return hs.expand(this)'>";

                print "<img src='".$dir_velike.$slike[$i]->slika.'" alt='".$slike[$i]-
>naziv_slike.'" /></a>";

                print "<h3>".$slike[$i]->naziv_slike."</h3>";

                print "<p class='product_price'>".$slike[$i]->cena."</p></div>";

                if (++$i == 9) break;

            endforeach;

        }

        print "</div><div class='cleaner'></div>";

    }

```

```

?>

```

```

</form>

```

</div>

Footer.php

<div id="templatemo_footer">

<p>

Početna | Proizvodi | Registracija | Dokumentacija | Autor

</p>

Copyright © <?php echo(date("d/m/Y")); ?> Stefan Popovic

</div>

</div>

</body>

</html>

Head.php

?php if(isset(\$_SESSION['greske'])):

var_dump(\$_SESSION['greske']);

unset(\$_SESSION['greske']);

?>

<?php endif; ?>

```

<html>

<head>

<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />

<title>Phone Prodaja</title>

<link rel="icon" type="image/jpg" href="images/ikonica.png" />

<meta name="author" content="Stefan Popovic" />

<meta name="keywords" content="iphone,samsung,huawei,xiaomi" />

<meta name="description" content="Prodaja telefona" />

<link href="css/templatemo_style.css" rel="stylesheet" type="text/css" />

<link rel="stylesheet" type="text/css" href="css/ddsmoothmenu.css" />

<script type="text/javascript" src="js/provera.js"></script>

<script type="text/javascript" src="js/poll.js"></script>

<script type="text/javascript" src="js/jquery.min.js"></script>

<script type="text/javascript" src="js/ddsmoothmenu.js"></script>

<script type="text/javascript" src="js/highslide/highslide.js"></script>

<link rel="stylesheet" type="text/css" href="js/highslide/highslide.css" />

<script>

    $(document).ready(function(){

        $('#login-trigger').click(function(){

            $(this).next('#login-content').slideToggle();

            $(this).toggleClass('active');

            if ($(this).hasClass('active')) $(this).find('span').html('&#x25B2;')

            else $(this).find('span').html('&#x25BC;')

        })
    })

```



```
});
```

```
</script>
```

```
<script type="text/javascript">
```

```
hs.graphicsDir = 'js/highslide/graphics/';
```

```
</script>
```

```
<script language="javascript" type="text/javascript">
```

```
function clearText(field)
```

```
{
```

```
    if (field.defaultValue == field.value) field.value = "";
```

```
    else if (field.value == "") field.value = field.defaultValue;
```

```
}
```

```
</script>
```

```
<script type="text/javascript">
```

```
ddsmoothmenu.init({
```

```
    mainmenuid: "top_nav",
```

```
    orientation: 'h',
```

```
    classname: 'ddsmoothmenu',
```

```
    contentsource: "markup"
```

```
})
```

```
</script>
```

```
<link rel="stylesheet" type="text/css" media="all" href="css/jquery.dualSlider.0.2.css" />
```

```
<script src="js/jquery-1.3.2.min.js" type="text/javascript"></script>
```

```
<script src="js/jquery.easing.1.3.js" type="text/javascript"></script>
```

```
<script src="js/jquery.timers-1.2.js" type="text/javascript"></script>
```

```
<script src="js/jquery.dualSlider.0.3.min.js" type="text/javascript"></script>
```

```
<script type="text/javascript">
```

```
$(document).ready(function() {
```

```
    $(".carousel").dualSlider({
```

```
        auto:true,
```

```
        autoDelay: 6000,
```

```
        easingCarousel: "swing",
```

```
        easingDetails: "easeOutBack",
```

```
        durationCarousel: 1000,
```

```
        durationDetails: 600
```

```
    });
```

```
});
```

```
</script>
```

```
</head>
```

Header.php

<body>

<div id="templatemo_wrapper">

<div id="templatemo_header">

<div id="header_right">

<?php

if(isset(\$_SESSION['korisnickolme']))

{

echo "
Korisnik: ".\$_SESSION['korisnickolme'];

}

?>

<?php

if(!isset(\$_SESSION['korisnickolme']))

{

?>

<form action="php/login.php" method="POST">

<nav>

<li id="login">

Ulogujte se ▼

<div id="login-content">

<form>

<fieldset id="inputs">

<input id="kkime" type="text" name="kkime" placeholder="Korisnicko ime">

<input id="password" type="password" name="password" placeholder="Lozinka">

</fieldset>

<fieldset id="actions">

<input type="submit" id="submit" name="submit" value="Log in">

</fieldset>

</form>

</div>

</nav>

</form>

<?php

}

?>

</div>

<div class="cleaner"></div>

</div>

```
<div id="templatemo_menu">

<div id="top_nav" class="ddsmoothmenu">

    <ul>

<li><a href="index.php" class="selected">Početna</a></li>

<li><a href="index.php?page=proizvodi">Proizvodi</a>

        <ul>

            <li><a href="index.php?page=apple">Apple</a></li>

            <li><a href="index.php?page=samsung">Samsung</a></li>

            <li><a href="index.php?page=huawei">Huawei</a></li>

            <li><a href="index.php?page=xiaomi">Xiaomi</a></li>

            <li><a href="index.php?page=proizvodi">Svi
Proizvodi</a></li>

        </ul>

    </li>

<li><a href="index.php?page=registracija">Registracija</a></li>

<li><a href="index.php?page=autor">Autor</a></li>

    <?php

        if(isset($_SESSION['korisnickolme']) && $_SESSION['tip'] == 'admin')

            {

                ?>

            <li><a href="index.php?page=admin">Admin strana</a></li>

        <?php

            }

            ?>
```

```
<?php
```

```
if(isset($_SESSION['korisnickolme']))
```

```
{
```

```
?>
```

```
<li><a href="php/logout.php">Logout</a></li>
```

```
<?php
```

```
}
```

```
?>
```

```
</ul>
```

```
<br style="clear: left" />
```

```
</div>
```

```
<div id="menu_search_bar">
```

```
<div id="templatemo_search">
```

```
<form action="index.php?page=pretraga" method="post">
```

```
<input type="text" value="Pretraga" name="keyword" id="keyword" title="keyword"
onfocus="clearText(this)" onblur="clearText(this)" class="txt_field" />
```

```
<input type="submit" name="Search" value=" Pretraži " alt="Search" id="searchbutton"
title="Search" class="sub_btn" />
```

```
</form>
```

```
</div>
```

```
<div class="cleaner"></div>
```

```
</div>
```

```
</div>
```

Levo.php

```
<div id="templatemo_main">

    <div id="sidebar" class="float_l">

<div class="sidebar_box"><span class="bottom"></span>

        <h3>Kategorije</h3>

        <div class="content">

            <ul class="sidebar_list">

<li class="first"><a href="index.php?page=apple">Apple</a></li>

                <li><a href="index.php?page=samsung">Samsung</a></li>

                <li><a href="index.php?page=huawei">Huawei</a></li>

                <li><a href="index.php?page=xiaomi">Xiaomi</a></li>

<li class="last"><a href="index.php?page=proizvodi">Svi Proizvodi</a></li>

            </ul>

        </div>

    </div>

<div class="sidebar_box"><span class="bottom"></span>

        <h3>Anketa</h3>

        <div class="content">

            <div id="poll">

                <?php if(!isset($_COOKIE['adresa'])):??>

                    <h4 style="color:#d6d3d3;">Omiljeni
brend?</h4>

                <table>

                    <tr>
```

```

        <td>Apple:</td>

        <td><input type="radio" name="vote"
value="0" onclick="getVote(this.value)"></td></tr>

        <tr>

        <td>Samsung:</td>

        <td><input type="radio" name="vote"
value="1" onclick="getVote(this.value)"></td></tr>

        <tr>

        <td>Huawei:</td>

        <td><input type="radio" name="vote"
value="2" onclick="getVote(this.value)"></td></tr>

        <tr>

        <td>Xiaomi:</td>

        <td><input type="radio" name="vote"
value="3" onclick="getVote(this.value)"></td></tr>

        <tr>

        <td>Alcatel:</td>

        <td><input type="radio" name="vote"
value="4" onclick="getVote(this.value)"></td></tr>

        <tr>

        <td>Lenovo:</td>

        <td><input type="radio" name="vote"
value="5" onclick="getVote(this.value)"></td>

    </tr>

</table>

<?php else: include "poll_vote.php";?>

    <?php endif;?>

</div>
```


</div>

</div>

</div>

Pretraga.php

```
<form method="POST" action="index.php?page=pretraga" name="form" enctype="multipart/form-  
data">
```

```
<div id="content" class="float_r">
```

```
<?php
```

```
if(isset($_REQUEST['Search']))
```

```
{
```

```
$vrednostPolja = $_REQUEST['keyword'];
```

```
$upit = "SELECT * FROM slike WHERE naziv_slike LIKE '%$vrednostPolja%' ORDER BY  
id_slike DESC";
```

```
$rez = $konekcija->query($upit)->fetchAll();
```

```
if(count($rez) == 0)
```

```
{
```

```
print "Niste uneli ime pravilno ili nemamo taj proizvod!";
```

```
}
```

```
else
```

```
{
```

```

        $slike = array();

        $brojslika=count($rez);

        $postrani=9;

        $strane=ceil($brojslika/$postrani);

        if (!isset($_GET['pagi'])) {

            $page = 1;

        } else {

            $page = $_GET['pagi'];

        }

        $this_page_first_result = ($page-1)*$postrani;

        $upit=$upit.' LIMIT '. $this_page_first_result . ',' .
        $postrani;

        $rez = $konekcija->query($upit)->fetchAll();

        $brojslika=count($rez);

        for ($i=0;$i<$brojslika;$i++){

            foreach($rez as $r):

                $slike[] = $r;

                print "<div class='product_box'>";

                print "<a href='".$dir_velike.$slike[$i]->slika.'" class='highslide'
                onclick='return hs.expand(this)'>";

                print "<img src='".$dir_velike.$slike[$i]->slika.'" alt='".$slike[$i]-
                >naziv_slike.'" /></a>";

                print "<h3>".$slike[$i]->naziv_slike."</h3>";

                print "<p class='product_price'>".$slike[$i]->cena."</p></div>";

```

```

        if (++$i == $brojslika) break;

        endforeach;

    }

    print "<div class='float_r'>";

    for ($page=1;$page<=$strane;$page++) {

        echo '<div class="float_l">&nbsp;&nbsp; <a
href="index.php?page='.$vrednostPolja.'&pagi=' . $page . '"> . $page . '</a></div>';

    }

    print "</div>";

}

}

if(isset($_REQUEST['page'])){

    $vrednostPolja = $_REQUEST['page'];

    if($vrednostPolja != 'pretraga'){

        if($vrednostPolja == 'proizvodi'){

            $upit= "SELECT * FROM slike ORDER BY id_slike DESC";

        }else{

            $upit = "SELECT * FROM slike s, galerije g WHERE s.id_galerije=g.id_galerije AND
naziv_galerije LIKE '%$vrednostPolja%' ORDER BY id_slike DESC";

        }

    }

    $rez = $konekcija->query($upit)->fetchAll();

```

```

        if(count($rez) == 0)
        {
            print "Niste uneli ime pravilno ili nemamo taj proizvod!";
        }
        else
        {
            $slike = array();
            $brojslika=count($rez);

            $postrani=9;

            $strane=ceil($brojslika/$postrani);

            if (!isset($_GET['pagi'])) {
                $page = 1;
            } else {
                $page = $_GET['pagi'];
            }

            $this_page_first_result = ($page-1)*$postrani;

            $upit=$upit . ' LIMIT ' . $this_page_first_result . ',' .
            $postrani;

            $rez = $konekcija->query($upit)->fetchAll();

            $brojslika=count($rez);

            for ($i=0;$i<$brojslika;$i++){

                foreach($rez as $r):

                    $slike[] = $r;

```

```

        print "<div class='product_box'>";

        print "<a href='".$dir_velike.$slike[$i]->slika.'" class='highslide'
onclick='return hs.expand(this)'>";

        print "<img src='".$dir_velike.$slike[$i]->slika.'" alt='".$slike[$i]-
>naziv_slike.'" /></a>";

        print "<h3>".$slike[$i]->naziv_slike."</h3>";

        print "<p class='product_price'>".$slike[$i]->cena."</p></div>";

        if (++$i == $brojslika) break;

        endforeach;

    }

    print "<div class='float_r'>";

    for ($page=1;$page<=$strane;$page++) {

        echo '<div class="float_l" >&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;&nbsp;<a
href="index.php?page='.$vrednostPolja.'&pagi=' . $page . '" >'. $page . '</a></div>';

        }

        print "</div>";

    }

}

?>

</div>

<div class="cleaner"></div>

</form>

</div>

```

Registracija.php

```
<div id="content" class="float_r" >

    <div id="contact_form">

        <form method="post" action="index.php?page=registracija" name="form"
            enctype="multipart/form-data" >

            <label>Ime i Prezime:</label> <input type="text" id="imeprezime" name="imeprezime"
                class="required input_field" onkeyup="proveraKontakt()"/>

                <div class="cleaner h10"></div>

            <label>Email:</label> <input type="text" id="email" name="email" class="validate-email
                required input_field" onkeyup="proveraKontakt()"/>

                <div class="cleaner h10"></div>

            <label>Korisnicko ime:</label> <input type="text"
                name="kime" id="kime" class="input_field" onkeyup="proveraKontakt()"/>

                <div class="cleaner h10"></div>

            <label>Lozinka:</label><input type="password" id="sifra" name="sifra" class="required
                input_field" onkeyup="proveraKontakt()"/>

                <div class="cleaner h10"></div>

            <input type="submit" value="Registruj" id="salji" name="salji" class="submit_btn
                float_l"/>

                <input type="reset" value="Ponisti" id="reset"
                    name="reset" class="submit_btn float_l" />
```

</form>

<?php

if(isset(\$_REQUEST["salji"]))

{

\$ime = \$_REQUEST['imeprezime'];

\$mail = \$_REQUEST['email'];

\$korisnicko_ime = \$_REQUEST['kime'];

\$lozinka = md5(\$_REQUEST['sifra']);

\$regImePrezime = "/^[A-Z]{1}[a-z]{2,9}(\s[A-Z]{1}[a-z]{2,9})+\$/";

\$regEmail = "/^[a-z0-9]+(\.[a-z0-9]+)*\@[a-z]+(\.[a-z]+)+\$/";

\$regkime = "/^[A-Z]{1}[a-z]{2,9}\$/";

\$regpassword = "/^[\\w\\d\\S]+\$/";

\$greska_dodaj = false;

if(!preg_match(\$regImePrezime, \$ime))

{

\$greska_dodaj = true;

}

if(!preg_match(\$regEmail, \$mail))

{

\$greska_dodaj = true;

}

if(!preg_match(\$regkime, \$korisnicko_ime))

```

        {
            $greska_dodaj = true;
        }

if(!preg_match($regpassword, $lozinka))

        {
            $greska_dodaj = true;
        }

if(!$greska_dodaj)

        {
$upit_napravi_nalog = "INSERT INTO korisnici(Korisnicko_ime, lozinka,
imeprezime, mejl, tip)

VALUES('".$korisnicko_ime."', '".$lozinka."', '".$ime."', '".$mail."',
'kupac')";

$r = $konekcija->prepare($upit_napravi_nalog)->execute();

        echo("</br>&nbsp;Uspesno ste registrovani!");

        }else echo("</br>&nbsp;Nepravilno popunjena forma!");

        }

?>

</div>

</div>

<div class="cleaner"></div>

</div>

```

Slider.php


```
<div id="templatemo_middle" class="carousel">
```

```
<div class="panel">
```

```
<div class="details_wrapper">
```

```
<div class="details">
```

```
<div class="detail">
```

```
<h2>Apple</h2>
```

```
<p>Širok izbor mobilnih telefona marke Apple. </p>
```

```
<a href="index.php?page=apple" title="Read  
more" class="more">Više</a>
```

```
</div>
```

```
<div class="detail">
```

```
<h2>Huawei</h2>
```

```
<p>Širok izbor mobilnih telefona marke Huawei.</p>
```

```
<a href="index.php?page=huawei" title="Read  
more" class="more">Više</a>
```

```
</div>
```

```
<div class="detail">
```

```
<h2>Samsung</h2>
```

```
<p>Širok izbor mobilnih telefona marke Samsung.</p>
```

```
<a href="index.php?page=samsung" title="Read  
more" class="more">Više</a>
```

```
</div>
```

</div>

</div>

<div class="paging">

<div id="numbers"></div>

Previous

Next

</div>

Play

Pause

</div>

<div class="backgrounds">

<div class="item item_1">

</div>

<div class="item item_2">

</div>

<div class="item item_3">

</div>

</div>

</div>

Config.php

<?php

1 - Definisanje parametara za konekciju sa bazom

```
define("MYSQL_HOST", "localhost");  
define("MYSQL_DBNAME", "mojsajt");  
define("MYSQL_USERNAME", "root");  
define("MYSQL_PASSWORD", "");
```

konekcija.php

<?php

```
require_once "config.php";
```

```

        try {

            $konekcija = new
PDO("mysql:host=".MYSQL_HOST.";dbname=".MYSQL_DBNAME.";charset=utf8", MYSQL_USERNAME,
        MYSQL_PASSWORD);

            $konekcija->setAttribute(PDO::ATTR_ERRMODE, PDO::ERRMODE_EXCEPTION);

            $konekcija->setAttribute(PDO::ATTR_DEFAULT_FETCH_MODE, PDO::FETCH_OBJ);

        }

        catch(PDOException $e){

            echo $e->getMessage();

        }

```

3 - Funkcija za izvršanje bilo kog SELECT upita

```

function executeQuery($upit){

    global $konekcija;

    $rezultat = $konekcija->query($upit)->fetchAll();

    return $rezultat;

}

$dir_velike = "images/product/";

```

Login.php

```
<?php
session_start();

if(isset($_REQUEST['submit']))
{
    $user = $_REQUEST['kkime'];
    $pass = $_REQUEST['password'];

    $errors = [];

    $regkime = "/^[A-Z]{1}[a-z]{2,9}$/";
    $regpassword = "/^[\\w\\d\\$]+$/";

    if(!preg_match($regkime, $user)){
        $errors[] = "Ime nije ok.";
    }

    if(!preg_match($regpassword, $pass)){
        $errors[] = "Lozinka nije ok.";
    }

    if(count($errors) > 0){
        $_SESSION['greske'] = $errors;
        header("Location: ../index.php");
    }else{
```

```

        require_once "konekcija.php";

        $pass = md5($_REQUEST['password']);

        $upita = "SELECT * FROM korisnici WHERE Korisnicko_ime =:ime
        AND lozinka=:loz";

        $reza = $konekcija->prepare($upita);

        $reza->bindParam(":ime", $user);

        $reza->bindParam(":loz", $pass);

        $reza->execute();

        $usera = $reza->fetch();

        if($usera) {

            $_SESSION['tip'] = $usera->tip;

            $_SESSION['korisnickoIme'] = $usera->Korisnicko_ime;

            $_SESSION['id'] = $usera->ID;

            if($_SESSION['tip'] == 'admin'){

                header("location: ../index.php?page=admin");

            }else{

                header("location: ../index.php");

            }

        }else {

            $_SESSION['greske'] = "Pogresno ime ili lozinka.";

```

```
header("Location: ../index.php");}
```

```
}
```

```
}
```

```
?>
```

Logout.php

```
<?php
```

```
session_start();
```

```
if(isset($_SESSION['korisnickolme']))
```

```
{
```

```
unset($_SESSION['korisnickolme']);
```

```
unset($_SESSION['tip']);
```

```
unset($_SESSION['id']);
```

```
session_destroy();
```

```
header('Location:../index.php');
```

```
}
```

```
else
{
header('Location:../index.php');
}
?>
```

Poll_vote.php

```
<?php
$vote =6;
if(!isset($_COOKIE['adresa'])){
$vote = $_REQUEST['vote'];

$ip = "";
if($_SERVER['REMOTE_ADDR'])
$ip = $_SERVER['REMOTE_ADDR'];
else
$ip = 'none';
setcookie(
"adresa",
"$ip",
time() + (10 * 365 * 24 * 60 * 60)
);
}
```



```
//get content of textfile

$filename = "poll_result.txt";

$content = file($filename);


//put content in array

$array = explode(" | ", $content[0]);

$apples = $array[0];

$samsung = $array[1];

$huawei = $array[2];

$xiaomi = $array[3];

$catel = $array[4];

$lenovo = $array[5];


if ($vote == 0) {

    $apples = $apples + 1;

}

if ($vote == 1) {

    $samsung = $samsung + 1;

}

if ($vote == 2) {

    $huawei = $huawei + 1;

}


if ($vote == 3) {

    $xiaomi = $xiaomi + 1;
```

```
}
```

```
if ($vote == 4) {
```

```
$alcatel = $alcatel + 1;
```

```
}
```

```
if ($vote == 5) {
```

```
$lenovo = $lenovo + 1;
```

```
}
```

```
//insert votes to txt file
```

```
$insertvote = $apple."||".$samsung."||".$huawei."||".$xiaomi."||".$alcatel."||".$lenovo;
```

```
$fp = fopen($filename,"w");
```

```
fputs($fp,$insertvote);
```

```
fclose($fp);
```

```
?>
```

```
<h4 style="color:#d6d3d3;">Rezultati:</h4>
```

```
<table>
```

```
<tr>
```

```
<td>Apple:</td>
```

```
<td>
```

```
'
```

```

height='20'>

<?php echo(100*round($apple/($apple+$samsung+$huawei+$xiaomi+$alcatel+$lenovo),6)); ?>%

</td>

</tr>

<tr>

<td>Samsung:</td>

<td>

'

height='20'>

<?php echo(100*round($samsung/($apple+$samsung+$huawei+$xiaomi+$alcatel+$lenovo),6)); ?>%

</td>

</tr>

<tr>

<td>Huawei:</td>

<td>

'

height='20'>

<?php echo(100*round($huawei/($apple+$samsung+$huawei+$xiaomi+$alcatel+$lenovo),6)); ?>%

</td>

</tr>

<tr>

<td>Xiaomi:</td>

```

```
<td>

'
height='20'>

<?php echo(100*round($xiaomi/($apple+$samsung+$huawei+$xiaomi+$alcatel+$lenovo),6)); ?>%

</td>

</tr>

<tr>

<td>Alcatel:</td>

<td>

'
height='20'>

<?php echo(100*round($alcatel/($apple+$samsung+$huawei+$xiaomi+$alcatel+$lenovo),6)); ?>%

</td>

</tr>

<tr>

<td>Lenovo:</td>

<td>

'
height='20'>

<?php echo(100*round($lenovo/($apple+$samsung+$huawei+$xiaomi+$alcatel+$lenovo),6)); ?>%

</td>
```

```
</tr>
</table>
```

Style.css

```
/* DUALSLIDER CSS */
/* AUTHOR: ROB PHILLIPS = HUGO & CAT LTD */
/* VERSION: 0.1 */

body {
font:normal 62.5%/1.7em Arial, Tahoma, Helvetica, sans-serif;

color:#807f83;

margin:0 0 0 0;

padding: 0;

background: #fff;

text-align:center;

}

a, a:visited {

color:#ee2c74;

text-decoration:none;
```

```
    }  
    a: hover {  
text-decoration: underline;  
    }
```

```
    strong {  
font-weight: bold;  
    }
```

```
    p, blockquote {  
margin: 0 0 15px 0;  
    }
```

```
.wrapper {  
  
font-size: 1.2em;  
width: 880px;  
margin: auto;  
text-align: left  
    }
```

```
h1 {  
  
font-size: 4.0em;  
color: #000;  
margin: 50px 0 0 0;
```

```
}
```

```
h2 {
```

```
font-size: 1.2em;
```

```
color: #000;
```

```
margin: 0 0 25px 0;
```

```
}
```

```
h3{
```

```
font-size: 1.4em;
```

```
color: #000;
```

```
margin: 0 0 5px 0;
```

```
}
```

```
.columns {
```

```
margin: 0 0 15px 0;
```

```
border-bottom:1px solid #ccc;
```

```
background: transparent url(../images/columns_bg.png) no-repeat 100% 100%;
```

```
border-top:1px solid #ccc;
```

```
padding: 15px 0 10px 0;
```

```
}
```

```
.columns .col{
```

```
float:left;
```

```
width: 210px;
margin: 0 0 0 10px;
```

```
}
```

```
.download , a:visited.download {
    float:right;
    display:block;
background: #000 url(../images/carousel_download_bg.gif) no-repeat 9px 0.8em;
padding: 10px 10px 10px 35px;
font-size: 1.1em;
color: #fff;
margin: 20px 20px 0 0;
border:6px solid #eee;
}
```

```
a:hover.download {
    border-color: #ccc;
}
```

```
.download em{
    display:block;
font-size: 0.9em;
}
```



```
.documentation {  
    color: #666;  
  
    }
```

```
.documentation p{  
    margin: 0 0 0 0;  
    padding: 10px 0 10px 0;  
border-bottom: 1px dotted #ccc;  
    }
```

```
.documentation p.alt{  
    background: #eee;  
    }
```

```
.documentation strong{  
    float:left;  
    width: 50px;  
    font-size: 1.5em;  
    color: #000;  
    text-align:center;  
    }
```

```
.documentation span{  
    float:left;
```

```
width: 800px;

display: block;

}
```

Provera.js

```
function proveraKontakt(){

var ime = document.getElementById("imeprezime").value;

var regIme = /^[A-Z]{1}[a-z]{2,9}(\s[A-Z]{1}[a-z]{2,9})+$/;

if(regIme.test(ime)){

document.getElementById("imeprezime").style.borderColor = "green";

}

else {

document.getElementById("imeprezime").style.borderColor = "red";

}

var email = document.getElementById("email").value;

var regEmail = /^[a-z0-9]+(\.[a-z0-9]+)*\@[a-z]+(\.[a-z]+)+$/;

if(regEmail.test(email)){

document.getElementById("email").style.borderColor = "green";

}

else {

document.getElementById("email").style.borderColor = "red";

}
```

```
    }

    var kime = document.getElementById("kime").value;

    var regkime = /^[A-Z]{1}[a-z]{2,9}$/;

    if(regkime.test(kime)){
document.getElementById("kime").style.borderColor = "green";

    }

    else {

document.getElementById("kime").style.borderColor = "red";

    }

var password = document.getElementById("sifra").value;

    var regpassword = /^[w\d\S]+$;/;

    if(regpassword.test(password)){
document.getElementById("sifra").style.borderColor = "green";

    }

    else {

document.getElementById("sifra").style.borderColor = "red";

    }

}
```

Poll.js

```
function getVote(int) {  
    if (window.XMLHttpRequest) {  
        // code for IE7+, Firefox, Chrome, Opera, Safari  
        xmlhttp=new XMLHttpRequest();  
    } else { // code for IE6, IE5  
        xmlhttp=new ActiveXObject("Microsoft.XMLHTTP");  
    }  
    xmlhttp.onreadystatechange=function() {  
        if (this.readyState==4 && this.status==200) {  
            document.getElementById("poll").innerHTML=this.responseText;  
        }  
    }  
    xmlhttp.open("GET","poll_vote.php?vote="+int,true);  
    xmlhttp.send();  
}
```