

# LLARS – Getting Started & Script Setup Guide

---

Welcome to LLARS.

**LLARS** stands for:

Local **L**ibrary of **A**utomated **R**outines & **S**cripts

LLARS is designed to make setting up and running scripts as simple as possible. Most users should **not need to edit the script itself or manually change configuration files**. The script's GUI is the main place you will configure and control it.

This guide is written for first-time users and focuses on getting a script ready to run.

---

## Table of Contents

1. Before You Start
2. Choosing a Script
3. The LLARS Config File
4. The Script Config File
5. Do I Need to Edit Config.ini
6. The Three Main Setup Tools
7. Setting Up Hotkeys
8. Setting Up Coordinates
9. Setting Up Colors
10. The Difference Between Required and Optional Settings
11. What You Should Configure
12. Running a Script
13. While the Script Is Running
14. Pausing and Resuming
15. Stopping a Script
16. Setting Up a New Script
17. RuneScape Setup Matters
18. If You Change Your Game Layout
19. Understanding Timer Settings
20. Random Sleep
21. Common First-Time Problems
22. Best Practices for New Users
23. About LLARS
24. The Simple Version

---

# 1. Before You Start

---

Make sure you have:

- The complete LLARS folder.
- AutoHotkey v1.1.37.02 installed and available to run the scripts.
- RuneScape installed and ready to use.
- Your RuneScape game window set up the way you intend to use it.

Keep the LLARS files together in their provided folder structure.

The main LLARS folder contains the shared LLARS files, while the scripts you run are stored inside the `Scripts` folder. Each script keeps its own `Config.ini` in its script folder.

**Do not rename, move, or remove LLARS files, script folders, or configuration files unless you know they are supposed to be changed.**

---

## 2. Choosing a Script

---

Each script is designed for a specific task.

Open the `Scripts` folder, find the script you want to use, and run its `.ahk` file. Scripts may be inside additional folders used to keep similar scripts organized.

Allow the main LLARS window to open.

The main window gives you access to the important setup and control functions.

You will normally see options such as:

- **Start**
- **Information**
  - Colors/Coordinates/Hotkeys
- **Exit LLARS**

The exact options needed will depend on the script.

You do not need to configure every possible setting. Only configure the settings that are required for the script you are using.

---

## 3. The LLARS Config File

---

The main LLARS folder contains one shared `LLARS Config.ini`.

`LLARS Config.ini` contains settings that belong to LLARS itself rather than one specific script.

These can include things such as:

- LLARS hotkeys
- Transparency
- Random Sleep settings
- Other LLARS-wide settings

Most users should not need to edit this file during normal script setup.

If the LLARS GUI provides a way to change a setting, use the GUI rather than manually editing the file.

---

## 4. The Script Config File

---

Each script has its own:

`Config.ini`

It is stored in the same script folder as that script's `.ahk` file.

This file contains the settings specific to that script.

Different scripts can have completely different settings.

For example, one script may have:

- Bank coordinates
- Item coordinates
- Bank preset hotkey

Another may have:

- Combat hotkeys
- Potion settings
- Loot settings
- Cannon coordinates

This is normal.

### Read the Config.ini

Even though you normally do not need to manually edit `Config.ini`, **you should read it when setting up a script for the first time.**

The `Config.ini` may contain valuable information about:

- How the script is intended to be set up
- What certain settings are used for
- How different parts of the script work
- Special requirements for the script
- What the script may be doing while it is running
- Additional instructions that may not be shown directly in the LLARS GUI

Some scripts may have comments or instructions in `Config.ini` that are important for using that particular script correctly.

**Pay close attention to the instructions above each section.** These instructions may explain how a setting should be configured, including exactly what to select when setting up coordinates through the LLARS GUI.

The information in `Config.ini` can be different for every script, so do not assume that instructions from one script apply to another.

**You do not normally need to change these settings yourself. Read the file for information and instructions, then use the LLARS GUI to perform the setup whenever possible.**

Do not copy settings from one script's `Config.ini` into another script unless the script instructions specifically tell you to.

---

## 5. Do I Need to Edit Config.ini

---

**Usually, no.**

The LLARS GUI is intended to handle normal setup.

You may only need to manually edit a configuration file if:

- The script instructions specifically tell you to.
- A setting is not available through the GUI.
- You are an advanced user making custom changes.

For a first-time user, stay with the GUI whenever possible.

---

## 6. The Three Main Setup Tools

---

Most setup is done through the LLARS GUI.

## Information

Use **Information** when you want to see information about the script or how it is intended to be used.

If you are unsure what a particular script requires, check this first.

---

## Colors/Coordinates/Hotkeys

This is the main setup area.

It allows you to configure the settings the script needs without manually editing `Config.ini`.

Depending on the script, you may have one or more of these:

- **Colors**
- **Coordinates**
- **Hotkeys**

Only the settings used by that script will be shown.

---

## 7. Setting Up Hotkeys

---

A hotkey tells the script which keyboard key to press for a particular action.

For example, a script may ask for a hotkey for:

- A bank preset
- A skillbar
- A prayer
- A combat ability
- A potion
- Another in-game action

### How to set a hotkey

1. Open Colors/Coordinates/Hotkeys
2. Select **Hotkeys**.
3. Select the setting you want to configure.
4. Enter or choose the desired keyboard key.
5. Save the change.

Use a key that performs the intended action in RuneScape.

## Recommended approach

Set up your RuneScape skillbar and other required controls first.

Then configure LLARS to use the same keys.

For example, if the script expects a skillbar hotkey, make sure the desired item or action is actually in that skillbar position before starting the script.

---

# 8. Setting Up Coordinates

---

Coordinates tell the script where something is located on your screen.

**Before setting up coordinates, read the instructions in the script's `Config.ini`.** Some coordinate sections contain specific instructions explaining exactly what should be selected and how it should be selected.

Scripts may use coordinates for things such as:

- Banking
- Items in your inventory
- Clicking an object
- Looting
- Cannon restocking
- Binding contracts
- Other locations required by the script

You normally do **not** need to type coordinates manually.

## How to set coordinates

1. Open Colors/Coordinates/Hotkeys
2. Select **Coordinates**.
3. Select the setting you want to configure.
4. Follow the instructions shown by LLARS.
5. Use the mouse to select the required location or area.
6. Finish the coordinate selection.

LLARS will save the selected coordinates for you.

---

## Coordinate Areas

Some settings use an area instead of one exact point.

For example, an inventory item may occupy a small area rather than one exact pixel.

When this happens, select the requested area as instructed by LLARS.

The script can then choose a random location inside that area instead of clicking the exact same pixel every time.

---

## Pixel Coordinates

Some settings only need one location.

These are normally used when LLARS needs to check the color of a particular pixel.

Follow the coordinate setup instructions and select the requested location.

---

# 9. Setting Up Colors

---

Some scripts need to check the color of something on the screen.

This can be used to recognize a particular state or location in the game.

## How to set a color

1. Open Colors/Coordinates/Hotkeys
2. Select **Colors**.
3. Select the color setting you want to configure.
4. Make sure RuneScape is showing the correct screen/state.
5. Follow the LLARS instructions to capture the color.
6. Save the change.

You generally do not need to know the actual color code.

LLARS captures the color for you.

---

# 10. The Difference Between Required and Optional Settings

---

Not every setting is always needed.

Some scripts contain optional features that can be turned on or off.

# Configuration Status and Reset Config

---

The Colors/Coordinates/Hotkeys button is the main setup entry point for script-specific colors, coordinates, and hotkeys. LLARS also provides status and reset tools so you can check or clear that setup without manually editing Config.ini.

## Configuration Status

Configuration Status shows whether the script's typed setup is Ready, Missing, or Not Required. Disabled optional features are normally Not Required until they are enabled.

- Ready means the required value is configured.
- Missing means the script still needs that setting.
- Not Required means the setting does not currently need setup.

## Reset Config

Use Reset Config when you want LLARS to clear saved script setup so it can be configured again.

- Reset Selected clears only the selected saved setting.
- Clear All clears the script's saved colors, coordinates, and hotkeys after confirmation.
- Reset Config does not erase unrelated script settings and does not reset the shared LLARS Config.ini.

After a reset, Configuration Status updates so you can see exactly what needs to be configured again.

An optional feature may have an:

- `option=true`
- `option=false`

setting.

### `option=true`

The feature is enabled.

LLARS expects the settings required by that feature to be configured.

For example, if an optional feature requires a hotkey or coordinates, those settings need to be set up when the feature is enabled.

### `option=false`

The feature is disabled.

You do **not** need to configure the settings belonging only to that disabled feature.

This is important because a script may contain several optional features that you do not intend to use.

### Example

If a script has:

- Prayer — enabled
- Loot — enabled
- Cannon Restock — disabled

You configure Prayer and Loot normally.

You can ignore the Cannon Restock settings.

---

## 11. What You Should Configure

---

A good rule for first-time users is:

**Only configure what the script tells you to configure.**

Do not go through `Config.ini` looking for every possible setting unless the script specifically tells you to.

The LLARS GUI is designed to help identify the settings that matter.

If an optional feature is disabled, its setup can generally be ignored.

---

## 12. Running a Script

---

Once the required setup is complete:

1. Open RuneScape.
2. Put the game in the setup you configured.
3. Make sure the required skillbar, inventory, bank, and other game elements are in the expected locations.
4. Make sure the RuneScape window is available.
5. Return to LLARS.
6. Press **Start**.

How the script runs depends on the script. Some scripts run for a **set amount of time**, while others repeat their main sequence a **specified number of times**.

### Time-Based Scripts

Some scripts use a timer to determine how long they should run.

LLARS will open:

#### Set Run Time

Enter how many minutes you want the script to run. Whole numbers and decimals are accepted.

For example:

- 0.5 = 30 seconds
- 1 = 1 minute
- 10 = 10 minutes
- 60 = 60 minutes

Then confirm the run time.

LLARS will begin the script and display the remaining time.

### Run-Count Scripts

Some scripts use a **run count** instead of a timer.

A run count tells the script how many times to repeat its main sequence.

For example:

- 1 = 1 run
- 10 = 10 runs
- 100 = 100 runs

One **run** means the script completes whatever sequence is defined as a single run for that particular script.

For example, one run might mean completing one trip, one action sequence, or another complete set of actions defined by the script.

## Time vs. Run Count

The type of control used depends on the script.

Some scripts use a timer, while others use a run count.

**Do not assume that every script uses a timer or that every script uses a run count.** Follow the prompt shown by the specific script you are using.

If the script asks for a timer, entering `1` means the script will run for **1 minute**.

If the script asks for a run count, entering `1` means the script will complete its defined sequence **1 time**.

For a first test, use a short timer or a small run count such as `1` or `2`. Once you confirm the script is working correctly, you can increase the amount for a longer session.

---

# 13. While the Script Is Running

---

The LLARS window shows the current script state.

You may see states such as:

- **Running**
- **Paused**
- **Done**

LLARS also displays the script name and the information appropriate for that script, such as time remaining or run-count information.

Some scripts may temporarily display the action they are performing.

---

# 14. Pausing and Resuming

---

While a script is running, the LLARS controls can be used to pause or resume it.

The available LLARS hotkeys are shared across the project and are configured through the root `LLARS Config.ini`.

If you have changed the LLARS hotkeys, use the keys you configured.

When paused, the status will show:

**Paused**

When resumed, the status will return to:

## Running

---

# 15. Stopping a Script

---

When the script reaches the end of its configured run time or run count, LLARS finishes the run and stops the script's active timers when applicable.

The status will change to:

## Done

LLARS then performs the script's configured finishing behavior.

You can also close LLARS using the **Exit LLARS** button when appropriate.

---

# 16. Setting Up a New Script

---

When using a different script for the first time, do not assume it uses the same setup as another script.

Every script can be different.

One script may only need:

- 1 hotkey
- A few sleep settings
- 1 coordinate

Another script may need:

- Several hotkeys
- Multiple coordinate areas
- Colors
- Optional features
- Additional setup

The general process remains the same:

## Step 1

Open the `Scripts` folder, find the script you want to use, and run its `.ahk` file.

## Step 2

Read the script's `Config.ini`.

Pay close attention to the instructions and comments above each section. These explain what the settings are used for and may provide specific instructions for configuring them through the LLARS GUI.

### Step 3

Open Configuration .

### Step 4

Configure the required hotkeys, coordinates, and colors.

### Step 5

Check any optional features you intend to use.

### Step 6

Make sure disabled optional features remain disabled if you do not need them.

### Step 7

Set up RuneScape to match the configuration.

### Step 8

Press **Start** and follow the script's instructions for its timer or run count.

---

## 17. RuneScape Setup Matters

---

LLARS controls the game based on the setup you configured.

If you move something after configuring it, the script may no longer know where it is.

For example, if you configure an inventory item and then move that item to another inventory slot, the saved coordinate may no longer point to the correct item.

Likewise, if you change a skillbar after configuring a hotkey, the key may perform a different action.

Before running a script, make sure the game still matches the setup used during configuration.

---

## 18. If You Change Your Game Layout

---

If you change the location of something the script uses:

1. Open LLARS.

2. Open Configuration .
3. Reconfigure the affected coordinate or color.
4. Leave everything else unchanged unless it also moved.

You normally do not need to start the entire setup over again.

---

## 19. Understanding Timer Settings

---

Some scripts use timers for actions.

Timers are measured in **milliseconds**.

You may see settings such as:

- min
- max

The script randomly chooses a time between the configured minimum and maximum.

### Converting Minutes to Milliseconds

To convert minutes into milliseconds, use this formula:

**Minutes × 60 seconds × 1,000 milliseconds = milliseconds**

For example, if you want a timer of **1 minute**:

**1 × 60 × 1,000 = 60,000 milliseconds**

So:

- 1 minute = 60,000 milliseconds
- 2 minutes = 120,000 milliseconds
- 5 minutes = 300,000 milliseconds
- 10 minutes = 600,000 milliseconds
- 60 minutes = 3,600,000 milliseconds

You can use the same formula for any number of minutes.

### Example

If you want a timer of **15 minutes**:

**15 × 60 × 1,000 = 900,000 milliseconds**

Therefore, **900,000 milliseconds = 15 minutes**.

You generally should **not change these values unless the script's instructions tell you to**.

For first-time setup, leave the provided values alone.

## 20. Random Sleep

---

Some scripts can use a Random Sleep feature.

Random Sleep allows the script to occasionally wait for a randomly selected amount of time.

It may have settings for:

- Whether it is enabled
- Chance
- Minimum time
- Maximum time

If you do not want to use Random Sleep, leave it disabled.

If you do use it, configure it according to the script's instructions.

---

## 21. Common First-Time Problems

---

### The script says a setting is missing

Open Configuration and check the required setting.

Make sure:

- A required hotkey has been configured.
- Required coordinates have been selected.
- Required colors have been captured.

If the setting belongs to an optional feature, make sure that feature is actually enabled before configuring it.

---

### The script clicks the wrong place

The game layout may have changed since the coordinate was configured.

Reconfigure the affected coordinate through:

Configuration → **Coordinates**

---

## The script presses the wrong key

Check the configured hotkey and make sure the RuneScape skillbar or action matches it.

Reconfigure the hotkey if necessary.

---

## The script does not recognize something on screen

If the script uses a color check, recapture the required color.

Make sure RuneScape is displaying the correct screen/state when capturing it.

---

## The script starts but does not behave as expected

First check:

1. RuneScape is open.
  2. The correct RuneScape window is being used.
  3. The game layout has not changed.
  4. Required coordinates are correct.
  5. Required hotkeys are correct.
  6. Required colors are correct.
  7. Optional features are configured correctly.
  8. The correct script is being run.
- 

# 22. Best Practices for New Users

---

For the easiest setup:

- Use the GUI whenever possible.
- Do not edit the script itself.
- Do not change timer values unless instructed.
- Only configure settings required by the script.
- Leave optional features disabled if you do not need them.
- Keep RuneScape's layout consistent after configuring coordinates.
- Keep the provided LLARS files together.
- Read the Information section before the first run.
- Test a new script with a short timer or small run count first.

A short test makes it much easier to catch a bad coordinate, hotkey, or game setup before running the script for a longer period.

---

## 23. About LLARS

---

**LLARS** stands for:

Local **L**ibrary of **A**utomated **R**outines & **S**cripts

The LLARS project and scripts are **created, maintained, and supported by Gubna**.

The documentation for LLARS and its scripts is also **created and maintained by Gubna**.

The project is free and open source. The latest scripts, documentation, updates, and other project resources can be found through the project's GitHub repository.

### GitHub

<https://github.com/Gubna-Tech/RuneScape>

### Discord Community

If you need help, have questions about setting up a script, want to discuss the project, or simply want to join the LLARS community, you can join the Discord server:

<https://discord.gg/Wmmf65myPG>

The Discord community is a place to get help, discuss LLARS and its scripts, and connect with other users.

---

## 24. The Simple Version

---

If you remember nothing else, remember this:

1. **Open the script.**
2. **Read Information.**
3. **Read the script's `Config.ini`, especially the instructions above each section.**
4. **Set up the required Hotkeys, Coordinates, and Colors through the LLARS GUI.**
5. **Turn on only the optional features you actually want to use.**
6. **Make sure RuneScape matches the setup.**
7. **Press Start.**
8. **Follow the script's prompt for its run time or run count.**

That's it.

For normal use, LLARS is designed so that you should not have to understand how the script works internally. Configure what the GUI asks for, keep your RuneScape setup consistent, and let LLARS handle the rest.

---