

1.

```
mysql> SELECT username FROM `user` WHERE password_hash = "hash";
+-----+
| username |
+-----+
| fluffybunny91 |
| greatbigpurple |
| iamthedude |
| justice4all |
| nothingspecial |
| iloveyou2 |
+-----+
6 rows in set (0.00 sec)

mysql>
```

2.

```
mysql> SELECT r.room_id, r.name
-> FROM room_user ru
-> JOIN room r ON ru.room_id = r.room_id
-> JOIN `user` u ON ru.user_id = u.user_id
-> WHERE u.username = "fluffybunny91";
+-----+-----+
| room_id | name |
+-----+-----+
| 1 | Besties |
| 3 | Fav Foods |
| 7 | School Notes |
| 8 | Jokes |
+-----+-----+
4 rows in set (0.00 sec)

mysql>
```

3.

```
mysql> SELECT u.user_id, u.username
-> FROM room_user AS ru
-> INNER JOIN user AS u ON ru.user_id = u.user_id
-> WHERE ru.room_id = (SELECT room_id FROM room_user WHERE user_id = (SELECT user_id FROM user WHERE username = 'fluffybunny91') LIMIT 1)
-> AND u.username <> 'fluffybunny91';
+-----+-----+
| user_id | username |
+-----+-----+
| 4 | justice4all |
| 5 | nothingspecial |
| 6 | iloveyou2 |
+-----+-----+
3 rows in set (0.00 sec)
```

4.

```
mysql> SELECT m.text, m.sent_datetime, u.username
-> FROM message AS m
-> INNER JOIN room_user AS ru ON m.room_user_id = ru.room_user_id
-> INNER JOIN user AS u ON ru.user_id = u.user_id
-> WHERE ru.room_id = 1 -- Replace with the actual room_id
-> ORDER BY m.sent_datetime DESC
-> LIMIT 10;
```

| text | sent_datetime | username |
|--|---------------------|---------------|
| What about 5PM? | 2023-01-20 19:07:17 | justice4all |
| I will! | 2023-01-20 19:05:52 | iloveyou2 |
| Who wants to go to the Mall on Saturday? | 2023-01-20 19:02:14 | fluffybunny91 |

```
3 rows in set (0.00 sec)

mysql>
```

5.

```
mysql> SELECT m.text, m.sent_datetime, u.username
-> FROM message AS m
-> INNER JOIN room_user AS ru ON m.room_user_id = ru.room_user_id
-> INNER JOIN user AS u ON ru.user_id = u.user_id
-> WHERE ru.room_id = 1;
```

| text | sent_datetime | username |
|--|---------------------|---------------|
| Who wants to go to the Mall on Saturday? | 2023-01-20 19:02:14 | fluffybunny91 |
| What about 5PM? | 2023-01-20 19:07:17 | justice4all |
| I will! | 2023-01-20 19:05:52 | iloveyou2 |

```
3 rows in set (0.00 sec)

mysql>
```

6.

```
mysql> SELECT ru.user_id, u.username, COUNT(m.message_id) AS message_count
-> FROM message AS m
-> INNER JOIN room_user AS ru ON m.room_user_id = ru.room_user_id
-> INNER JOIN user AS u ON ru.user_id = u.user_id
-> GROUP BY ru.user_id, u.username
-> HAVING message_count = (
->     SELECT MAX(msg_count) FROM (
->         SELECT COUNT(m.message_id) AS msg_count
->         FROM message AS m
->         INNER JOIN room_user AS ru ON m.room_user_id = ru.room_user_id
->         GROUP BY ru.user_id
->     ) AS Subquery
-> );
```

| user_id | username | message_count |
|---------|----------------|---------------|
| 2 | greatbigpurple | 10 |

```
1 row in set (0.01 sec)

mysql>
```

7.

```
1 row in set (0.01 sec)

mysql> SELECT ru.user_id, u.username, COUNT(ru.room_id) AS group_count
-> FROM room_user AS ru
-> INNER JOIN user AS u ON ru.user_id = u.user_id
-> GROUP BY ru.user_id, u.username
-> HAVING group_count = (
->     SELECT MAX(group_count) FROM (
->         SELECT COUNT(ru.room_id) AS group_count
->         FROM room_user AS ru
->         GROUP BY ru.user_id
->     ) AS Subquery
-> );
```

| user_id | username | group_count |
|---------|----------------|-------------|
| 6 | iloveyou2 | 6 |
| 2 | greatbigpurple | 6 |

```
2 rows in set (0.00 sec)

mysql>
```

8.

```
mysql> SELECT ru.room_id, r.name AS group_name, COUNT(m.message_id) AS message_count
-> FROM message AS m
-> INNER JOIN room_user AS ru ON m.room_user_id = ru.room_user_id
-> INNER JOIN room AS r ON ru.room_id = r.room_id
-> GROUP BY ru.room_id, r.name
-> HAVING message_count = (
->     SELECT MAX(msg_count) FROM (
->         SELECT COUNT(m.message_id) AS msg_count
->         FROM message AS m
->         INNER JOIN room_user AS ru ON m.room_user_id = ru.room_user_id
->         GROUP BY ru.room_id
->     ) AS Subquery
-> );
```

| room_id | group_name | message_count |
|---------|------------|---------------|
| 8 | Jokes | 8 |

```
1 row in set (0.00 sec)

mysql>
```

9.

```
mysql> SELECT ru.room_id, r.name AS group_name, COUNT(ru.user_id) AS user_count
-> FROM room_user AS ru
-> INNER JOIN room AS r ON ru.room_id = r.room_id
-> GROUP BY ru.room_id, r.name
-> HAVING user_count = (
->     SELECT MAX(group_size) FROM (
->         SELECT COUNT(ru.user_id) AS group_size
->         FROM room_user AS ru
->         GROUP BY ru.room_id
->     ) AS Subquery
-> );
```

| room_id | group_name | user_count |
|---------|--------------|------------|
| 3 | Fav Foods | 6 |
| 7 | School Notes | 6 |

```
2 rows in set (0.00 sec)

mysql>
```

10.

```
mysql> SELECT r.room_id, r.name AS group_name, m.sent_datetime AS latest_message_time
-> FROM message AS m
-> INNER JOIN room_user AS ru ON m.room_user_id = ru.room_user_id
-> INNER JOIN room AS r ON ru.room_id = r.room_id
-> WHERE m.sent_datetime = (SELECT MAX(sent_datetime) FROM message);
```

| room_id | group_name | latest_message_time |
|---------|------------|---------------------|
| 1 | Besties | 2023-01-20 19:07:17 |

```
1 row in set (0.00 sec)

mysql>
```

11.

```
mysql> SELECT u.user_id, u.username, r.room_id, r.name AS group_name
-> FROM room_user AS ru
-> INNER JOIN user AS u ON ru.user_id = u.user_id
-> INNER JOIN room AS r ON ru.room_id = r.room_id
-> WHERE NOT EXISTS (
->     SELECT 1 FROM message AS m
->     INNER JOIN room_user AS ru2 ON m.room_user_id = ru2.room_user_id
->     WHERE ru2.user_id = ru.user_id
->     AND ru2.room_id = ru.room_id
-> );
```

| user_id | username | room_id | group_name |
|---------|----------------|---------|---------------|
| 5 | nothingspecial | 1 | Besties |
| 5 | nothingspecial | 2 | Controversies |
| 6 | iloveyou2 | 3 | Fav Foods |
| 5 | nothingspecial | 3 | Fav Foods |
| 3 | iamthedude | 3 | Fav Foods |
| 2 | greatbigpurple | 3 | Fav Foods |
| 3 | iamthedude | 6 | Vacations |
| 3 | iamthedude | 7 | School Notes |
| 2 | greatbigpurple | 7 | School Notes |
| 6 | iloveyou2 | 7 | School Notes |
| 4 | justice4all | 7 | School Notes |
| 5 | nothingspecial | 7 | School Notes |

12 rows in set (0.00 sec)

```
mysql>
```