

main.c

Share

Run

```
1 //experiment 7:
2 #include <stdio.h>
3
4 int main()
5 {
6     int at[10], bt[10], pr[10];
7     int n, i, j, temp;
8     int time = 0, count, over = 0;
9     int sum_wait = 0, sum_turnaround = 0, start;
10    float avgwait, avgturn;
11
12    printf("Enter the number of processes: ");
13    scanf("%d", &n);
14
15    for (i = 0; i < n; i++)
16    {
17        printf("\nEnter Arrival Time and Burst Time for Process %d:\n", i + 1);
18        scanf("%d%d", &at[i], &bt[i]);
19        pr[i] = i + 1;
20    }
21
22    // Sort by Arrival Time
23    for (i = 0; i < n - 1; i++)
24    {
25        for (j = i + 1; j < n; j++)
26        {
27            if (at[i] > at[j])
28            {
29                temp = at[i];
30                at[i] = at[j];
31                at[j] = temp;
32
33                temp = bt[i];
34                bt[i] = bt[j];
35                bt[j] = temp;
```

Output

Enter the number of processes: 4
Enter Arrival Time and Burst Time for Process 1:
8
9
Enter Arrival Time and Burst Time for Process 2:
7
4
Enter Arrival Time and Burst Time for Process 3:
5
2
Enter Arrival Time and Burst Time for Process 4:
6
3
Process AT BT ST CT WT TAT
P3 5 2 0 2 -5 -3
P4 6 3 2 5 -4 -1
P2 7 4 5 9 -2 2
P1 8 9 9 18 1 10
Average Waiting Time = -2.50
Average Turnaround Time = 2.00
=== Code Execution Successful ===