






Title: UART and JTAG Connectors		flash|
Size: A4	Number:	Revision: V0.1
Date: 5/14/2025	Sheet 4 of 4	
File: D:\WORKSPACE\..\ConnectorsCircuit.SchDoc	Drawn By: Mohamed Gueni	


Comment	Description	Designator	Footprint	LibRef	Quantity
Capacitor		C1, C2, C3, C4, C5, C6, C7, C8, C9, C10, C11, C12, C13, C14, C15, C16, C17, C18, C19, C20, C21	CAP-0603	C-000000011, C-000000007, C-000000010	21
Capacitor		C22, C23	CAP-1210	C-000000004, C-000000005	2
LTST-C155KGJRKT		D1	LTSTC155KGJRKT	LED-000000001	1
ESD7351HT1G		D2, D3, D4, D5, D6, D7, D8, D9	SOD-323-2	D-000000004	8
SML-H12U8TT86C		D10	LEDC2012X90N	LED-000000002	1
Header 3X2		J1, J2	SHDR6W75P200_2X3_865X640X650P	J-000000001	2
USB_minB		J3	XM7D-0512	J-000000003	1
MPZ1608S102A		L1, L2	RESC3216X18N	L-000000001	2
BJT		Q1, Q2	SOT95P245X112-3N	Q-000000003	2
Resistor	Resistor	R1, R2, R3, R4, R5, R6, R7, R8, R9, R10, R11, R12, R13, R14, R15, R16, R17, R18, R19, R20, R21, R22	R0603	R-000000002	22
SW-PB		S1, S2	SKHHDHA010	SW-000000001	2
FT2232HL-REEL		U1	TSQFP50P1200X1200X160-64N	U-000000002	1
93C46		U2	SOIC127P600X175-8N	U-000000003	1
Voltage Regulator		U3	REG-SOT230P700X180-4N	U-000000004	1
USBLC6-2SC6		U4	SOT95P280X145	U-000000006	1
XTAL4		Y1	WE-4XTAL3.2x2.5mm	Y-000000002	1
































J2
J1
R8
R9
R10
R11
R12
R13
R14
R15
Q2
Q1
R3
R1
R2
S2
S1
D1
R20
R21
U2
C19
C6
C9
U1
C20
C21
Y1
C11
C8
C14
C15
L2
R22
D10
L1
C12
C13
J3


C4
C3
D2
D3
D4
D5
D6
D7
D8
D9
R5
R6
R7
R4
C2
C1
R19
R18
C17
C10
C5
R17
C9
C18
R16
C22
C23
U3









































































































































































Board Stack Report

Stack Up		Layer Stack			
Layer	Board Layer Stack	Name	Material	Thickness	Constant
1		Top Overlay		0mil	
2		Top Solder	Solder Resist	0.4mil	3.5
3		Top Layer	CI-001	1.378mil	
4		Dielectric 6	PP-006	2.8mil	4.1
5		Prepreg 2	NCI-001	7.874mil	
6		Dielectric 5	PP-006	2.8mil	4.1
7		Power		1.378mil	
8		Dielectric 1	FR-4	59.409mil	4.8
9		Core	NCI-001	39.37mil	
10		Dielectric 4	PP-006	2.8mil	4.1
11		GND_plane	CI-001	1.378mil	
12		Dielectric 3	PP-006	2.8mil	4.1
13		Prepreg 1	NCI-001	7.874mil	
14		Dielectric 2	PP-006	2.8mil	4.1
15		Bottom Layer	CI-001	1.378mil	
16		Bottom Solder	Solder Resist	0.4mil	3.5
17		Bottom Overlay		0mil	
	Height : 134.84mil				


C4
C3
D7
D3
D4
D5
D6
D1
D8
D9
R5
R6
R2
R4
C2
C1
R19
R18
C7
C10
C5
R17
C8
C18
R16
C22
C23
U3


C4
C3
D2
D3
D4
D5
D6
D7
D8
D9
R5
R6
R7
R4
C2
C1
R19
R18
C17
C10
C5
R17
C9
C18
R16
C22
C23
U3



J2
J1
R8
R9
R10
R11
R12
R13
R14
R15
Q2
Q1
R3
R1
R2
S2
S1
D1
R20
R21
U2
C19
C6
C9
U1
C20
C21
Y1
C11
C8
C14
C15
L2
R22
D10
L1
C12
C13
J3



J2
J1
R8
R9
R10
R11
R12
R13
R14
R15
Q2
Q1
R3
R1
R2
S2
S1
D1
R20
R21
U2
C19
C6
C9
U1
C20
C21
Y1
C11
C8
C14
C15
L2
R22
D10
L1
C12
C13
J3

C4
C3
D2
D3
D4
D5
D6
D7
D8
D9
R5
R6
R7
R4
C2
C1
R19
R18
C17
C10
C5
R17
C9
C18
R16
C22
C23
U3



J2
J1
R8
R9
R10
R11
R12
R13
R14
R15
Q2
Q1
R3
R1
R2
S2
S1
D1
R20
R21
U2
C19
C6
C9
U1
C20
C21
Y1
C11
C8
C14
C15
L2
R22
D10
L1
C12
C13
J3


J2
J1
R8
R9
R10
R11
R12
R13
R14
R15
Q2
Q1
R3
R1
R2
S2
S1
D1
R20
R21
U2
C19
C9
C13
U1
C20
C11
Y1
C21
C8
L2
C14
C15
R22
D10
L1
C12
C13
J3



J2
J1
R8
R9
R10
R11
R12
R13
R14
R15
Q2
Q1
R3
R1
R2
S2
S1
D1
R20
R21
U2
C19
C9
C13
U1
C20
C11
Y1
C21
C8
L2
C14
C15
R22
D10
L1
C12
C13
J3




Title	Autoprogram circuit		flash
Size: A4	Number:		Revision: V0.1
Date: 5/14/2025		Sheet 3 of 4	
File: D:\WORKSPACE\..\AutoProgramCircuit.SchDoc		Drawn By: Mohamed Gueni	



Title: UART and JTAG Connectors		flash|
Size: A4	Number:	Revision: V0.1
Date: 5/14/2025	Sheet4 of4	
File: D:\WORKSPACE\..\ConnectorsCircuit.SchDoc	Drawn By: Mohamed Gueni	



Title	FT2232 USB to UART/JTAG Bridge	flash
Size: A3	Number: 1	Revision: V0.1
Date: 5/14/2025	Sheet 1 of 4	
File: D:\WORKSPACE\..\FT2232Circuit.SchDoc	Drawn By: Mohamed Gueni	



Title	USB/Power Connector Circuit		flash
Size	Number		Revision
A4			V0.1
Date:	5/14/2025	Sheet 2 of 4	
File:	D:\WORKSPACE\..\USBandPOWER.SchDoc	Drawn By:	Mohamed Gueni