


### Goal: Create a bottom navigation bar like in WhatsApp



### Bottom navigation bar



flutter navigation bar

In Flutter, a navigation bar allows users to switch between different pages or sections of an app. Depending on the use case, you can implement different types of navigation bars:

#### 1. BottomNavigationBar (For Bottom Tabs)

Used to navigate between a few top-level views.

```
class _BottomNavBarState extends State<BottomNavBar> {
  int _selectedIndex = 0;

static const List<Widget> _pages = [
   Center(child: Text('Home Page')),
   Center(child: Text('Search Page')),
   Center(child: Text('Profile Page')),
];
```

```
void _onItemTapped(int index) {
   setState(() {
    _selectedIndex = index;
   });
}
```

```
Widget build(BuildContext context) {
  return Scaffold(
   body: _pages[_selectedIndex],
  bottomNavigationBar: BottomNavigationBar(
    items: [
     BottomNavigationBarItem(icon: Icon(Icons.home), label: "Home"),
     BottomNavigationBarItem(icon: Icon(Icons.search), label: "Search"),
     BottomNavigationBarItem(icon: Icon(Icons.person), label: "Profile"),
    ],
    currentIndex: _selectedIndex,
    onTap: _onItemTapped,
    selectedItemColor: Colors.blue,
    ),
   );
}
```




## Copy ChatGPT code for BottomNavigationBar

```
class MyHomePageState extends State<MyHomePage> {
  int selectedIndex = 0;
 body: Center(
   child: Column(
     mainAxisAlignment: MainAxisAlignment.center,
     children: <Widget>[
       Text(
         ' selectedIndex is $ selectedIndex',
       ), // Text
     ], // <Widget>[]
 bottomNavigationBar: BottomNavigationBar(
   items: const [
     BottomNavigationBarItem(icon: Icon(Icons.home), label: 'Home'),
     BottomNavigationBarItem(icon: Icon(Icons.search), label: 'Search'),
     BottomNavigationBarItem(icon: Icon(Icons.person), label: 'Profile'),
   currentIndex: selectedIndex,
   selectedItemColor: ■Colors.blue,
   onTap: (value) {
     setState(() {
       selectedIndex = value;
  🚺 // BottomNavigationBar
   // Scaffold
```



# Alternative 1 for changing the body (Collection if)

```
body: Center(
  child: Column(
    mainAxisAlignment: MainAxisAlignment.center,
    children: <Widget>[
      // solution with "collection if"
     if ( selectedIndex == 0)
       const Text("This is the Home page",
           style: TextStyle(fontSize: 20)), // Text
      if ( selectedIndex == 1)
       const Text("This is the Search page",
           style: TextStyle(fontSize: 20)), // Text
      if ( selectedIndex == 2)
        const Text("This is the Profile page",
       style: TextStyle(fontSize: 20)), // Text
    ], // <Widget>[]
bottomNavigationBar: BottomNavigationBar(
  items: const [
   BottomNavigationBarItem(icon: Icon(Icons.home), label: 'Home'),
   BottomNavigationBarItem(icon: Icon(Icons.search), label: 'Search'),
   BottomNavigationBarItem(icon: Icon(Icons.person), label: 'Profile'),
  currentIndex: selectedIndex,
```



### Collection if in Dart



dart collection if statement

In Dart, you can use if statements inside collection literals (like lists, sets, and maps) to conditionally include elements. This feature, called collection if, makes it easy to build dynamic collections.

#### **Example Usage**

#### 1. Using if in a List

```
void main() {
  bool addExtra = true;

List<int> numbers = [
  1,
  2,
  3,
  if (addExtra) 4, // Conditionally adding an element
];

print(numbers); // Output: [1, 2, 3, 4]
}
```



### Alternative 2: proposal of ChatGPT

```
class _BottomNavBarState extends State<BottomNavBar> {
  int _selectedIndex = 0;

static const List<Widget> _pages = [
   Center(child: Text('Home Page')),
   Center(child: Text('Search Page')),
   Center(child: Text('Profile Page')),
];
```

```
class _MyHomePageState extends State<MyHomePage> {
  int _selectedIndex = 0;

  final List<Widget> _pages = [
    const Text("This is the Home page", style: TextStyle(fontSize: 20)),
    const Text("This is the Search page", style: TextStyle(fontSize: 20)),
    const Text("This is the Profile page", style: TextStyle(fontSize: 20)),
    const Text("This is the Profile page", style: TextStyle(fontSize: 20)),
    ];
```


```
Widget build(BuildContext context) {
  return Scaffold(
  body: _pages[_selectedIndex],
  bottomNavigationBar: BottomNavigationBar(
    items: [
     BottomNavigationBarItem(icon: Icon(Icons.home), label: "Home"),
     BottomNavigationBarItem(icon: Icon(Icons.search), label: "Search"),
     BottomNavigationBarItem(icon: Icon(Icons.person), label: "Profile"),
     ],
     currentIndex: _selectedIndex,
```

Center widget might be removed. This depends on the layout of the Home/Search/Profile pages.



### Exercise

Play around with icons and the properties of BottomNavigationBar to make it look a bit more like the one of WhatsApp (the green background of the selected item is an "extra challenge", your goal in this exercise is this).



### "Basic" solution



```
bottomNavigationBar: BottomNavigationBar(

backgroundColor: ■ Colors.white,
iconSize: 34,
selectedItemColor: □ Colors.black,
unselectedItemColor: □ Colors.black,
selectedLabelStyle:
const TextStyle(fontSize: 19, fontWeight: FontWeight.bold),
unselectedLabelStyle: const TextStyle(fontSize: 19),
items: const [
BottomNavigationBarItem(icon: Icon(Icons.chat_sharp), label: 'Chats'),
BottomNavigationBarItem(
icon: Icon(Icons.update_sharp), label: 'Updates'), // BottomNavigationBarItem
BottomNavigationBarItem(
icon: Icon(Icons.call_outlined), label: 'Calls'), // BottomNavigationBarItem
],
currentIndex: _selectedIndex,
```



### "extra challenge"



```
items: const [
 BottomNavigationBarItem(
     label: 'Chats',
     icon: NavigationBarIcon(
       icon: Icon(Icons.chat_outlined),
       isActive: false
      ), // NavigationBarIcon
     activeIcon: NavigationBarIcon(
       icon: Icon(Icons.chat_sharp),
       isActive: true.
     )), // NavigationBarIcon // BottomNavigationBarItem
 BottomNavigationBarItem(
     label: 'Updates',
     icon: NavigationBarIcon(
       icon: Icon(Icons.update outlined),
       isActive: false.
      ), // NavigationBarIcon
     activeIcon: NavigationBarIcon(
       icon: Icon(Icons.update_sharp),
       isActive: true,
      )), // NavigationBarIcon // BottomNavigationBarItem
 BottomNavigationBarItem(
     label: 'Calls',
      icon: NavigationBarIcon(
       icon: Icon(Icons.call_outlined),
       isActive: false,
      ), // NavigationBarIcon
     activeIcon: NavigationBarIcon(
       icon: Icon(Icons.call_sharp),
       isActive: true.
     )), // NavigationBarIcon // BottomNavigationBarItem
```

```
class NavigationBarIcon extends StatelessWidget {
  const NavigationBarIcon({
    required this icon.
    required this is Active,
    super key,
  final Widget icon;
  final bool isActive:
  @override
  Widget build(BuildContext context) {
    return Container(
        padding: const EdgeInsets.symmetric(vertical: 4, horizontal: 25),
        margin: const EdgeInsets.only(bottom: 6),
        decoration: BoxDecoration(
          color: isActive ? □const Color.fromARGB(144, 164, 247, 108) : null,
          borderRadius: BorderRadius.circular(20), // Rounded corners
        ), // BoxDecoration
        child: icon); // Container
```



## Adding a 4<sup>th</sup> item

```
BottomNavigationBarItem(
    label: 'Updates',
    icon: NavigationBarIcon(
      icon: Icon(Icons.update outlined),
      isActive: false,
    ), // NavigationBarIcon
    activeIcon: NavigationBarIcon(
     icon: Icon(Icons.update_sharp),
      isActive: true,
  )), // NavigationBarIcon // BottomNavigationBarItem
BottomNavigationBarItem(
    label: 'Communities',
    icon: NavigationBarIcon(
      icon: Icon(Icons.groups_3_outlined),
      isActive: false,
    ), // NavigationBarIcon
    activeIcon: NavigationBarIcon(
     icon: Icon(Icons.groups_3_sharp),
      isActive: true,
   )), // NavigationBarIcon // BottomNavigationBarItem
BottomNavigationBarItem(
    label: 'Calls',
    icon: NavigationBarIcon(
      icon: Icon(Icons.call outlined),
      isActive: false,
    ), // NavigationBarIcon
    activeIcon: NavigationBarIcon(
      icon: Icon(Icons.call_sharp),
      isActive: true,
    )), // NavigationBarIcon // BottomNavigationBarItem
```







## Adding a 4<sup>th</sup> item


```
bottomNavigationBar: BottomNavigationBar(
 // backgroundColor: Colors.white,
 // selectedItemColor: Colors.black,
 items: const
   BottomNavigationBarItem(
       label: 'Chats',
       icon: NavigationBarIcon(
         icon: Icon(Icons.chat outlined),
         isActive: false,
       ), // NavigationBarIcon
       activeIcon: NavigationBarIcon(
         icon: Icon(Icons.chat_sharp),
         isActive: true,
       )), // NavigationBarIcon // BottomNavigationBarItem
   BottomNavigationBarItem(
       label: 'Updates',
       icon: NavigationBarIcon(
         icon: Icon(Icons.update outlined),
         isActive: false,
       ), // NavigationBarIcon
       activeIcon: NavigationBarIcon(
         icon: Icon(Icons.update sharp),
         isActive: true,
       )), // NavigationBarIcon // BottomNavigationBarItem
   BottomNavigationBarItem(
       label: 'Communities'
```

When the properties of BottomNavigationBar are not set, you can detect the selected item only by the green background:





# Similar behavior for a very simple NavigationBar



### BottomNavigationBarType



ChatGPT ~

♣ Share

Explain Flutter's BottomNavigationBarType

In Flutter, the BottomNavigationBarType is an enum that determines the behavior and appearance of a BottomNavigationBar. It has two values:

- BottomNavigationBarType.fixed
  - . Used when there are four or fewer items in the BottomNavigationBar.
  - · All items have equal space, and their labels are always visible.
  - · Default if the number of items is four or fewer.
- 2. BottomNavigationBarType.shifting
  - Used when there are more than four items.
  - · The selected item gets a larger space, while unselected items are smaller.
  - · Unselected items may not display labels unless tapped.

Use fixed for a consistent layout and shifting for a more dynamic effect when dealing with more items.



### Final solution

```
bottomNavigationBar: BottomNavigationBar(
 type: BottomNavigationBarType.fixed,
 backgroundColor: Colors.white,
 iconSize: 34,
 selectedItemColor: □Colors.black,
 unselectedItemColor: 

Colors.black,
                                                                                    Chats
                                                                                              Updates
                                                                                                      Communities
                                                                                                                    Calls
  selectedLabelStyle:
      const TextStyle(fontSize: 16, fontWeight: FontWeight.bold),
 unselectedLabelStyle: const TextStyle(fontSize: 16),
  items: const [
   BottomNavigationBarItem(
        label: 'Chats',
       icon: NavigationBarIcon(
         icon: Icon(Icons.chat outlined),
                                                                                       Reduced from 19 to 16.
         isActive: false,
        ), // NavigationBarIcon
                                                                                           With 19 we had:
       activeIcon: NavigationBarIcon(
         icon: Icon(Icons.chat_sharp),
         isActive: true,
       )), // NavigationBarIcon // BottomNavigationBarItem
                                                                                                 C
   BottomNavigationBarItem(
        label: 'Updates',
                                                                                      Chats
                                                                                               Updates Communi...
                                                                                                                     Calls
       icon: NavigationBarIcon(
         icon: Icon(Icons.update_outlined),
         isActive: false,
        ), // NavigationBarIcon
        activeIcon: NavigationBarIcon(
```