



DIAGNOSTIC
SOLUTIONS
INTERNATIONAL LLC

Certificate of Calibration

Certificate: +126521
RMA# 250281
Date Calibrated 9/10/2025
Due Date 9/10/2026

Manufacturer

GE

Model

CADU

Calibration Interval

12 months

Part Number

29481301

Type

CADU

If any readings appear below, they are randomly selected from the entire process and should not be considered as indicative of the entire procedure. If no readings are included, the calibration consists of tolerance tests which are pass/fail. In this case, all tests are considered to be pass, unless stated otherwise.

Serial Number

N/A

As received this cycle

Physical	Good
Operational	Yes
As returned	Calibrated
Location	Laboratory
Temperature	72F
Humidity	30%

Submitted by:

FUERZA AEREA DE CHILE

Avda. Pedro Aguirre Cerda 5500

Cerrillos, Santiago, Chile

Phone Number: 22 976 0000

Date Received: 07/09/2025

Order Number: PO-60077

Tested all functions in accordance with OEM Maintenance Manual.

Instrument meets all specifications and it in calibration. Unit is OK for service.

TAG ID	Standard Traceability Number	Serial Number	Model / Type	Date Calibrated	Date Due
62	C348873	234	RADS AT Test Set	12/19/2024	12/19/2025
34	160507.02	37520025	87 Multimeter Fluke	5/19/2025	5/19/2026
29	158972-01	27430834	115 Multimeter Fluke	3/24/2025	3/24/2026
23	128565.02	E1152237	GDS-1062 Oscilloscope	8/22/2025	8/22/2026
140	154275.01	092716	Model 29 Function Generator	9/11/2024	9/11/2025
33	158426.02	2036A06921	5314A Universal Counter	3/5/2025	3/5/2026

The standards used in this calibration are traceable to the National Institute Standards and Technology, appropriate industry standards where no national standard is established, or self-calibrating ratio techniques where required. This traceability is provided by documentation with Diagnostic Solutions International LLC. This certificate shall not be reproduced, except in full, without written approval from Diagnostic Solutions International LLC. Any readings or calibration date included with this certificate of calibration were recorded at the time of measurement and shall not imply anything about future accuracy. All accuracy must be determined by appropriate statistical methods. These readings are randomly selected from the entire calibration process. The collective uncertainty of each measured parameter, to include, but not solely limited to, standard accuracy, transfer uncertainty, temperature effects, procedure methods, and technician effects, of this calibration report has been determined to be at least four times lower, unless otherwise stated, than the stated accuracy, as defined by calibration procedure, of the instrument herein being calibrated.

This certificate and any included reports shall not be reproduced, except in full, without the written approval of Diagnostic Solutions.

Technician:

A.DeGuzman

Quality Control Approval

HONEYWELL "CHADWICK" CBM HUMS / VIBREX / SKY CONNECT / ASPIRE / WORLDWIDE SALES & SUPPORT

909.930.3600 | 877.374.5521 | Fax 909.930.3323 | chadwick@dsi-hums.com | dsi-hums.com

2580 E. Philadelphia Street, Unit C, Ontario, California 91761 United States

ISO9001, AS9100 Certified Company

48067, Rev D



DIAGNOSTIC
SOLUTIONS
INTERNATIONAL LLC

Certificate of Calibration

Certificate: +126522
RMA# 250281
Date Calibrated 9/10/2025
Due Date 9/10/2026

Manufacturer

GE

Model

DAU

Calibration Interval

12 months

Part Number

29481400 F

Type

DAU

If any readings appear below, they are randomly selected from the entire process and should not be considered as indicative of the entire procedure. If no readings are included, the calibration consists of tolerance tests which are pass/fail. In this case, all tests are considered to be pass, unless stated otherwise.

Serial Number

7796

As received this cycle

Physical	Good
Operational	Yes
As returned	Calibrated
Location	Laboratory
Temperature	72F
Humidity	30%

Submitted by:

FUERZA AEREA DE CHILE

Avda. Pedro Aguirre Cerda 5500

Cerrillos, Santiago, Chile

Phone Number: 22 976 0000

Date Received: 07/09/2025

Order Number: PO-60077

Tested all functions in accordance with OEM Maintenance Manual.

Instrument meets all specifications and it in calibration. Unit is OK for service.

TAG ID	Standard Traceability Number	Serial Number	Model / Type	Date Calibrated	Date Due
62	C348873	234	RADS AT Test Set	12/19/2024	12/19/2025
34	160507.02	37520025	87 Multimeter Fluke	5/19/2025	5/19/2026
29	158972-01	27430834	115 Multimeter Fluke	3/24/2025	3/24/2026
23	128565.02	E1152237	GDS-1062 Oscilloscope	8/22/2025	8/22/2026
140	154275.01	092716	Model 29 Function Generator	9/11/2024	9/11/2025
33	158426.02	2036A06921	5314A Universal Counter	3/5/2025	3/5/2026

The standards used in this calibration are traceable to the National Institute Standards and Technology, appropriate industry standards where no national standard is established, or self-calibrating ratio techniques where required. This traceability is provided by documentation with Diagnostic Solutions International LLC. This certificate shall not be reproduced, except in full, without written approval from Diagnostic Solutions International LLC. Any readings or calibration date included with this certificate of calibration were recorded at the time of measurement and shall not imply anything about future accuracy. All accuracy must be determined by appropriate statistical methods. These readings are randomly selected from the entire calibration process. The collective uncertainty of each measured parameter, to include, but not solely limited to, standard accuracy, transfer uncertainty, temperature effects, procedure methods, and technician effects, of this calibration report has been determined to be at least four times lower, unless otherwise stated, than the stated accuracy, as defined by calibration procedure, of the instrument herein being calibrated.

This certificate and any included reports shall not be reproduced, except in full, without the written approval of Diagnostic Solutions.

Technician:

A.DeGuzman

Quality Control Approval

HONEYWELL "CHADWICK" CBM HUMS / VIBREX / SKY CONNECT / ASPIRE / WORLDWIDE SALES & SUPPORT

909.930.3600 | 877.374.5521 | Fax 909.930.3323 | chadwick@dsi-hums.com | dsi-hums.com

2580 E. Philadelphia Street, Unit C, Ontario, California 91761 United States

ISO9001, AS9100 Certified Company

48067, Rev D



DIAGNOSTIC
SOLUTIONS
INTERNATIONAL LLC

Certificate of Calibration

Certificate: +126523
RMA# 250281
Date Calibrated 9/10/2025
Due Date 9/10/2026

Manufacturer

GE

Model

EUTD

Calibration Interval

12 months

Part Number

29750000

Type

EUTD

If any readings appear below, they are randomly selected from the entire process and should not be considered as indicative of the entire procedure. If no readings are included, the calibration consists of tolerance tests which are pass/fail. In this case, all tests are considered to be pass, unless stated otherwise.

Serial Number

10654

As received this cycle

Physical	Good
Operational	Yes
As returned	Calibrated
Location	Laboratory
Temperature	72F
Humidity	30%

Submitted by:

FUERZA AEREA DE CHILE

Avda. Pedro Aguirre Cerda 5500

Cerrillos, Santiago, Chile

Phone Number: 22 976 0000

Date Received: 07/09/2025

Order Number: PO-60077

Tested all functions in accordance with OEM Maintenance Manual.

Instrument meets all specifications and it in calibration. Unit is OK for service.

TAG ID	Standard Traceability Number	Serial Number	Model / Type	Date Calibrated	Date Due
62	C348873	234	RADS AT Test Set	12/19/2024	12/19/2025
34	160507.02	37520025	87 Multimeter Fluke	5/19/2025	5/19/2026
29	158972-01	27430834	115 Multimeter Fluke	3/24/2025	3/24/2026
23	128565.02	E1152237	GDS-1062 Oscilloscope	8/22/2025	8/22/2026
140	154275.01	092716	Model 29 Function Generator	9/11/2024	9/11/2025
33	158426.02	2036A06921	5314A Universal Counter	3/5/2025	3/5/2026

The standards used in this calibration are traceable to the National Institute Standards and Technology, appropriate industry standards where no national standard is established, or self-calibrating ratio techniques where required. This traceability is provided by documentation with Diagnostic Solutions International LLC. This certificate shall not be reproduced, except in full, without written approval from Diagnostic Solutions International LLC. Any readings or calibration date included with this certificate of calibration were recorded at the time of measurement and shall not imply anything about future accuracy. All accuracy must be determined by appropriate statistical methods. These readings are randomly selected from the entire calibration process. The collective uncertainty of each measured parameter, to include, but not solely limited to, standard accuracy, transfer uncertainty, temperature effects, procedure methods, and technician effects, of this calibration report has been determined to be at least four times lower, unless otherwise stated, than the stated accuracy, as defined by calibration procedure, of the instrument herein being calibrated.

This certificate and any included reports shall not be reproduced, except in full, without the written approval of Diagnostic Solutions.

Technician:

A.DeGuzman

Quality Control Approval


HONEYWELL "CHADWICK" CBM HUMS / VIBREX / SKY CONNECT / ASPIRE / WORLDWIDE SALES & SUPPORT

909.930.3600 | 877.374.5521 | Fax 909.930.3323 | chadwick@dsi-hums.com | dsi-hums.com

2580 E. Philadelphia Street, Unit C, Ontario, California 91761 United States

ISO9001, AS9100 Certified Company

48067, Rev D



Certificate No. + 126524
RMA No. 250281
Date Calibrated 9/10/2025
Due Date 9/10/2026

Model Number	991D
Serial Number	15293

Sensitivity @ 100 Hz:	39.07	mV/g
Test Level:	1.62	g pk
Pass/Fail:	PASS	

Amp.Sensitivity:	40	mV/g
Freq. Response:	2-5,000 ($\pm 5\%$)	Hz

Manufacturer	Wilcoxon Research
Part Number	991D
Type	Accelerometer

Temperature: 68 °F
Humidity: 30 %

Resonant Freq:	30 (mounted, nom.)	KHz
Temp. Range:	-50 to 120	°C

Frequency (Hz)	Deviation (%)
5	0.0
10	-1.5
20	-3.0
30	-3.5
40	-3.2
60	-2.0
100	-2.5
200	-2.2
500	-2.5
1000	-2.8

Frequency (Hz)	Deviation (%)	Max Dev from nom. Allowed *
5	-0.35	7.07%
10	-1.36	7.07%
15	-2.01	5.83%
30	-3.11	5.83%
60	-1.86	5.83%
100	-2.32	5.83%
200	-2.13	5.83%
500	-2.44	5.83%
1000	-2.72	5.83%

As Received: In Tolerance

As Returned: In Tolerance

Customer: FUERZA AEREA DE CHILE
Pedro Aguirre Cerda 5500
Cerrillos, Santiago, Chile

Phone Number: 22 976 0000

Date Received: 7/9/2025

Order Number: PO-60077

Tested all functions IAW OEM maintenance manual.
Instrument meets all specifications and is in calibration.
Unit is OK for service

Model No. 25930
Serial Number: 100
Calibration Date: 05/20/2025
Calibration Due Date: 05/20/2026
PTB: Project 17014 and 17004
NIST: Project 683/287323

The standards used in this calibration are traceable to the National Institute of Standards and Technology, appropriate industry standards where no national standard is established, or self-calibrating ratio techniques where required. This Traceability is provided by documentation with Diagnostic Solutions LLC.

Any readings or calibration date included with this certificate of calibration where recorded at the time of measurement and shall not imply anything about future accuracy. All accuracy must be determined by appropriate statistical methods. These readings are randomly selected from the entire calibration process. The collective uncertainty of each measured parameter, to include, but not solely limited to, standard accuracy, transfer uncertainty, temperature effects, procedure methods, and technician effects, of this calibration report has been determined to be at least four times lower, unless otherwise stated, than the stated accuracy, as defined by calibration procedure, of the instrument herein being calibrated.


This certificate and any included reports shall not be reproduced, except in full, without the written approval of Diagnostic Solutions.

Technician Signature

Quality Control Approval

* includes shaker tolerance

Armando Guzman



Certificate No. + 126525
RMA No. 250281
Date Rejected 9/10/2025


Manufacturer	Wilcoxon Research
Part Number	991D
Type	Accelerometer

Sensitivity @ 100 Hz:	41.87	mV/g
Test Level:	1.62	g pk
Pass/Fail:	FAIL	

Temperature: 68 °F
Humidity: 30 %

Amp.Sensitivity:	40	mV/g
Freq. Response:	2-5,000 (±5%)	Hz

Resonant Freq:	30 (mounted, nom.)	KHz
Temp. Range:	-50 to 120	°C

[illegible]

As Received: Out of Tolerance

As Returned: Out of Tolerance, Scrapped at DSI facility

Customer: FUERZA AEREA DE CHILE
Pedro Aguirre Cerda 5500
Cerrillos, Santiago, Chile

Phone Number: 22 976 0000
Date Received: 7/9/2025
Order Number: PO-60077

User Notes	Tested all functions IAW OEM maintenance manual. Sensor fails sensitivity at 5, 10, 15, Hz. Unit is not OK for service.
-------------------	---

Traceability	Model No. 25930
	Serial Number: 100
	Calibration Date: 05/20/2025
	Calibration Due Date: 05/20/2026
	PTB: Project 17014 and 17004
	NIST: Project 683/287323

The standards used in this calibration are traceable to the National Institute of Standards and Technology, appropriate industry standards where no national standard is established, or self-calibrating ratio techniques where required. This Traceability is provided by documentation with Diagnostic Solutions LLC.

Any readings or calibration date included with this certificate of calibration where recorded at the time of measurement and shall not imply anything about future accuracy. All accuracy must be determined by appropriate statistical methods. These readings are randomly selected from the entire calibration process. The collective uncertainty of each measured parameter, to include, but not solely limited to, standard accuracy, transfer uncertainty, temperature effects, procedure methods, and technician effects, of this calibration report has been determined to be at least four times lower, unless otherwise stated, than the stated accuracy, as defined by calibration procedure, of the instrument herein being calibrated.

This certificate and any included reports shall not be reproduced, except in full, without the written approval of Diagnostic Solutions.

Technician Signature

Quality Control Approval

Arnold B.



Armando Guzman

* includes shaker tolerance



DIAGNOSTIC
SOLUTIONS
INTERNATIONAL LLC

Certificate of Calibration

Certificate: +126527
RMA# 250281
Date Calibrated 9/10/2025
Due Date 9/10/2026

Manufacturer

GE

Model

SM312LVMHS

Calibration Interval

12 months

Part Number

29314700

Type

Banner Photocell

If any readings appear below, they are randomly selected from the entire process and should not be considered as indicative of the entire procedure. If no readings are included, the calibration consists of tolerance tests which are pass/fail. In this case, all tests are considered to be pass, unless stated otherwise.

Serial Number

N/A

As received this cycle

Physical	Good
Operational	Yes
As returned	Calibrated
Location	Laboratory
Temperature	72F
Humidity	30%

Submitted by:

FUERZA AEREA DE CHILE

Avda. Pedro Aguirre Cerda 5500

Cerrillos, Santiago, Chile

Phone Number: 22 976 0000

Date Received: 07/09/2025

Order Number: PO-60077

Tested all functions in accordance with OEM Maintenance Manual.

Instrument meets all specifications and it in calibration. Unit is OK for service.

TAG ID	Standard Traceability Number	Serial Number	Model / Type	Date Calibrated	Date Due
3	124292	1571	Model 11A Calibrator	10/10/2024	10/10/2025
29	158972-01	27430834	115 Mullimeter Fluke	3/24/2025	3/24/2026
84	126099	1232	Vibrex 2000 Balancer	7/10/2025	7/10/2026

The standards used in this calibration are traceable to the National Institute Standards and Technology, appropriate industry standards where no national standard is established, or self-calibrating ratio techniques where required. This traceability is provided by documentation with Diagnostic Solutions International LLC. This certificate shall not be reproduced, except in full, without written approval from Diagnostic Solutions International LLC. Any readings or calibration date included with this certificate of calibration were recorded at the time of measurement and shall not imply anything about future accuracy. All accuracy must be determined by appropriate statistical methods. These readings are randomly selected from the entire calibration process. The collective uncertainty of each measured parameter, to include, but not solely limited to, standard accuracy, transfer uncertainty, temperature effects, procedure methods, and technician effects, of this calibration report has been determined to be at least four times lower, unless otherwise stated, than the stated accuracy, as defined by calibration procedure, of the instrument herein being calibrated.

This certificate and any included reports shall not be reproduced, except in full, without the written approval of Diagnostic Solutions.

Technician:

A.DeGuzman

Quality Control Approval


HONEYWELL "CHADWICK" CBM HUMS / VIBREX / SKY CONNECT / ASPIRE / WORLDWIDE SALES & SUPPORT

909.930.3600 | 877.374.5521 | Fax 909.930.3323 | chadwick@dsi-hums.com | dsi-hums.com

2580 E. Philadelphia Street, Unit C, Ontario, California 91761 United States


ISO9001, AS9100 Certified Company

48067, Rev D



Certificate No. + 126528
RMA No. 250281
Date Calibrated 9/10/2025
Due Date 9/10/2026

Resonant Freq:	30 (mounted, nom.)	KHz
Temp. Range:	-50 to 120	°C



Frequency (Hz)	Deviation (%)	Max Dev from nom. Allowed *
5	0.67	7.07%
10	-0.29	7.07%
15	-1.15	5.83%
30	-2.62	5.83%
60	-2.64	5.83%
100	-2.81	5.83%
200	-2.98	5.83%
500	-3.53	5.83%
1000	-3.92	5.83%

As Received: Used/Serviceable

As Returned: In Tolerance

Customer: FUERZA AEREA DE CHILE
Pedro Aguirre Cerda 5500
Cerrillos, Santiago, Chile

Phone Number: 22 976 0000
Order Number: PO-60077

User Notes	Tested all functions IAW OEM maintenance manual. Instrument meets all specifications and is in calibration. Unit is OK for service
-------------------	---

Traceability	Model No. 25930
	Serial Number: 100
	Calibration Date: 05/20/2025
	Calibration Due Date: 05/20/2026
	PTB: Project 17014 and 17004
	NIST: Project 683/287323

The standards used in this calibration are traceable to the National Institute of Standards and Technology, appropriate industry standards where no national standard is established, or self-calibrating ratio techniques where required. This Traceability is provided by documentation with Diagnostic Solutions LLC.

Any readings or calibration date included with this certificate of calibration where recorded at the time of measurement and shall not imply anything about future accuracy. All accuracy must be determined by appropriate statistical methods. These readings are randomly selected from the entire calibration process. The collective uncertainty of each measured parameter, to include, but not solely limited to, standard accuracy, transfer uncertainty, temperature effects, procedure methods, and technician effects, of this calibration report has been determined to be at least four times lower, unless otherwise stated, than the stated accuracy, as defined by calibration procedure, of the instrument herein being calibrated.

This certificate and any included reports shall not be reproduced, except in full, without the written approval of Diagnostic Solutions.

Technician Signature

Quality Control Approval

Handwritten signature: *Handwritten signature*

[Signature]

Armando Guzman

* includes shaker tolerance



DIAGNOSTIC
SOLUTIONS
INTERNATIONAL LLC

Certificate of Conformance

Prepared for: DTS SPA

Purchase Order: PO-60077

Sales Order No: SO250866

Part Number	Description	Qty.
906-11245-1	906-11245-1 Gram Scale Pocket	1
906-26043	906-26043 Case, RADS Black Pelican with Custom Foam	1

This is to certify that all items described herein, in the quantities indicated, have been manufactured by or for Diagnostic Solutions International, LLC and conform to the applicable requirements. These products were procured, manufactured, processed, inspected and or tested in accordance with Diagnostic Solutions International, LLC Quality Management System and that we are the exclusive Honeywell factory authorized licensee, manufacturer and master distributor of these products.

Quality Assurance

September 10, 2025

Date