

# Ruby on Rails 5.x

*Do início ao fim!*

# **Criando o controller para Questions**

# Criando o controller para Questions

- Comece criando o controller

```
rails g controller AdminsBackoffice/Questions
```

# Criando o controller para Questions

- Altere o controller

## **admins\_backoffice/questions\_controller.rb**

```
class AdminsBackoffice::QuestionsController <
  AdminsBackofficeController
    before_action :set_question, only: [:edit, :update, :destroy]

    def index
      @questions =
        Question.all.order(:description).page(params[:page])
    end

    def new
      @question = Question.new
    end
  end
end
```

# Criando o controller para Questions

```
def create
  @question = Question.new(params_question)
  if @question.save
    redirect_to admins_backoffice_question_path, notice: "Questão
cadastrada com sucesso!"
  else
    render :new
  end
end

def edit
end
```

# Criando o controller para Questions

```
def update
  if @question.update(params_question)
    redirect_to admins_backoffice_question_path, notice: "Questão
atualizada com sucesso!"
  else
    render :edit
  end
end

def destroy
  if @question.destroy
    redirect_to admins_backoffice_question_path, notice: "Questão
excluída com sucesso!"
  else
    render :index
  end
end
```

# Criando o controller para Questions

```
private

def params_question
  params.require(:question).permit(:description, :subject_id)
end

def set_question
  @question = Question.find(params[:id])
end
end
```