


MONTAGEM DA ATIVIDADE

DISTRIBUIÇÃO DOS EQUIPAMENTOS



TESTES ENTRE REDES

TESTE COM PING

PC0 (192.168.10.10) - PC2 (192.168.0.10)

```
C:\>ping 192.168.0.10

Pinging 192.168.0.10 with 32 bytes of data:

Reply from 192.168.0.10: bytes=32 time=14ms TTL=126
Reply from 192.168.0.10: bytes=32 time=23ms TTL=126
Reply from 192.168.0.10: bytes=32 time=12ms TTL=126
Reply from 192.168.0.10: bytes=32 time=1ms TTL=126

Ping statistics for 192.168.0.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 1ms, Maximum = 23ms, Average = 12ms
```

PC0 (192.168.10.10) - PC3 (192.168.0.11)

```
C:\>ping 192.168.0.11

Pinging 192.168.0.11 with 32 bytes of data:

Reply from 192.168.0.11: bytes=32 time=15ms TTL=126
Reply from 192.168.0.11: bytes=32 time=1ms TTL=126
Reply from 192.168.0.11: bytes=32 time=1ms TTL=126
Reply from 192.168.0.11: bytes=32 time=1ms TTL=126

Ping statistics for 192.168.0.11:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 1ms, Maximum = 15ms, Average = 4ms
```

PC1 (192.168.10.11) - PC2 (192.168.0.10)

```
C:\>ping 192.168.0.10

Pinging 192.168.0.10 with 32 bytes of data:

Reply from 192.168.0.10: bytes=32 time=13ms TTL=126
Reply from 192.168.0.10: bytes=32 time=1ms TTL=126
Reply from 192.168.0.10: bytes=32 time=1ms TTL=126
Reply from 192.168.0.10: bytes=32 time=1ms TTL=126

Ping statistics for 192.168.0.10:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 1ms, Maximum = 13ms, Average = 4ms
```

PC1 (192.168.10.11) - PC3 (192.168.0.11)

```
C:\>ping 192.168.0.11

Pinging 192.168.0.11 with 32 bytes of data:

Reply from 192.168.0.11: bytes=32 time=19ms TTL=126
Reply from 192.168.0.11: bytes=32 time=11ms TTL=126
Reply from 192.168.0.11: bytes=32 time=12ms TTL=126
Reply from 192.168.0.11: bytes=32 time=1ms TTL=126

Ping statistics for 192.168.0.11:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
    Minimum = 1ms, Maximum = 19ms, Average = 10ms
```

TESTE TRACERT

PC0 (192.168.10.10) - PC2 (192.168.0.10)

```
C:\>tracert 192.168.0.10

Tracing route to 192.168.0.10 over a maximum of 30 hops:

  1  0 ms      0 ms      0 ms      192.168.10.1
  2  0 ms      0 ms      0 ms      10.0.0.2
  3  9 ms      0 ms      0 ms      192.168.0.10

Trace complete.
```

PC0 (192.168.10.10) - PC3 (192.168.0.11)

```
C:\>tracert 192.168.0.11

Tracing route to 192.168.0.11 over a maximum of 30 hops:

  1  0 ms      0 ms      0 ms      192.168.10.1
  2  12 ms     0 ms      0 ms      10.0.0.2
  3  0 ms      0 ms      1 ms      192.168.0.11

Trace complete.
```

PC1 (192.168.10.11) - PC2 (192.168.0.10)

```
C:\>tracert 192.168.0.10

Tracing route to 192.168.0.10 over a maximum of 30 hops:

  1  0 ms      0 ms      0 ms      192.168.10.1
  2  6 ms      0 ms      0 ms      10.0.0.2
  3  6 ms      0 ms      0 ms      192.168.0.10

Trace complete.
```

PC1 (192.168.10.11) - PC3 (192.168.0.11)

```
C:\>tracert 192.168.0.11

Tracing route to 192.168.0.11 over a maximum of 30 hops:

  1  0 ms      0 ms      0 ms      192.168.10.1
  2  1 ms      0 ms      8 ms      10.0.0.2
  3  1 ms     10 ms      0 ms      192.168.0.11

Trace complete.
```