

Exposure_Assessment

SURVEY IDENTIFICATION INFORMATION QUESTIONNAIRE DESCRIPTION

EXPOSURE ASSESSMENT - MIDDLE OF THE CENTURY DATA (MOC)

No sub-sections, No rosters, No questions.

WELCOME!

No sub-sections, No rosters, No questions, Static texts: 1.

INFO ON THE MAPS

No sub-sections, No rosters, No questions, Static texts: 12.

DORSCH - ATLANTIC COD (GADUS MORHUA) – FOCUS ON WESTERN BALTIC COD

Sub-sections: 7, No rosters, Questions: 36, Static texts: 15.

ATLANTISCHER HERING - ATLANTIC HERRING (CLUPEA HARENGUS)

Sub-sections: 7, No rosters, Questions: 36, Static texts: 22.

EUROPÄISCHE SPROTTE - EUROPEAN SPRAT (SPRATTUS SPRATTUS)

Sub-sections: 7, No rosters, Questions: 36, Static texts: 22.

MAKRELE - ATLANTIC MACKEREL (SCOMBER SCOMBRUS)

Sub-sections: 7, No rosters, Questions: 36, Static texts: 22.

WITTLING - WHITING (MERLANGIUS MERLANGUS)

Sub-sections: 7, No rosters, Questions: 36, Static texts: 15.

STEINBUTT - TURBOT (SCOPHTHALMUS MAXIMUS/PSETTA MAXIMA)

Sub-sections: 7, No rosters, Questions: 36, Static texts: 15.

GLATTBUTT - BRILL (SCOPHTHALMUS RHOMBUS)

Sub-sections: 7, No rosters, Questions: 36, Static texts: 15.

KLIESCHE - COMMON DAB (LIMANDA LIMANDA)

Sub-sections: 7, No rosters, Questions: 36, Static texts: 15.

FLUNDER - EUROPEAN FLOUNDER (PLATICHTHYS FLESUS)

Sub-sections: 7, No rosters, Questions: 36, Static texts: 15.

SCHOLLE - EUROPEAN PLAICE (PLEURONECTES PLATESSA)

Sub-sections: 7, No rosters, Questions: 36, Static texts: 15.

SEEZUNGE - COMMON SOLE (SOLEA SOLEA)

Sub-sections: 7, No rosters, Questions: 36, Static texts: 15.

DICKLIPPIGE MEERÄSCHE - THICKLIP GREY MULLET (CHELON LABROSUS)

Sub-sections: 7, No rosters, Questions: 36, Static texts: 15.

HORNHECHT - GARFISH (BELONE BELONE)

Sub-sections: 7, No rosters, Questions: 36, Static texts: 15.

SEEHASE - LUMPSUCKER (CYCLOPTERUS LUMPUS)

Sub-sections: 7, No rosters, Questions: 36, Static texts: 15.

SCHWARZMUNDGRUNDEL - ROUND GOBY (NEOGOBIOUS MELANOSTOMUS)

Sub-sections: 7, No rosters, Questions: 36, Static texts: 15.

ATLANTISCHER LACHS - ATLANTIC SALMON (SALMO SALAR L.) – FOCUS ON BALTIC SALMON

Sub-sections: 7, No rosters, Questions: 36, Static texts: 15.

MEERFORELLE - SEA TROUT (SALMO TRUTTA) – FOCUS ON BALTIC SEA TROUT

Sub-sections: 7, No rosters, Questions: 36, Static texts: 15.

EUROPÄISCHER AAL - EUROPEAN EEL (ANGUILLA ANGUILLA)

Sub-sections: 7, No rosters, Questions: 36, Static texts: 15.

FLUSSBARSCH - EUROPEAN PERCH (PERCA FLUVIATILIS)

Sub-sections: 7, No rosters, Questions: 36, Static texts: 15.

ZANDER - PIKEPERCH (SANDER LUCIOPERCA)

Sub-sections: 7, No rosters, Questions: 36, Static texts: 15.

HECHT - NORTHERN PIKE (ESOX LUCIUS)

Sub-sections: 7, No rosters, Questions: 36, Static texts: 15.

AALMUTTER - EELPOUT (ZOARCES VIVIPARUS)

Sub-sections: 7, No rosters, Questions: 36, Static texts: 15.

FINAL COMMENTS

No sub-sections, No rosters, Questions: 1.

APPENDIX A — INSTRUCTIONS

LEGEND

SURVEY IDENTIFICATION INFORMATION
QUESTIONNAIRE DESCRIPTION

Basic information

Title Exposure_Asseessment

WELCOME!

STATIC TEXT

Welcome to the first part of the Expert Assessment:
The Incredible Exposure Assessment for the MIDDLE OF THE CENTURY DATA

INFO ON THE MAPS

STATIC TEXT

Species distribution maps in the Western Baltic Sea, 2010 – 2019

Contact: Frane Madiraca (University of Hamburg), frane.madiraca@uni-hamburg.de

INTRODUCTION

This document provides important supporting information regarding species distribution maps of fish species in the Western Baltic Sea (WBS) that will be used for the Internal exposure scoring process.

Please pay particular attention to read and keep in mind the IMPORTANT NOTES that are UNDERLINED in the following text as care is needed when interpreting the provided maps.

THE DATA

The used data comes from the ICES Baltic International Trawl Survey (BITS), the Baltic Acoustic Sprat Survey (BASS), and the Baltic International Acoustic Survey (BIAS). As a measure of abundance, BITS data uses catch per unit of effort (CPUE) calculated by ICES while for BASS and BIAS surveys, I calculated total abundance per duration of the respective haul and standardized it to 30 minutes with the following expression:

Abundance per duration of haul = (Abundance/Duration of the haul) * 30 minutes.

For BASS and BIAS data, keep in mind that while the duration and distance of hauls have a linear relationship, the vertical spread of the data indicates compromised comparability between hauls. In other words, hauls of the same duration sometimes have large differences in the distances over which they were carried out. This is especially evident for BASS data (Fig. 1).

STATIC TEXT

Figure 1. Duration of hauls against distance of hauls for BASS data (top) and BIAS data (bottom).




Figure 1. Duration of hauls against distance of hauls for BASS data (top) and BIAS data (bottom).

STATIC TEXT

BASS data was used only for the Atlantic herring (*Clupea harengus*) and the European sprat (*Sprattus sprattus*). BIAS data was used for both mentioned species but also for the Atlantic mackerel (*Scomber scombrus*). For BITS data maps are not available for: thicklip grey mullet (*Chelon labrosus*), garfish (*Belone belone*), eel (*Anguilla anguilla*) and northern pike (*Esox lucius*) in Quarter 1; and salmon (*Salmo salar*) in both quarters.

BITS data includes yearly quarters 1 and 4, from 2010 to 2019. BIAS data also spans from 2010 to 2019 and was collected in September, October, and November. BASS data covers the period from 2015 to 2019 and was collected in May and June. Each map shows median values of the chosen abundance measurement across the whole period (e.g., for quarter 1 from 2010 to 2019). Only data from hauls that lasted 15 minutes or longer was used.

For BITS data, in certain cases, there are no recorded CPUE values for many years. Care should be taken when interpreting these maps. Particularly affected are: round goby (*Neogobius melanostomus*) in Quarter 1; garfish, thicklip grey mullet and northern pike in Quarter 4 (Figure 2).

Figure 2. Yearly total CPUE values per quarter in the Baltic Sea calculated from the BITS data.




Figure 2. Yearly total CPUE values per quarter in the Baltic Sea calculated from the BITS data.

Furthermore, in ICES areas 22, 23, and 24 which are usually referred to as the WBS; round goby in Quarter 1; garfish, thicklip grey mullet, and northern pike in Quarter 4 only have 1 year of available CPUE data. This can be seen in Fig. 3. In these cases, the uncertainty about the true distribution of these species in the WBS is likely very high.

Figure 3. Yearly total CPUE values per quarter in ICES areas 22, 23, and 24 calculated from the BITS data.



Figure 3. Yearly total CPUE values per quarter in ICES areas 22, 23, and 24 calculated from the BITS data.

THE MAPS

The spatial extent of the area considered as WBS in the maps is defined within the following coordinates:

- Longitude: 9.4167 E - 14.75003 E,
- Latitude: 53.87496 N - 56.47496 N.

Each map has a custom scale created to accompany it. These scales are, in most cases, not linear so please refer to the table of key values (minimum, 1st quantile, median, mean, 3rd quantile, maximum) that are located to the right of the map to get a better sense of the values associated with abundance hotspots. The scales were created with the idea that interval bins with lower values also have a smaller range while the opposite is true for higher values (e.g., Lowest bin: 0.1 – 0.5 CPUE, Middle bin: 10 – 12 CPUE, Highest bin: 35 – 40 CPUE). A rare exception is the Atlantic mackerel in Quarter 4 where the (0.05, 0.15] bin doesn't follow the established pattern of the scale. Usually, 11 interval bins are used, however, a lower number is used for species where less than 11 unique values were created by the interpolation.

Inverse distance weighting (IDW) was used as the interpolation method of choice for the creation of the provided maps. The interpolation was carried out for all created grid cells for each year. Afterwards, median values were calculated for each grid cell over the 10-year time span and plotted on the map. Even though they only show the WBS, interpolation was carried out using all available data throughout the Baltic Sea. It is very important to note that when creating the maps, I first plotted the interpolated median values and then superimposed the outline of coastline and islands on the map. As a result, the land does not act as a barrier and the interpolated values can cross them thus sometimes leading to information that does not make biological sense. An example is provided in Fig. 4. To account for this, keep in mind

that the sampling stations are also plotted on the maps so you can use them to draw the proper level of confidence when making your judgement. Of course, exercise care when you see values that cross land in an unrealistic way and in places where sampling stations are low in numbers or not present.

Keep in mind, when reading the scale legend, that the left bracket "(" signifies that the number on the left, which is also the lowest in the bin, is not included in the interval. The left bracket "[" and the right bracket "]" signify that both the number on the left (lowest) and on the right (highest) are included in the interval. In addition, please remember that the lowest interpolated median value, aside from zero, is 0.01. Here are three examples:

- 1) (0, 0.01] – realistically contains only values equal to 0.01,
- 2) (2, 10] – realistically contains multiple values up to and including 10, that are larger than 2,
- 3) [2, 10] – realistically contains multiple values from and including 2 up to and including 10.

STATIC TEXT

Figure 4. An example of a map where interpolation values cross an island in a biologically unrealistic way (area within the red rectangle). The example map used here shows the spatial distribution of median CPUE of common sole (*Solea solea*) between 2010 and 2019 in Quarter 4.




Figure 4. An example of a map where interpolation values cross an island in a biologically unrealistic way (area within the red rectangle). The example map used here shows the spatial distribution of median CPUE of common sole (*Solea solea*) between 2010 and 2019 in Quarter 4.

STATIC TEXT

In some maps, you will notice white grid cells while there is no white colour in the scale. This is often the case in the following situation. As previously mentioned, spatial area is constrained to a specific range. However, when plotting, likely because of the geographical projection used, areas outside of the specified range are also plotted. In addition, when Median CPUE scales are created, the same spatial range is used to get the minimum and maximum values of the scale. When these two issues are combined, the white grid cells actually contain values that are either higher than the maximum or lower than the minimum in the specified spatial range. In Fig. 5. this can be seen north of Bornholm. In this case, the CPUE values of white grid cells are higher than 60.45 median CPUE. Also, two special cases exist. The first is for the BASS survey and here the white grid cells represent areas that were not sampled. Another special case is the round goby (*N. melanostomus*) in Quarter 1 where white grid cells contain values equal to zero.

STATIC TEXT

Figure 5. An example of a map where white grid cells (area within the red rectangle) contain values higher (true in this case) than maximum or lower than minimum of the accompanying scale. The example map used here shows the spatial distribution of median CPUE of European flounder (*Platichthys flesus*) between 2010 and 2019 in Quarter 1.





Figure 5. An example of a map where white grid cells (area within the red rectangle) contain values higher (true in this case) than maximum or lower than minimum of the accompanying scale. The example map used here shows the spatial distribution of median CPUE of European flounder (*Platichthys flesus*) between 2010 and 2019 in Quarter 1.

Please do not hesitate to contact me for any clarification or comments!



The Temperature, Salinity and O₂ maps are divided in the following columns:
 Mean: the present mean values from 2010-2019 for each variable
 Std. deviation: the standard deviation from the present values from 2010-2019 for each variable
 Change: the change in value between the present and a future scenario for each variable
 Exposure category: the z-score (change/std. dev) divided into four categories: low (z-score <0.5), moderate (<1.5), high (<2) and very high (>2).




DORSCH - ATLANTIC COD (GADUS MORHUA) – FOCUS ON WESTERN BALTIC COD


STATIC TEXT

DORSCH - ATLANTIC COD (GADUS MORHUA) – FOCUS ON WESTERN BALTIC COD TEMPERATURE SURFACE

STATIC TEXT



STATIC TEXT



Low	NUMERIC: INTEGER	cod_tmps_low
<div><div>V1</div><div>M1</div></div> <div>self.InRange(0,5) self == null Value must be between 0 and 5</div>	-----	
Moderate	NUMERIC: INTEGER	cod_tmps_mod
<div><div>V1</div><div>M1</div></div> <div>self.InRange(0,5) self == null Value must be between 0 and 5</div>	-----	
High	NUMERIC: INTEGER	cod_tmps_high
<div><div>V1</div><div>M1</div></div> <div>self.InRange(0,5) self == null Value must be between 0 and 5</div>	-----	
Very high	NUMERIC: INTEGER	cod_tmps_vhigh
<div><div>V1</div><div>M1</div></div> <div>self.InRange(0,5) self == null Value must be between 0 and 5</div>	-----	

Data Quality

NUMERIC: INTEGER

cod_tmpr_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[1\]](#)

V1 self.InRange(0,3) || self == null


M1 Value must be between 0 and 3

DORSCH - ATLANTIC COD (GADUS MORHUA) – FOCUS ON WESTERN BALTIC COD
SALINITY SURFACE

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER

cod_sals_low

W1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER

cod_sals_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER

cod_sals_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER

cod_sals_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER

cod_sals_dtq

I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[2\]](#)


V1 self.InRange(0,3) || self == null

M1 Value must be between 0 and 3


DORSCH - ATLANTIC COD (GADUS MORHUA) – FOCUS ON WESTERN BALTIC COD

TEMPERATURE BOTTOM

STATIC TEXT



STATIC TEXT




<div>Low</div> <div><div><div>V1</div><div>self.InRange(0,5) self == null</div></div><div><div>M1</div><div>Value must be between 0 and 5</div></div></div>	<div>NUMERIC: INTEGER</div> <div>cod_tmpb_low</div> <div>-----</div>
<div>Moderate</div> <div><div><div>V1</div><div>self.InRange(0,5) self == null</div></div><div><div>M1</div><div>Value must be between 0 and 5</div></div></div>	<div>NUMERIC: INTEGER</div> <div>cod_tmpb_mod</div> <div>-----</div>
<div>High</div> <div><div><div>V1</div><div>self.InRange(0,5) self == null</div></div><div><div>M1</div><div>Value must be between 0 and 5</div></div></div>	<div>NUMERIC: INTEGER</div> <div>cod_tmpb_high</div> <div>-----</div>
<div>Very high</div> <div><div><div>V1</div><div>self.InRange(0,5) self == null</div></div><div><div>M1</div><div>Value must be between 0 and 5</div></div></div>	<div>NUMERIC: INTEGER</div> <div>cod_tmpb_vhigh</div> <div>-----</div>
<div>Data Quality</div> <div><div><div>I</div><div>Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and And 864 other symbols [3]</div></div><div><div>V1</div><div>self.InRange(0,3) self == null</div></div><div><div>M1</div><div>Value must be between 0 and 3</div></div></div>	<div>NUMERIC: INTEGER</div> <div>cod_tmpb_dtq</div> <div>-----</div>


DORSCH - ATLANTIC COD (GADUS MORHUA) – FOCUS ON WESTERN BALTIC COD

SALINITY BOTTOM

STATIC TEXT



STATIC TEXT



Low

W1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

NUMERIC: INTEGER cod_salb_low

Moderate

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

NUMERIC: INTEGER cod_salb_mod

High

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

NUMERIC: INTEGER cod_salb_high

Very high

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

NUMERIC: INTEGER cod_salb_vhigh


Data Quality

I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[4\]](#)
V1 self.InRange(0,3) || self == null
M1 Value must be between 0 and 3


NUMERIC: INTEGER cod_salb_dtq

DORSCH - ATLANTIC COD (GADUS MORHUA) – FOCUS ON WESTERN BALTIC COD OXYGEN REFERENCE LOADS

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER

cod_oxyr_low

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER

cod_oxyr_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER

cod_oxyr_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER

cod_oxyr_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER

cod_oxyr_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[5\]](#)

V1 self.InRange(0,3) || self == null


M1 Value must be between 0 and 3

DORSCH - ATLANTIC COD (GADUS MORHUA) – FOCUS ON WESTERN BALTIC COD OXYGEN BSAP

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER

cod_oxyb_low

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER

cod_oxyb_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER

cod_oxyb_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER

cod_oxyb_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER

cod_oxyb_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[6\]](#)

V1 self.InRange(0,3) || self == null


M1 Value must be between 0 and 3

DORSCH - ATLANTIC COD (GADUS MORHUA) – FOCUS ON WESTERN BALTIC COD OXYGEN WORST CASE

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER cod_oxyw_low

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER cod_oxyw_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER cod_oxyw_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER cod_oxyw_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER cod_oxyw_dtq

I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 863 other symbols \[7\]](#)

V1 self.InRange(0,3) || self == null

M1 Value must be between 0 and 3

Comments:


TEXT cod_com

ATLANTISCHER HERING - ATLANTIC HERRING (CLUPEA HARENGUS)


STATIC TEXT

ATLANTISCHER HERING - ATLANTIC HERRING (CLUPEA HARENGUS) TEMPERATURE SURFACE


STATIC TEXT



STATIC TEXT



STATIC TEXT



Low

`v1 self.InRange(0,5) || self == null`
`M1 Value must be between 0 and 5`

NUMERIC: INTEGER her_tmps_low

Moderate

`v1 self.InRange(0,5) || self == null`
`M1 Value must be between 0 and 5`

NUMERIC: INTEGER her_tmps_mod

High

`v1 self.InRange(0,5) || self == null`
`M1 Value must be between 0 and 5`


NUMERIC: INTEGER her_tmps_high

<p>Very high</p> <p>v1 self.InRange(0,5) self == null</p> <p>M1 Value must be between 0 and 5</p>	<p>NUMERIC: INTEGER</p> <p>her_tmps_vhigh</p> <p>-----</p>
<p>Data Quality</p> <p>I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and And 864 other symbols [8]</p> <p>v1 self.InRange(0,3) self == null</p> <p>M1 Value must be between 0 and 3</p>	<p>NUMERIC: INTEGER</p> <p>her_tmps_dtq</p> <p>-----</p>


ATLANTISCHER HERING - ATLANTIC HERRING (CLUPEA HARENGUS)

SALINITY SURFACE


STATIC TEXT



STATIC TEXT



STATIC TEXT




<p>Low</p> <p>w1 self.InRange(0,5) self == null</p> <p>M1 Value must be between 0 and 5</p>	<p>NUMERIC: INTEGER</p> <p>her_sals_low</p> <p>-----</p>
<p>Moderate</p> <p>v1 self.InRange(0,5) self == null</p> <p>M1 Value must be between 0 and 5</p>	<p>NUMERIC: INTEGER</p> <p>her_sals_mod</p> <p>-----</p>


<div>High</div> <div><div>V1</div><div>self.InRange(0,5) self == null</div></div> <div><div>M1</div><div>Value must be between 0 and 5</div></div>	<div>NUMERIC: INTEGER</div> <div>her_sals_high</div> <div>-----</div>
<div>Very high</div> <div><div>V1</div><div>self.InRange(0,5) self == null</div></div> <div><div>M1</div><div>Value must be between 0 and 5</div></div>	<div>NUMERIC: INTEGER</div> <div>her_sals_vhigh</div> <div>-----</div>
<div>Data Quality</div> <div><div>I</div><div>Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and And 864 other symbols [9]</div></div> <div><div>V1</div><div>self.InRange(0,3) self == null</div></div> <div><div>M1</div><div>Value must be between 0 and 3</div></div>	<div>NUMERIC: INTEGER</div> <div>her_sals_dtq</div> <div>-----</div>

ATLANTISCHER HERING - ATLANTIC HERRING (CLUPEA HARENGUS)
TEMPERATURE BOTTOM


STATIC TEXT



STATIC TEXT



STATIC TEXT




<div>Low</div> <div><div>V1</div><div>self.InRange(0,5) self == null</div></div> <div><div>M1</div><div>Value must be between 0 and 5</div></div>	<div>NUMERIC: INTEGER</div> <div>her_tmpr_low</div> <div>-----</div>
--	--


<p>Moderate</p> <p>V1 self.InRange(0,5) self == null</p> <p>M1 Value must be between 0 and 5</p>	<p>NUMERIC: INTEGER</p> <p>her_tmpb_mod</p> <p>-----</p>
<p>High</p> <p>V1 self.InRange(0,5) self == null</p> <p>M1 Value must be between 0 and 5</p>	<p>NUMERIC: INTEGER</p> <p>her_tmpb_high</p> <p>-----</p>
<p>Very high</p> <p>V1 self.InRange(0,5) self == null</p> <p>M1 Value must be between 0 and 5</p>	<p>NUMERIC: INTEGER</p> <p>her_tmpb_vhigh</p> <p>-----</p>
<p>Data Quality</p> <p>I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and And 864 other symbols [10]</p> <p>V1 self.InRange(0,3) self == null</p> <p>M1 Value must be between 0 and 3</p>	<p>NUMERIC: INTEGER</p> <p>her_tmpb_dtq</p> <p>-----</p>

ATLANTISCHER HERING - ATLANTIC HERRING (CLUPEA HARENGUS) SALINITY BOTTOM


STATIC TEXT



STATIC TEXT




STATIC TEXT




Low		NUMERIC: INTEGER	her_salb_low
W1	self.InRange(0,5) self == null		
M1	Value must be between 0 and 5		
Moderate		NUMERIC: INTEGER	her_salb_mod
V1	self.InRange(0,5) self == null		
M1	Value must be between 0 and 5		
High		NUMERIC: INTEGER	her_salb_high
V1	self.InRange(0,5) self == null		
M1	Value must be between 0 and 5		
Very high		NUMERIC: INTEGER	her_salb_vhigh
V1	self.InRange(0,5) self == null		
M1	Value must be between 0 and 5		
Data Quality		NUMERIC: INTEGER	her_salb_dtq
I	Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and And 864 other symbols [11]		
V1	self.InRange(0,3) self == null		
M1	Value must be between 0 and 3		

ATLANTISCHER HERING - ATLANTIC HERRING (CLUPEA HARENGUS)
OXYGEN REFERENCE LOADS


STATIC TEXT



STATIC TEXT



STATIC TEXT




<p>Low</p> <p>V1 self.InRange(0,5) self == null</p> <p>M1 Value must be between 0 and 5</p>	<p>NUMERIC: INTEGER</p> <p>her_oxyr_low</p> <p>-----</p>
<p>Moderate</p> <p>V1 self.InRange(0,5) self == null</p> <p>M1 Value must be between 0 and 5</p>	<p>NUMERIC: INTEGER</p> <p>her_oxyr_mod</p> <p>-----</p>
<p>High</p> <p>V1 self.InRange(0,5) self == null</p> <p>M1 Value must be between 0 and 5</p>	<p>NUMERIC: INTEGER</p> <p>her_oxyr_high</p> <p>-----</p>
<p>Very high</p> <p>V1 self.InRange(0,5) self == null</p> <p>M1 Value must be between 0 and 5</p>	<p>NUMERIC: INTEGER</p> <p>her_oxyr_vhigh</p> <p>-----</p>
<p>Data Quality</p> <p>I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and And 864 other symbols [12]</p> <p>V1 self.InRange(0,3) self == null</p> <p>M1 Value must be between 0 and 3</p>	<p>NUMERIC: INTEGER</p> <p>her_oxyr_dtq</p> <p>-----</p>


ATLANTISCHER HERING - ATLANTIC HERRING (CLUPEA HARENGUS)

OXYGEN BSAP


STATIC TEXT



STATIC TEXT




STATIC TEXT




Low	NUMERIC: INTEGER	her_oxyb_low
<div><div>v1</div><div>self.InRange(0,5) self == null</div></div> <div><div>M1</div><div>Value must be between 0 and 5</div></div>		
Moderate	NUMERIC: INTEGER	her_oxyb_mod
<div><div>v1</div><div>self.InRange(0,5) self == null</div></div> <div><div>M1</div><div>Value must be between 0 and 5</div></div>		
High	NUMERIC: INTEGER	her_oxyb_high
<div><div>v1</div><div>self.InRange(0,5) self == null</div></div> <div><div>M1</div><div>Value must be between 0 and 5</div></div>		
Very high	NUMERIC: INTEGER	her_oxyb_vhigh
<div><div>v1</div><div>self.InRange(0,5) self == null</div></div> <div><div>M1</div><div>Value must be between 0 and 5</div></div>		
Data Quality	NUMERIC: INTEGER	her_oxyb_dtq
<div><div>I</div><div>Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and And 864 other symbols [13]</div></div> <div><div>v1</div><div>self.InRange(0,3) self == null</div></div> <div><div>M1</div><div>Value must be between 0 and 3</div></div>		

ATLANTISCHER HERING - ATLANTIC HERRING (CLUPEA HARENGUS)
OXYGEN WORST CASE


STATIC TEXT



STATIC TEXT



STATIC TEXT




Low		NUMERIC: INTEGER	her_oxyw_low
V1 self.InRange(0,5) self == null		-----	
M1 Value must be between 0 and 5			
Moderate		NUMERIC: INTEGER	her_oxyw_mod
V1 self.InRange(0,5) self == null		-----	
M1 Value must be between 0 and 5			
High		NUMERIC: INTEGER	her_oxyw_high
V1 self.InRange(0,5) self == null		-----	
M1 Value must be between 0 and 5			
Very high		NUMERIC: INTEGER	her_oxyw_vhigh
V1 self.InRange(0,5) self == null		-----	
M1 Value must be between 0 and 5			
Data Quality		NUMERIC: INTEGER	her_oxyw_dtq
I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and And 863 other symbols [14]		-----	
V1 self.InRange(0,3) self == null			
M1 Value must be between 0 and 3			
Comments:		TEXT	her_com

EUROPÄISCHE SPROTTE - EUROPEAN SPRAT (SPRATTUS SPRATTUS)


STATIC TEXT

EUROPÄISCHE SPROTTE - EUROPEAN SPRAT (SPRATTUS SPRATTUS) TEMPERATURE SURFACE


STATIC TEXT



STATIC TEXT



STATIC TEXT



Low

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

NUMERIC: INTEGER spr_tmps_low

Moderate

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

NUMERIC: INTEGER spr_tmps_mod

High

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5


NUMERIC: INTEGER spr_tmps_high

<p>Very high</p> <p>V1 self.InRange(0,5) self == null</p> <p>M1 Value must be between 0 and 5</p>		<p>NUMERIC: INTEGER</p> <p>spr_tmpr_vhigh</p> <p>-----</p>
<p>Data Quality</p> <p>I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and And 864 other symbols [15]</p> <p>V1 self.InRange(0,3) self == null</p> <p>M1 Value must be between 0 and 3</p>		<p>NUMERIC: INTEGER</p> <p>spr_tmpr_dtq</p> <p>-----</p>


EUROPÄISCHE SPROTTE - EUROPEAN SPRAT (SPRATTUS SPRATTUS)

SALINITY SURFACE


STATIC TEXT



STATIC TEXT



STATIC TEXT




<p>Low</p> <p>W1 self.InRange(0,5) self == null</p> <p>M1 Value must be between 0 and 5</p>		<p>NUMERIC: INTEGER</p> <p>spr_sals_low</p> <p>-----</p>
<p>Moderate</p> <p>V1 self.InRange(0,5) self == null</p> <p>M1 Value must be between 0 and 5</p>		<p>NUMERIC: INTEGER</p> <p>spr_sals_mod</p> <p>-----</p>


High	NUMERIC: INTEGER	spr_sals_high
<div><div>V1self.InRange(0,5) self == null</div><div>M1Value must be between 0 and 5</div></div>	<div>-----</div>	
Very high	NUMERIC: INTEGER	spr_sals_vhigh
<div><div>V1self.InRange(0,5) self == null</div><div>M1Value must be between 0 and 5</div></div>	<div>-----</div>	
Data Quality	NUMERIC: INTEGER	spr_sals_dtq
<div><div>I Score Description3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and And 864 other symbols [16]</div><div>V1self.InRange(0,3) self == null</div><div>M1Value must be between 0 and 3</div></div>	<div>-----</div>	

EUROPÄISCHE SPROTTE - EUROPEAN SPRAT (SPRATTUS SPRATTUS)
TEMPERATURE BOTTOM


STATIC TEXT



STATIC TEXT



STATIC TEXT




Low	NUMERIC: INTEGER	spr_tmpb_low
<div><div>V1self.InRange(0,5) self == null</div><div>M1Value must be between 0 and 5</div></div>	<div>-----</div>	


<p>Moderate</p> <p>V1 <code>self.InRange(0,5) self == null</code></p> <p>M1 Value must be between 0 and 5</p>	<p>NUMERIC: INTEGER</p> <p>spr_tmpb_mod</p> <p>-----</p>
<p>High</p> <p>V1 <code>self.InRange(0,5) self == null</code></p> <p>M1 Value must be between 0 and 5</p>	<p>NUMERIC: INTEGER</p> <p>spr_tmpb_high</p> <p>-----</p>
<p>Very high</p> <p>V1 <code>self.InRange(0,5) self == null</code></p> <p>M1 Value must be between 0 and 5</p>	<p>NUMERIC: INTEGER</p> <p>spr_tmpb_vhigh</p> <p>-----</p>
<p>Data Quality</p> <p>I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and And 864 other symbols [17]</p> <p>V1 <code>self.InRange(0,3) self == null</code></p> <p>M1 Value must be between 0 and 3</p>	<p>NUMERIC: INTEGER</p> <p>spr_tmpb_dtq</p> <p>-----</p>

EUROPÄISCHE SPROTTE - EUROPEAN SPRAT (SPRATTUS SPRATTUS)
SALINITY BOTTOM


STATIC TEXT



STATIC TEXT




STATIC TEXT




Low		NUMERIC: INTEGER	spr_salb_low
W1	self.InRange(0,5) self == null		
M1	Value must be between 0 and 5		
Moderate		NUMERIC: INTEGER	spr_salb_mod
V1	self.InRange(0,5) self == null		
M1	Value must be between 0 and 5		
High		NUMERIC: INTEGER	spr_salb_high
V1	self.InRange(0,5) self == null		
M1	Value must be between 0 and 5		
Very high		NUMERIC: INTEGER	spr_salb_vhigh
V1	self.InRange(0,5) self == null		
M1	Value must be between 0 and 5		
Data Quality		NUMERIC: INTEGER	spr_salb_dtq
I	Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and And 864 other symbols [18]		
V1	self.InRange(0,3) self == null		
M1	Value must be between 0 and 3		

EUROPÄISCHE SPROTTE - EUROPEAN SPRAT (SPRATTUS SPRATTUS)
OXYGEN REFERENCE LOADS


STATIC TEXT



STATIC TEXT




STATIC TEXT




Low	NUMERIC: INTEGER	spr_oxyr_low
<div><div>V1</div><div>self.InRange(0,5) self == null</div></div> <div><div>M1</div><div>Value must be between 0 and 5</div></div>	-----	
Moderate	NUMERIC: INTEGER	spr_oxyr_mod
<div><div>V1</div><div>self.InRange(0,5) self == null</div></div> <div><div>M1</div><div>Value must be between 0 and 5</div></div>	-----	
High	NUMERIC: INTEGER	spr_oxyr_high
<div><div>V1</div><div>self.InRange(0,5) self == null</div></div> <div><div>M1</div><div>Value must be between 0 and 5</div></div>	-----	
Very high	NUMERIC: INTEGER	spr_oxyr_vhigh
<div><div>V1</div><div>self.InRange(0,5) self == null</div></div> <div><div>M1</div><div>Value must be between 0 and 5</div></div>	-----	
Data Quality	NUMERIC: INTEGER	spr_oxyr_dtq
<div><div>I</div><div>Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and And 864 other symbols [19]</div></div> <div><div>V1</div><div>self.InRange(0,3) self == null</div></div> <div><div>M1</div><div>Value must be between 0 and 3</div></div>	-----	

EUROPÄISCHE SPROTTE - EUROPEAN SPRAT (SPRATTUS SPRATTUS)
OXYGEN BSAP


STATIC TEXT



STATIC TEXT




STATIC TEXT




Low	NUMERIC: INTEGER	spr_oxyb_low
<div><div>V1</div><div>self.InRange(0,5) self == null</div></div> <div><div>M1</div><div>Value must be between 0 and 5</div></div>	-----	
Moderate	NUMERIC: INTEGER	spr_oxyb_mod
<div><div>V1</div><div>self.InRange(0,5) self == null</div></div> <div><div>M1</div><div>Value must be between 0 and 5</div></div>	-----	
High	NUMERIC: INTEGER	spr_oxyb_high
<div><div>V1</div><div>self.InRange(0,5) self == null</div></div> <div><div>M1</div><div>Value must be between 0 and 5</div></div>	-----	
Very high	NUMERIC: INTEGER	spr_oxyb_vhigh
<div><div>V1</div><div>self.InRange(0,5) self == null</div></div> <div><div>M1</div><div>Value must be between 0 and 5</div></div>	-----	
Data Quality	NUMERIC: INTEGER	spr_oxyb_dtq
<div><div>I</div><div>Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and And 864 other symbols [20]</div></div> <div><div>V1</div><div>self.InRange(0,3) self == null</div></div> <div><div>M1</div><div>Value must be between 0 and 3</div></div>	-----	

EUROPÄISCHE SPROTTE - EUROPEAN SPRAT (SPRATTUS SPRATTUS)
OXYGEN WORST CASE


STATIC TEXT



STATIC TEXT



STATIC TEXT




Low	<div>NUMERIC: INTEGER</div> <div>spr_oxyw_low</div> <div>-----</div>
<div>V1 self.InRange(0,5) self == null</div> <div>M1 Value must be between 0 and 5</div>	
Moderate	<div>NUMERIC: INTEGER</div> <div>spr_oxyw_mod</div> <div>-----</div>
<div>V1 self.InRange(0,5) self == null</div> <div>M1 Value must be between 0 and 5</div>	
High	<div>NUMERIC: INTEGER</div> <div>spr_oxyw_high</div> <div>-----</div>
<div>V1 self.InRange(0,5) self == null</div> <div>M1 Value must be between 0 and 5</div>	
Very high	<div>NUMERIC: INTEGER</div> <div>spr_oxyw_vhigh</div> <div>-----</div>
<div>V1 self.InRange(0,5) self == null</div> <div>M1 Value must be between 0 and 5</div>	
Data Quality	<div>NUMERIC: INTEGER</div> <div>spr_oxyw_dtq</div> <div>-----</div>
<div>I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and And 863 other symbols [21]</div> <div>V1 self.InRange(0,3) self == null</div> <div>M1 Value must be between 0 and 3</div>	
Comments:	<div>TEXT</div> <div>spr_com</div> <div>-----</div>

MAKRELE - ATLANTIC MACKEREL (SCOMBER SCOMBRUS)


STATIC TEXT

MAKRELE - ATLANTIC MACKEREL (SCOMBER SCOMBRUS) TEMPERATURE SURFACE


STATIC TEXT



STATIC TEXT



STATIC TEXT



Low

v1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

NUMERIC: INTEGER mak_tmps_low

Moderate

v1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5


NUMERIC: INTEGER mak_tmps_mod

<div>High</div> <div> <div>V1</div> <div>self.InRange(0,5) self == null</div> </div> <div> <div>M1</div> <div>Value must be between 0 and 5</div> </div>	<div> <div>NUMERIC: INTEGER</div> <div>mak_tmps_high</div> <div>-----</div> </div>
<div>Very high</div> <div> <div>V1</div> <div>self.InRange(0,5) self == null</div> </div> <div> <div>M1</div> <div>Value must be between 0 and 5</div> </div>	<div> <div>NUMERIC: INTEGER</div> <div>mak_tmps_vhigh</div> <div>-----</div> </div>
<div>Data Quality</div> <div> <div>I</div> <div>Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and And 864 other symbols [22]</div> </div> <div> <div>V1</div> <div>self.InRange(0,3) self == null</div> </div> <div> <div>M1</div> <div>Value must be between 0 and 3</div> </div>	<div> <div>NUMERIC: INTEGER</div> <div>mak_tmps_dtq</div> <div>-----</div> </div>


MAKRELE - ATLANTIC MACKEREL (SCOMBER SCOMBRUS)

SALINITY SURFACE


STATIC TEXT



STATIC TEXT




STATIC TEXT




Low		NUMERIC: INTEGER	mak_sals_low
W1	self.InRange(0,5) self == null		
M1	Value must be between 0 and 5		
Moderate		NUMERIC: INTEGER	mak_sals_mod
V1	self.InRange(0,5) self == null		
M1	Value must be between 0 and 5		
High		NUMERIC: INTEGER	mak_sals_high
V1	self.InRange(0,5) self == null		
M1	Value must be between 0 and 5		
Very high		NUMERIC: INTEGER	mak_sals_vhigh
V1	self.InRange(0,5) self == null		
M1	Value must be between 0 and 5		
Data Quality		NUMERIC: INTEGER	mak_sals_dtq
I	Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and And 864 other symbols [23]		
V1	self.InRange(0,3) self == null		
M1	Value must be between 0 and 3		

MAKRELE - ATLANTIC MACKEREL (SCOMBER SCOMBRUS)
TEMPERATURE BOTTOM


STATIC TEXT



STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER mak_tmpb_low

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER mak_tmpb_mod

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

High

NUMERIC: INTEGER mak_tmpb_high

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER mak_tmpb_vhigh

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5


Data Quality

NUMERIC: INTEGER mak_tmpb_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[24\]](#)
V1 self.InRange(0,3) || self == null
M1 Value must be between 0 and 3

MAKRELE - ATLANTIC MACKEREL (SCOMBER SCOMBRUS) SALINITY BOTTOM


STATIC TEXT



STATIC TEXT



STATIC TEXT




<div>Low</div> <div> W1 <code>self.InRange(0,5) self == null</code> M1 Value must be between 0 and 5 </div>	<div> NUMERIC: INTEGER<div>mak_salb_low</div> </div> <div>-----</div>
<div>Moderate</div> <div> V1 <code>self.InRange(0,5) self == null</code> M1 Value must be between 0 and 5 </div>	<div> NUMERIC: INTEGER<div>mak_salb_mod</div> </div> <div>-----</div>
<div>High</div> <div> V1 <code>self.InRange(0,5) self == null</code> M1 Value must be between 0 and 5 </div>	<div> NUMERIC: INTEGER<div>mak_salb_high</div> </div> <div>-----</div>
<div>Very high</div> <div> V1 <code>self.InRange(0,5) self == null</code> M1 Value must be between 0 and 5 </div>	<div> NUMERIC: INTEGER<div>mak_salb_vhigh</div> </div> <div>-----</div>
<div>Data Quality</div> <div> I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and And 864 other symbols [25] V1 <code>self.InRange(0,3) self == null</code> M1 Value must be between 0 and 3 </div>	<div> NUMERIC: INTEGER<div>mak_salb_dtq</div> </div> <div>-----</div>


MAKRELE - ATLANTIC MACKEREL (SCOMBER SCOMBRUS)

OXYGEN REFERENCE LOADS


STATIC TEXT



STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER

mak_oxyr_low

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER

mak_oxyr_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER

mak_oxyr_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER

mak_oxyr_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER


mak_oxyr_dtq

I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[26\]](#)


V1 self.InRange(0,3) || self == null

M1 Value must be between 0 and 3


STATIC TEXT



STATIC TEXT



STATIC TEXT



Low

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

NUMERIC: INTEGER mak_oxyb_low

Moderate

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

NUMERIC: INTEGER mak_oxyb_mod

High

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

NUMERIC: INTEGER mak_oxyb_high

Very high

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

NUMERIC: INTEGER mak_oxyb_vhigh

Data Quality


NUMERIC: INTEGER

mak_oxyb_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measur
ed for the species in question and [And 864 other symbols \[27\]](#)
v1 self.InRange(0,3) || self == null
M1 Value must be between 0 and 3

MAKRELE - ATLANTIC MACKEREL (SCOMBER SCOMBRUS)
OXYGEN WORST CASE


STATIC TEXT



STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER

mak_oxyw_low

v1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER

mak_oxyw_mod

v1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5


High	NUMERIC: INTEGERmak_oxyw_high
V1 self.InRange(0,5) self == null M1 Value must be between 0 and 5	-----
Very high	NUMERIC: INTEGERmak_oxyw_vhigh
V1 self.InRange(0,5) self == null M1 Value must be between 0 and 5	-----
Data Quality	NUMERIC: INTEGERmak_oxyw_dtq
I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and And 863 other symbols [28] V1 self.InRange(0,3) self == null M1 Value must be between 0 and 3	-----
Comments:	TEXTmak_com
-----	-----

WITTLING - WHITING (MERLANGIUS MERLANGUS)


STATIC TEXT

WITTLING - WHITING (MERLANGIUS MERLANGUS) TEMPERATURE SURFACE

STATIC TEXT



STATIC TEXT



Low

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

NUMERIC: INTEGER whi_tmps_low

Moderate

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

NUMERIC: INTEGER whi_tmps_mod

High

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

NUMERIC: INTEGER whi_tmps_high

Very high

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5


NUMERIC: INTEGER whi_tmps_vhigh

Data Quality


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[29\]](#)
V1 self.InRange(0,3) || self == null
M1 Value must be between 0 and 3

NUMERIC: INTEGER whi_tmps_dtq

STATIC TEXT




STATIC TEXT




Low		NUMERIC: INTEGER	whi_sals_low
W1	self.InRange(0,5) self == null		
M1	Value must be between 0 and 5		
Moderate		NUMERIC: INTEGER	whi_sals_mod
V1	self.InRange(0,5) self == null		
M1	Value must be between 0 and 5		
High		NUMERIC: INTEGER	whi_sals_high
V1	self.InRange(0,5) self == null		
M1	Value must be between 0 and 5		
Very high		NUMERIC: INTEGER	whi_sals_vhigh
V1	self.InRange(0,5) self == null		
M1	Value must be between 0 and 5		
Data Quality		NUMERIC: INTEGER	whi_sals_dtq
I	Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and And 864 other symbols [30]		
V1	self.InRange(0,3) self == null		
M1	Value must be between 0 and 3		

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER whi_tmpb_low

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER whi_tmpb_mod

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

High

NUMERIC: INTEGER whi_tmpb_high

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER whi_tmpb_vhigh

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5


Data Quality

NUMERIC: INTEGER whi_tmpb_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[31\]](#)
V1 self.InRange(0,3) || self == null
M1 Value must be between 0 and 3

WITTLING - WHITING (MERLANGIUS MERLANGUS) SALINITY BOTTOM

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER whi_salb_low

W1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER whi_salb_mod

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

High

NUMERIC: INTEGER whi_salb_high

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER whi_salb_vhigh

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5


Data Quality

NUMERIC: INTEGER whi_salb_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[32\]](#)
V1 self.InRange(0,3) || self == null
M1 Value must be between 0 and 3

WITTLING - WHITING (MERLANGIUS MERLANGUS) OXYGEN REFERENCE LOADS

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER whi_oxyr_low

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER whi_oxyr_mod

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

High

NUMERIC: INTEGER whi_oxyr_high

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER whi_oxyr_vhigh

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5


Data Quality

NUMERIC: INTEGER whi_oxyr_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[33\]](#)
V1 self.InRange(0,3) || self == null
M1 Value must be between 0 and 3

WITTLING - WHITING (MERLANGIUS MERLANGUS) OXYGEN BSAP

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER whi_oxyb_low

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER whi_oxyb_mod

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

High

NUMERIC: INTEGER whi_oxyb_high

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER whi_oxyb_vhigh

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5


Data Quality

NUMERIC: INTEGER whi_oxyb_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[34\]](#)
V1 self.InRange(0,3) || self == null
M1 Value must be between 0 and 3

WITTLING - WHITING (MERLANGIUS MERLANGUS) OXYGEN WORST CASE

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER whi_oxyw_low

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER whi_oxyw_mod

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

High

NUMERIC: INTEGER whi_oxyw_high

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER whi_oxyw_vhigh

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER whi_oxyw_dtq

I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 863 other symbols \[35\]](#)
V1 self.InRange(0,3) || self == null
M1 Value must be between 0 and 3

Comments:


TEXT whi_com

STEINBUTT - TURBOT (SCOPHTHALMUS MAXIMUS/PSETTA MAXIMA)


STATIC TEXT

STEINBUTT - TURBOT (SCOPHTHALMUS MAXIMUS/PSETTA MAXIMA) TEMPERATURE SURFACE

STATIC TEXT



STATIC TEXT



Low

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

NUMERIC: INTEGER tur_tmps_low

Moderate

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

NUMERIC: INTEGER tur_tmps_mod

High

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

NUMERIC: INTEGER tur_tmps_high

Very high

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

NUMERIC: INTEGER tur_tmps_vhigh

Data Quality


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[36\]](#)
V1 self.InRange(0,3) || self == null
M1 Value must be between 0 and 3

NUMERIC: INTEGER tur_tmps_dtq


STEINBUTT - TURBOT (SCOPHTHALMUS MAXIMUS/PSETTA MAXIMA)

SALINITY SURFACE

STATIC TEXT



STATIC TEXT




Low	NUMERIC: INTEGER	tur_sals_low
W1 self.InRange(0,5) self == null	-----	
M1 Value must be between 0 and 5		
Moderate	NUMERIC: INTEGER	tur_sals_mod
V1 self.InRange(0,5) self == null	-----	
M1 Value must be between 0 and 5		
High	NUMERIC: INTEGER	tur_sals_high
V1 self.InRange(0,5) self == null	-----	
M1 Value must be between 0 and 5		
Very high	NUMERIC: INTEGER	tur_sals_vhigh
V1 self.InRange(0,5) self == null	-----	
M1 Value must be between 0 and 5		
Data Quality	NUMERIC: INTEGER	tur_sals_dtq
I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and And 864 other symbols [37]	-----	
V1 self.InRange(0,3) self == null		
M1 Value must be between 0 and 3		


STEINBUTT - TURBOT (SCOPHTHALMUS MAXIMUS/PSETTA MAXIMA)

TEMPERATURE BOTTOM

STATIC TEXT



STATIC TEXT



Low

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

NUMERIC: INTEGER tur_tmpb_low

Moderate

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

NUMERIC: INTEGER tur_tmpb_mod

High

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

NUMERIC: INTEGER tur_tmpb_high

Very high

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

NUMERIC: INTEGER tur_tmpb_vhigh


Data Quality

I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[38\]](#)
V1 self.InRange(0,3) || self == null
M1 Value must be between 0 and 3


NUMERIC: INTEGER tur_tmpb_dtq

STEINBUTT - TURBOT (SCOPHTHALMUS MAXIMUS/PSETTA MAXIMA) SALINITY BOTTOM

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER

tur_salb_low

W1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER

tur_salb_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER

tur_salb_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER

tur_salb_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER

tur_salb_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[39\]](#)

V1 self.InRange(0,3) || self == null


M1 Value must be between 0 and 3

STEINBUTT - TURBOT (SCOPHTHALMUS MAXIMUS/PSETTA MAXIMA) OXYGEN REFERENCE LOADS

STATIC TEXT




STATIC TEXT




<p>Low</p> <p>V1 self.InRange(0,5) self == null</p> <p>M1 Value must be between 0 and 5</p>	<p>NUMERIC: INTEGER</p> <p>tur_oxyr_low</p> <p>-----</p>
<p>Moderate</p> <p>V1 self.InRange(0,5) self == null</p> <p>M1 Value must be between 0 and 5</p>	<p>NUMERIC: INTEGER</p> <p>tur_oxyr_mod</p> <p>-----</p>
<p>High</p> <p>V1 self.InRange(0,5) self == null</p> <p>M1 Value must be between 0 and 5</p>	<p>NUMERIC: INTEGER</p> <p>tur_oxyr_high</p> <p>-----</p>
<p>Very high</p> <p>V1 self.InRange(0,5) self == null</p> <p>M1 Value must be between 0 and 5</p>	<p>NUMERIC: INTEGER</p> <p>tur_oxyr_vhigh</p> <p>-----</p>
<p>Data Quality</p> <p>I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and And 864 other symbols [40]</p> <p>V1 self.InRange(0,3) self == null</p> <p>M1 Value must be between 0 and 3</p>	<p>NUMERIC: INTEGER</p> <p>tur_oxyr_dtq</p> <p>-----</p>

STEINBUTT - TURBOT (SCOPHTHALMUS MAXIMUS/PSETTA MAXIMA)
OXYGEN BSAP

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER tur_oxyb_low

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER tur_oxyb_mod

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

High

NUMERIC: INTEGER tur_oxyb_high

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER tur_oxyb_vhigh

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5


Data Quality

NUMERIC: INTEGER tur_oxyb_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[41\]](#)
V1 self.InRange(0,3) || self == null
M1 Value must be between 0 and 3

STEINBUTT - TURBOT (SCOPHTHALMUS MAXIMUS/PSETTA MAXIMA) OXYGEN WORST CASE

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER tur_oxyw_low

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER tur_oxyw_mod

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

High

NUMERIC: INTEGER tur_oxyw_high

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER tur_oxyw_vhigh

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER tur_oxyw_dtq

I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 863 other symbols \[42\]](#)
V1 self.InRange(0,3) || self == null
M1 Value must be between 0 and 3

Comments:


TEXT tur_com

GLATTBUTT - BRILL (SCOPHTHALMUS RHOMBUS)


STATIC TEXT

GLATTBUTT - BRILL (SCOPHTHALMUS RHOMBUS) TEMPERATURE SURFACE

STATIC TEXT




STATIC TEXT




Low	NUMERIC: INTEGERbri_tmps_low
V1 self.InRange(0,5) self == null	-----
M1 Value must be between 0 and 5	
Moderate	NUMERIC: INTEGERbri_tmps_mod
V1 self.InRange(0,5) self == null	-----
M1 Value must be between 0 and 5	
High	NUMERIC: INTEGERbri_tmps_high
V1 self.InRange(0,5) self == null	-----
M1 Value must be between 0 and 5	
Very high	NUMERIC: INTEGERbri_tmps_vhigh
V1 self.InRange(0,5) self == null	-----
M1 Value must be between 0 and 5	
Data Quality	NUMERIC: INTEGERbri_tmps_dtq
I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and And 864 other symbols [43]	-----
V1 self.InRange(0,3) self == null	
M1 Value must be between 0 and 3	

GLATTBUTT - BRILL (SCOPHTHALMUS RHOMBUS)
SALINITY SURFACE

STATIC TEXT




STATIC TEXT




Low	NUMERIC: INTEGER	bri_sals_low
W1 self.InRange(0,5) self == null	-----	
M1 Value must be between 0 and 5		
Moderate	NUMERIC: INTEGER	bri_sals_mod
V1 self.InRange(0,5) self == null	-----	
M1 Value must be between 0 and 5		
High	NUMERIC: INTEGER	bri_sals_high
V1 self.InRange(0,5) self == null	-----	
M1 Value must be between 0 and 5		
Very high	NUMERIC: INTEGER	bri_sals_vhigh
V1 self.InRange(0,5) self == null	-----	
M1 Value must be between 0 and 5		
Data Quality	NUMERIC: INTEGER	bri_sals_dtq
I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and And 864 other symbols [44]	-----	
V1 self.InRange(0,3) self == null		
M1 Value must be between 0 and 3		

GLATTBUTT - BRILL (SCOPHTHALMUS RHOMBUS)
TEMPERATURE BOTTOM

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER bri_tmppb_low

Moderate

NUMERIC: INTEGER bri_tmppb_mod

High

NUMERIC: INTEGER bri_tmppb_high

Very high

NUMERIC: INTEGER bri_tmppb_vhigh

Data Quality

NUMERIC: INTEGER bri_tmppb_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[45\]](#)

V1 self.InRange(0,3) || self == null


M1 Value must be between 0 and 3

GLATTBUTT - BRILL (SCOPHTHALMUS RHOMBUS) SALINITY BOTTOM

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER bri_salb_low

W1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER bri_salb_mod

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

High

NUMERIC: INTEGER bri_salb_high

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER bri_salb_vhigh

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5


Data Quality

NUMERIC: INTEGER bri_salb_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[46\]](#)
V1 self.InRange(0,3) || self == null
M1 Value must be between 0 and 3

GLATTBUTT - BRILL (SCOPHTHALMUS RHOMBUS) OXYGEN REFERENCE LOADS

STATIC TEXT




STATIC TEXT




<p>Low</p> <p>V1 self.InRange(0,5) self == null</p> <p>M1 Value must be between 0 and 5</p>	<p>NUMERIC: INTEGER</p> <p>bri_oxyr_low</p> <p>-----</p>
<p>Moderate</p> <p>V1 self.InRange(0,5) self == null</p> <p>M1 Value must be between 0 and 5</p>	<p>NUMERIC: INTEGER</p> <p>bri_oxyr_mod</p> <p>-----</p>
<p>High</p> <p>V1 self.InRange(0,5) self == null</p> <p>M1 Value must be between 0 and 5</p>	<p>NUMERIC: INTEGER</p> <p>bri_oxyr_high</p> <p>-----</p>
<p>Very high</p> <p>V1 self.InRange(0,5) self == null</p> <p>M1 Value must be between 0 and 5</p>	<p>NUMERIC: INTEGER</p> <p>bri_oxyr_vhigh</p> <p>-----</p>
<p>Data Quality</p> <p>I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and And 864 other symbols [47]</p> <p>V1 self.InRange(0,3) self == null</p> <p>M1 Value must be between 0 and 3</p>	<p>NUMERIC: INTEGER</p> <p>bri_oxyr_dtq</p> <p>-----</p>

GLATTBUTT - BRILL (SCOPHTHALMUS RHOMBUS) OXYGEN BSAP

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER

bri_oxyb_low

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER

bri_oxyb_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER

bri_oxyb_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER

bri_oxyb_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER

bri_oxyb_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[48\]](#)

V1 self.InRange(0,3) || self == null


M1 Value must be between 0 and 3

GLATTBUTT - BRILL (SCOPHTHALMUS RHOMBUS) OXYGEN WORST CASE

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER bri_oxyw_low

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER bri_oxyw_mod

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

High

NUMERIC: INTEGER bri_oxyw_high

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER bri_oxyw_vhigh

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER bri_oxyw_dtq

I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 863 other symbols \[49\]](#)
V1 self.InRange(0,3) || self == null
M1 Value must be between 0 and 3

Comments:


TEXT bri_com

KLIESCHE - COMMON DAB (LIMANDA LIMANDA)


STATIC TEXT

KLIESCHE - COMMON DAB (LIMANDA LIMANDA) TEMPERATURE SURFACE

STATIC TEXT



STATIC TEXT




Low	NUMERIC: INTEGER	dab_tmps_low
V1 self.InRange(0,5) self == null	-----	
M1 Value must be between 0 and 5		
Moderate	NUMERIC: INTEGER	dab_tmps_mod
V1 self.InRange(0,5) self == null	-----	
M1 Value must be between 0 and 5		
High	NUMERIC: INTEGER	dab_tmps_high
V1 self.InRange(0,5) self == null	-----	
M1 Value must be between 0 and 5		
Very high	NUMERIC: INTEGER	dab_tmps_vhigh
V1 self.InRange(0,5) self == null	-----	
M1 Value must be between 0 and 5		
Data Quality	NUMERIC: INTEGER	dab_tmps_dtq
I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and And 864 other symbols [50]	-----	
V1 self.InRange(0,3) self == null		
M1 Value must be between 0 and 3		


KLIESCHE - COMMON DAB (LIMANDA LIMANDA)

SALINITY SURFACE

STATIC TEXT



STATIC TEXT




Low	NUMERIC: INTEGER	dab_sals_low
W1 self.InRange(0,5) self == null	-----	
M1 Value must be between 0 and 5		
Moderate	NUMERIC: INTEGER	dab_sals_mod
V1 self.InRange(0,5) self == null	-----	
M1 Value must be between 0 and 5		
High	NUMERIC: INTEGER	dab_sals_high
V1 self.InRange(0,5) self == null	-----	
M1 Value must be between 0 and 5		
Very high	NUMERIC: INTEGER	dab_sals_vhigh
V1 self.InRange(0,5) self == null	-----	
M1 Value must be between 0 and 5		
Data Quality	NUMERIC: INTEGER	dab_sals_dtq
I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and And 864 other symbols [51]	-----	
V1 self.InRange(0,3) self == null		
M1 Value must be between 0 and 3		


KLIESCHE - COMMON DAB (LIMANDA LIMANDA)

TEMPERATURE BOTTOM

STATIC TEXT




STATIC TEXT




<p>Low</p> <p>V1 self.InRange(0,5) self == null</p> <p>M1 Value must be between 0 and 5</p>	<p>NUMERIC: INTEGER</p> <p>dab_tmpb_low</p> <p>-----</p>
<p>Moderate</p> <p>V1 self.InRange(0,5) self == null</p> <p>M1 Value must be between 0 and 5</p>	<p>NUMERIC: INTEGER</p> <p>dab_tmpb_mod</p> <p>-----</p>
<p>High</p> <p>V1 self.InRange(0,5) self == null</p> <p>M1 Value must be between 0 and 5</p>	<p>NUMERIC: INTEGER</p> <p>dab_tmpb_high</p> <p>-----</p>
<p>Very high</p> <p>V1 self.InRange(0,5) self == null</p> <p>M1 Value must be between 0 and 5</p>	<p>NUMERIC: INTEGER</p> <p>dab_tmpb_vhigh</p> <p>-----</p>
<p>Data Quality</p> <p>I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and And 864 other symbols [52]</p> <p>V1 self.InRange(0,3) self == null</p> <p>M1 Value must be between 0 and 3</p>	<p>NUMERIC: INTEGER</p> <p>dab_tmpb_dtq</p> <p>-----</p>

KLIESCHE - COMMON DAB (LIMANDA LIMANDA) SALINITY BOTTOM

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER

dab_salb_low

W1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER

dab_salb_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER

dab_salb_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER

dab_salb_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER

dab_salb_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[53\]](#)

V1 self.InRange(0,3) || self == null


M1 Value must be between 0 and 3

KLIESCHE - COMMON DAB (LIMANDA LIMANDA) OXYGEN REFERENCE LOADS

STATIC TEXT




STATIC TEXT




<p>Low</p> <p>V1 self.InRange(0,5) self == null</p> <p>M1 Value must be between 0 and 5</p>	<p>NUMERIC: INTEGER</p> <p>dab_oxyr_low</p> <p>-----</p>
<p>Moderate</p> <p>V1 self.InRange(0,5) self == null</p> <p>M1 Value must be between 0 and 5</p>	<p>NUMERIC: INTEGER</p> <p>dab_oxyr_mod</p> <p>-----</p>
<p>High</p> <p>V1 self.InRange(0,5) self == null</p> <p>M1 Value must be between 0 and 5</p>	<p>NUMERIC: INTEGER</p> <p>dab_oxyr_high</p> <p>-----</p>
<p>Very high</p> <p>V1 self.InRange(0,5) self == null</p> <p>M1 Value must be between 0 and 5</p>	<p>NUMERIC: INTEGER</p> <p>dab_oxyr_vhigh</p> <p>-----</p>
<p>Data Quality</p> <p>I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and And 864 other symbols [54]</p> <p>V1 self.InRange(0,3) self == null</p> <p>M1 Value must be between 0 and 3</p>	<p>NUMERIC: INTEGER</p> <p>dab_oxyr_dtq</p> <p>-----</p>

KLIESCHE - COMMON DAB (LIMANDA LIMANDA) OXYGEN BSAP

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER dab_oxyb_low

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER dab_oxyb_mod

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

High

NUMERIC: INTEGER dab_oxyb_high

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER dab_oxyb_vhigh

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5


Data Quality

NUMERIC: INTEGER dab_oxyb_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[55\]](#)
V1 self.InRange(0,3) || self == null
M1 Value must be between 0 and 3

KLIESCHE - COMMON DAB (LIMANDA LIMANDA) OXYGEN WORST CASE

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER dab_oxyw_low

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER dab_oxyw_mod

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

High

NUMERIC: INTEGER dab_oxyw_high

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER dab_oxyw_vhigh

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER dab_oxyw_dtq

I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 863 other symbols \[56\]](#)
V1 self.InRange(0,3) || self == null
M1 Value must be between 0 and 3

Comments:


TEXT dab_com

FLUNDER - EUROPEAN FLOUNDER (PLATICHTHYS FLESUS)


STATIC TEXT

FLUNDER - EUROPEAN FLOUNDER (PLATICHTHYS FLESUS) TEMPERATURE SURFACE

STATIC TEXT



STATIC TEXT



Low

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

NUMERIC: INTEGER flo_tmps_low

Moderate

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

NUMERIC: INTEGER flo_tmps_mod

High

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

NUMERIC: INTEGER flo_tmps_high

Very high

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

NUMERIC: INTEGER flo_tmps_vhigh


Data Quality

I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[57\]](#)
V1 self.InRange(0,3) || self == null
M1 Value must be between 0 and 3


NUMERIC: INTEGER flo_tmps_dtq

FLUNDER - EUROPEAN FLOUNDER (PLATICHTHYS FLESUS)
SALINITY SURFACE

STATIC TEXT




STATIC TEXT




Low	NUMERIC: INTEGER	flo_sals_low
W1 self.InRange(0,5) self == null	-----	
M1 Value must be between 0 and 5		
Moderate	NUMERIC: INTEGER	flo_sals_mod
V1 self.InRange(0,5) self == null	-----	
M1 Value must be between 0 and 5		
High	NUMERIC: INTEGER	flo_sals_high
V1 self.InRange(0,5) self == null	-----	
M1 Value must be between 0 and 5		
Very high	NUMERIC: INTEGER	flo_sals_vhigh
V1 self.InRange(0,5) self == null	-----	
M1 Value must be between 0 and 5		
Data Quality	NUMERIC: INTEGER	flo_sals_dtq
I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and And 864 other symbols [58]	-----	
V1 self.InRange(0,3) self == null		
M1 Value must be between 0 and 3		

FLUNDER - EUROPEAN FLOUNDER (PLATICHTHYS FLESUS)
TEMPERATURE BOTTOM

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER

flo_tmpb_low

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER

flo_tmpb_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER

flo_tmpb_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER

flo_tmpb_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER

flo_tmpb_dtq

I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[59\]](#)


V1 self.InRange(0,3) || self == null

M1 Value must be between 0 and 3

FLUNDER - EUROPEAN FLOUNDER (PLATICHTHYS FLESUS)


SALINITY BOTTOM

STATIC TEXT



STATIC TEXT

FLUNDER - EUROPEAN FLOUNDER (PLATICHTHYS FLESUS)



Low

NUMERIC: INTEGER

flo_salb_low

W1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER

flo_salb_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER

flo_salb_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER

flo_salb_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER

flo_salb_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[60\]](#)

V1 self.InRange(0,3) || self == null


M1 Value must be between 0 and 3

FLUNDER - EUROPEAN FLOUNDER (PLATICTHYS FLESUS) OXYGEN REFERENCE LOADS

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER

flo_oxyr_low

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER

flo_oxyr_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER

flo_oxyr_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER

flo_oxyr_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER

flo_oxyr_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[61\]](#)

V1 self.InRange(0,3) || self == null


M1 Value must be between 0 and 3

FLUNDER - EUROPEAN FLOUNDER (PLATICHTHYS FLESUS) OXYGEN BSAP

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER

f1o_oxyb_low

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER

f1o_oxyb_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER

f1o_oxyb_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER

f1o_oxyb_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER

f1o_oxyb_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[62\]](#)

V1 self.InRange(0,3) || self == null


M1 Value must be between 0 and 3

FLUNDER - EUROPEAN FLOUNDER (PLATICHTHYS FLESUS) OXYGEN WORST CASE

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER flo_oxyw_low

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER flo_oxyw_mod

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

High

NUMERIC: INTEGER flo_oxyw_high

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER flo_oxyw_vhigh

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER flo_oxyw_dtq

I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 863 other symbols \[63\]](#)
V1 self.InRange(0,3) || self == null
M1 Value must be between 0 and 3

Comments:


TEXT flo_com

SCHOLLE - EUROPEAN PLAICE (PLEURONECTES PLATESSA)


STATIC TEXT

SCHOLLE - EUROPEAN PLAICE (PLEURONECTES PLATESSA) TEMPERATURE SURFACE

STATIC TEXT



STATIC TEXT



Low

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

NUMERIC: INTEGER pla_tmps_low

Moderate

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

NUMERIC: INTEGER pla_tmps_mod

High

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

NUMERIC: INTEGER pla_tmps_high

Very high

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

NUMERIC: INTEGER pla_tmps_vhigh

Data Quality


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[64\]](#)
V1 self.InRange(0,3) || self == null
M1 Value must be between 0 and 3

NUMERIC: INTEGER pla_tmps_dtq


SCHOLLE - EUROPEAN PLAICE (PLEURONECTES PLATESSA)

SALINITY SURFACE

STATIC TEXT



STATIC TEXT




Low	NUMERIC: INTEGER	pla_sals_low
W1 self.InRange(0,5) self == null		
M1 Value must be between 0 and 5		
Moderate	NUMERIC: INTEGER	pla_sals_mod
V1 self.InRange(0,5) self == null		
M1 Value must be between 0 and 5		
High	NUMERIC: INTEGER	pla_sals_high
V1 self.InRange(0,5) self == null		
M1 Value must be between 0 and 5		
Very high	NUMERIC: INTEGER	pla_sals_vhigh
V1 self.InRange(0,5) self == null		
M1 Value must be between 0 and 5		
Data Quality	NUMERIC: INTEGER	pla_sals_dtq
I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and And 864 other symbols [65]		
V1 self.InRange(0,3) self == null		
M1 Value must be between 0 and 3		


SCHOLLE - EUROPEAN PLAICE (PLEURONECTES PLATESSA)

TEMPERATURE BOTTOM

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER

pla_tmppb_low

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER

pla_tmppb_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER

pla_tmppb_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER

pla_tmppb_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER

pla_tmppb_dtq

I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[66\]](#)


V1 self.InRange(0,3) || self == null

M1 Value must be between 0 and 3


SCHOLLE - EUROPEAN PLAICE (PLEURONECTES PLATESSA)

SALINITY BOTTOM

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER pla_salb_low

W1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER pla_salb_mod

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

High

NUMERIC: INTEGER pla_salb_high

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER pla_salb_vhigh

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5


Data Quality

NUMERIC: INTEGER pla_salb_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[67\]](#)
V1 self.InRange(0,3) || self == null
M1 Value must be between 0 and 3

SCHOLLE - EUROPEAN PLAICE (PLEURONECTES PLATESSA) OXYGEN REFERENCE LOADS

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER pla_oxyr_low

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER pla_oxyr_mod

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

High

NUMERIC: INTEGER pla_oxyr_high

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER pla_oxyr_vhigh

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5


Data Quality

NUMERIC: INTEGER pla_oxyr_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[68\]](#)
V1 self.InRange(0,3) || self == null
M1 Value must be between 0 and 3

SCHOLLE - EUROPEAN PLAICE (PLEURONECTES PLATESSA)
OXYGEN BSAP

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER pla_oxyb_low

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER pla_oxyb_mod

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

High

NUMERIC: INTEGER pla_oxyb_high

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER pla_oxyb_vhigh

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5


Data Quality

NUMERIC: INTEGER pla_oxyb_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[69\]](#)
V1 self.InRange(0,3) || self == null
M1 Value must be between 0 and 3

SCHOLLE - EUROPEAN PLAICE (PLEURONECTES PLATESSA)
OXYGEN WORST CASE

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER pla_oxyw_low

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER pla_oxyw_mod

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

High

NUMERIC: INTEGER pla_oxyw_high

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER pla_oxyw_vhigh

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER pla_oxyw_dtq

I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 863 other symbols \[70\]](#)
V1 self.InRange(0,3) || self == null
M1 Value must be between 0 and 3

Comments:


TEXT pla_com

SEEZUNGE - COMMON SOLE (SOLEA SOLEA)


STATIC TEXT

SEEZUNGE - COMMON SOLE (SOLEA SOLEA) TEMPERATURE SURFACE

STATIC TEXT



STATIC TEXT



Low

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

NUMERIC: INTEGER sol_tmps_low

Moderate

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

NUMERIC: INTEGER sol_tmps_mod

High

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

NUMERIC: INTEGER sol_tmps_high

Very high

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

NUMERIC: INTEGER sol_tmps_vhigh

Data Quality


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[71\]](#)
V1 self.InRange(0,3) || self == null
M1 Value must be between 0 and 3

NUMERIC: INTEGER sol_tmps_dtq


SEEZUNGE - COMMON SOLE (SOLEA SOLEA)

SALINITY SURFACE

STATIC TEXT



STATIC TEXT




Low	NUMERIC: INTEGER	sol_sals_low
W1 self.InRange(0,5) self == null		
M1 Value must be between 0 and 5		
Moderate	NUMERIC: INTEGER	sol_sals_mod
V1 self.InRange(0,5) self == null		
M1 Value must be between 0 and 5		
High	NUMERIC: INTEGER	sol_sals_high
V1 self.InRange(0,5) self == null		
M1 Value must be between 0 and 5		
Very high	NUMERIC: INTEGER	sol_sals_vhigh
V1 self.InRange(0,5) self == null		
M1 Value must be between 0 and 5		
Data Quality	NUMERIC: INTEGER	sol_sals_dtq
I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and And 864 other symbols [72]		
V1 self.InRange(0,3) self == null		
M1 Value must be between 0 and 3		


SEEZUNGE - COMMON SOLE (SOLEA SOLEA)

TEMPERATURE BOTTOM

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER

sol_tmpb_low

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER

sol_tmpb_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER

sol_tmpb_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER

sol_tmpb_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER

sol_tmpb_dtq

I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[73\]](#)


V1 self.InRange(0,3) || self == null

M1 Value must be between 0 and 3

SEEZUNGE - COMMON SOLE (SOLEA SOLEA)


SALINITY BOTTOM

STATIC TEXT



STATIC TEXT

SEEZUNGE - COMMON SOLE (SOLEA SOLEA)



Low

NUMERIC: INTEGER sol_salb_low

W1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER sol_salb_mod

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

High

NUMERIC: INTEGER sol_salb_high

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER sol_salb_vhigh

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5


Data Quality

NUMERIC: INTEGER sol_salb_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[74\]](#)
V1 self.InRange(0,3) || self == null
M1 Value must be between 0 and 3

SEEZUNGE - COMMON SOLE (SOLEA SOLEA) OXYGEN REFERENCE LOADS

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER

sol_oxyr_low

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER

sol_oxyr_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER

sol_oxyr_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER

sol_oxyr_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER

sol_oxyr_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[75\]](#)

V1 self.InRange(0,3) || self == null


M1 Value must be between 0 and 3

SEEZUNGE - COMMON SOLE (SOLEA SOLEA) OXYGEN BSAP

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER sol_oxyb_low

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER sol_oxyb_mod

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

High

NUMERIC: INTEGER sol_oxyb_high

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER sol_oxyb_vhigh

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5


Data Quality

NUMERIC: INTEGER sol_oxyb_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[76\]](#)
V1 self.InRange(0,3) || self == null
M1 Value must be between 0 and 3

SEEZUNGE - COMMON SOLE (SOLEA SOLEA)
OXYGEN WORST CASE

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER sol_oxyw_low

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER sol_oxyw_mod

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

High

NUMERIC: INTEGER sol_oxyw_high

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER sol_oxyw_vhigh

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER sol_oxyw_dtq

I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 863 other symbols \[77\]](#)
V1 self.InRange(0,3) || self == null
M1 Value must be between 0 and 3

Comments:


TEXT sol_com

DICKLIPPIGE MEERÄSCHE - THICKLIP GREY MULLET (CHELON LABROSUS)


STATIC TEXT

DICKLIPPIGE MEERÄSCHE - THICKLIP GREY MULLET (CHELON LABROSUS) TEMPERATURE SURFACE

STATIC TEXT



STATIC TEXT



<div>Low</div> <div><div>v1self.InRange(0,5) self == null</div><div>M1Value must be between 0 and 5</div></div>	<div>NUMERIC: INTEGER<div>mul_tmps_low</div></div> <div>-----</div>
<div>Moderate</div> <div><div>v1self.InRange(0,5) self == null</div><div>M1Value must be between 0 and 5</div></div>	<div>NUMERIC: INTEGER<div>mul_tmps_mod</div></div> <div>-----</div>
<div>High</div> <div><div>v1self.InRange(0,5) self == null</div><div>M1Value must be between 0 and 5</div></div>	<div>NUMERIC: INTEGER<div>mul_tmps_high</div></div> <div>-----</div>
<div>Very high</div> <div><div>v1self.InRange(0,5) self == null</div><div>M1Value must be between 0 and 5</div></div>	<div>NUMERIC: INTEGER<div>mul_tmps_vhigh</div></div> <div>-----</div>


Data Quality

NUMERIC: INTEGERmul_tmps_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[78\]](#)
v1 self.InRange(0,3) || self == null
M1 Value must be between 0 and 3

DICKLIPIGE MEERÄSCHE - THICKLIP GREY MULLET (CHELON LABROSUS)
SALINITY SURFACE

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGERmul_sals_low

W1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGERmul_sals_mod

v1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

High

NUMERIC: INTEGERmul_sals_high

v1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGERmul_sals_vhigh

v1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER mul_sals_dtg


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[79\]](#)

V1 self.InRange(0,3) || self == null


M1 Value must be between 0 and 3

DICKLIPIGE MEERÄSCHE - THICKLIP GREY MULLET (CHELON LABROSUS)
TEMPERATURE BOTTOM

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER mul_tmpb_low

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER mul_tmpb_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER mul_tmpb_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER mul_tmpb_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER

mul_tmpb_dtq

I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[80\]](#)


V1 self.InRange(0,3) || self == null

M1 Value must be between 0 and 3


DICKLIPIGE MEERÄSCHE - THICKLIP GREY MULLET (CHELON LABROSUS)

SALINITY BOTTOM

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER

mul_salb_low

W1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER

mul_salb_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER

mul_salb_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER

mul_salb_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER mul_salb_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[81\]](#)

V1 self.InRange(0,3) || self == null


M1 Value must be between 0 and 3

DICKLIPIGE MEERÄSCHE - THICKLIP GREY MULLET (CHELON LABROSUS)
OXYGEN REFERENCE LOADS

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER mul_oxyr_low

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER mul_oxyr_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER mul_oxyr_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER mul_oxyr_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER mul_oxyr_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[82\]](#)

V1 self.InRange(0,3) || self == null


M1 Value must be between 0 and 3

DICKLIPIGE MEERÄSCHE - THICKLIP GREY MULLET (CHELON LABROSUS)
OXYGEN BSAP

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER mul_oxyb_low

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER mul_oxyb_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER mul_oxyb_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER mul_oxyb_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER mul_oxyb_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[83\]](#)

V1 self.InRange(0,3) || self == null


M1 Value must be between 0 and 3

DICKLIPIGE MEERÄSCHE - THICKLIP GREY MULLET (CHELON LABROSUS)
OXYGEN WORST CASE

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER mul_oxyw_low

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER mul_oxyw_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER mul_oxyw_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER mul_oxyw_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5


Data Quality	NUMERIC: INTEGERmul_oxyw_dtq
I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and And 863 other symbols f84f v1 self.InRange(0,3) self == null M1 Value must be between 0 and 3	-----
Comments:	TEXTmul_com

HORNHECHT - GARFISH (BELONE BELONE)


STATIC TEXT

HORNHECHT - GARFISH (BELONE BELONE) TEMPERATURE SURFACE

STATIC TEXT



STATIC TEXT



<div>Low</div> <div><div>v1</div><div>self.InRange(0,5) self == null</div></div> <div><div>M1</div><div>Value must be between 0 and 5</div></div>	<div>NUMERIC: INTEGER</div> <div>gar_tmps_low</div> <div>-----</div>
<div>Moderate</div> <div><div>v1</div><div>self.InRange(0,5) self == null</div></div> <div><div>M1</div><div>Value must be between 0 and 5</div></div>	<div>NUMERIC: INTEGER</div> <div>gar_tmps_mod</div> <div>-----</div>
<div>High</div> <div><div>v1</div><div>self.InRange(0,5) self == null</div></div> <div><div>M1</div><div>Value must be between 0 and 5</div></div>	<div>NUMERIC: INTEGER</div> <div>gar_tmps_high</div> <div>-----</div>
<div>Very high</div> <div><div>v1</div><div>self.InRange(0,5) self == null</div></div> <div><div>M1</div><div>Value must be between 0 and 5</div></div>	<div>NUMERIC: INTEGER</div> <div>gar_tmps_vhigh</div> <div>-----</div>

Data Quality

NUMERIC: INTEGER gar_tmpr_dtq

I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[85\]](#)


V1 self.InRange(0,3) || self == null

M1 Value must be between 0 and 3


HORNHECHT - GARFISH (BELONE BELONE)

SALINITY SURFACE

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER gar_sals_low

W1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER gar_sals_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER gar_sals_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER gar_sals_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER gar_sals_dtg


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[86\]](#)

V1 self.InRange(0,3) || self == null


M1 Value must be between 0 and 3

HORNHECHT - GARFISH (BELONE BELONE)
TEMPERATURE BOTTOM

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER gar_tmpb_low

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER gar_tmpb_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER gar_tmpb_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER gar_tmpb_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGERgar_tmpb_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[87\]](#)

V1 self.InRange(0,3) || self == null


M1 Value must be between 0 and 3

HORNHECHT - GARFISH (BELONE BELONE)
SALINITY BOTTOM

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGERgar_salb_low

W1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGERgar_salb_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGERgar_salb_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGERgar_salb_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER gar_salb_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[88\]](#)

V1 self.InRange(0,3) || self == null


M1 Value must be between 0 and 3

HORNHECHT - GARFISH (BELONE BELONE)
OXYGEN REFERENCE LOADS

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER gar_oxyr_low

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER gar_oxyr_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER gar_oxyr_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER gar_oxyr_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER gar_oxyr_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[89\]](#)

V1 self.InRange(0,3) || self == null


M1 Value must be between 0 and 3

HORNHECHT - GARFISH (BELONE BELONE)
OXYGEN BSAP

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER gar_oxyb_low

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER gar_oxyb_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER gar_oxyb_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER gar_oxyb_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER gar_oxyb_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[90\]](#)

V1 self.InRange(0,3) || self == null


M1 Value must be between 0 and 3

HORNHECHT - GARFISH (BELONE BELONE)
OXYGEN WORST CASE

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER gar_oxyw_low

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER gar_oxyw_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER gar_oxyw_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER gar_oxyw_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5


Data Quality	NUMERIC: INTEGERgar_oxyw_dtq
I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and And 863 other symbols [911] V1 self.InRange(0,3) self == null M1 Value must be between 0 and 3	-----
Comments:	TEXTgar_com

SEEHASE - LUMPSUCKER (CYCLOPTERUS LUMPUS)


STATIC TEXT

SEEHASE - LUMPSUCKER (CYCLOPTERUS LUMPUS) TEMPERATURE SURFACE

STATIC TEXT




STATIC TEXT




Low	NUMERIC: INTEGER	lum_tmps_low
<div>V1 self.InRange(0,5) self == null</div> <div>M1 Value must be between 0 and 5</div>	-----	
Moderate	NUMERIC: INTEGER	lum_tmps_mod
<div>V1 self.InRange(0,5) self == null</div> <div>M1 Value must be between 0 and 5</div>	-----	
High	NUMERIC: INTEGER	lum_tmps_high
<div>V1 self.InRange(0,5) self == null</div> <div>M1 Value must be between 0 and 5</div>	-----	
Very high	NUMERIC: INTEGER	lum_tmps_vhigh
<div>V1 self.InRange(0,5) self == null</div> <div>M1 Value must be between 0 and 5</div>	-----	
Data Quality	NUMERIC: INTEGER	lum_tmps_dtq
<div>I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and And 864 other symbols [92]</div> <div>V1 self.InRange(0,3) self == null</div> <div>M1 Value must be between 0 and 3</div>	-----	

SEEHASE - LUMPSUCKER (CYCLOPTERUS LUMPUS)
SALINITY SURFACE

STATIC TEXT




STATIC TEXT




Low	NUMERIC: INTEGER	lum_sals_low
W1 self.InRange(0,5) self == null		
M1 Value must be between 0 and 5		
Moderate	NUMERIC: INTEGER	lum_sals_mod
V1 self.InRange(0,5) self == null		
M1 Value must be between 0 and 5		
High	NUMERIC: INTEGER	lum_sals_high
V1 self.InRange(0,5) self == null		
M1 Value must be between 0 and 5		
Very high	NUMERIC: INTEGER	lum_sals_vhigh
V1 self.InRange(0,5) self == null		
M1 Value must be between 0 and 5		
Data Quality	NUMERIC: INTEGER	lum_sals_dtq
I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and And 864 other symbols [93]		
V1 self.InRange(0,3) self == null		
M1 Value must be between 0 and 3		

SEEHASE - LUMPSUCKER (CYCLOPTERUS LUMPUS)
TEMPERATURE BOTTOM

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER lum_tmpb_low

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER lum_tmpb_mod

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

High

NUMERIC: INTEGER lum_tmpb_high

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER lum_tmpb_vhigh

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5


Data Quality

NUMERIC: INTEGER lum_tmpb_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[94\]](#)
V1 self.InRange(0,3) || self == null
M1 Value must be between 0 and 3

SEEHASE - LUMPSUCKER (CYCLOPTERUS LUMPUS) SALINITY BOTTOM

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER lum_salb_low

W1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER lum_salb_mod

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

High

NUMERIC: INTEGER lum_salb_high

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER lum_salb_vhigh

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5


Data Quality

NUMERIC: INTEGER lum_salb_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[95\]](#)
V1 self.InRange(0,3) || self == null
M1 Value must be between 0 and 3

SEEHASE - LUMPSUCKER (CYCLOPTERUS LUMPUS) OXYGEN REFERENCE LOADS

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER

lum_oxyr_low

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER

lum_oxyr_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER

lum_oxyr_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER

lum_oxyr_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER

lum_oxyr_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[96\]](#)

V1 self.InRange(0,3) || self == null


M1 Value must be between 0 and 3

SEEHASE - LUMPSUCKER (CYCLOPTERUS LUMPUS) OXYGEN BSAP

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER lum_oxyb_low

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER lum_oxyb_mod

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

High

NUMERIC: INTEGER lum_oxyb_high

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER lum_oxyb_vhigh

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5


Data Quality

NUMERIC: INTEGER lum_oxyb_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[97\]](#)
V1 self.InRange(0,3) || self == null
M1 Value must be between 0 and 3

SEEHASE - LUMPSUCKER (CYCLOPTERUS LUMPUS) OXYGEN WORST CASE

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER lum_oxyw_low

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER lum_oxyw_mod

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

High

NUMERIC: INTEGER lum_oxyw_high

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER lum_oxyw_vhigh

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER lum_oxyw_dtq

I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 863 other symbols \[98\]](#)
V1 self.InRange(0,3) || self == null
M1 Value must be between 0 and 3

Comments:


TEXT lum_com

SCHWARZMUNDGRUNDEL - ROUND GOBY (NEOGOBIOUS MELANOSTOMUS)


STATIC TEXT

SCHWARZMUNDGRUNDEL - ROUND GOBY (NEOGOBIOUS MELANOSTOMUS) TEMPERATURE SURFACE

STATIC TEXT



STATIC TEXT



Low	NUMERIC: INTEGER	gob_tmps_low
<div><div>v1</div><div>M1</div></div> <div>self.InRange(0,5) self == null Value must be between 0 and 5</div>	-----	
Moderate	NUMERIC: INTEGER	gob_tmps_mod
<div><div>v1</div><div>M1</div></div> <div>self.InRange(0,5) self == null Value must be between 0 and 5</div>	-----	
High	NUMERIC: INTEGER	gob_tmps_high
<div><div>v1</div><div>M1</div></div> <div>self.InRange(0,5) self == null Value must be between 0 and 5</div>	-----	
Very high	NUMERIC: INTEGER	gob_tmps_vhigh
<div><div>v1</div><div>M1</div></div> <div>self.InRange(0,5) self == null Value must be between 0 and 5</div>	-----	

Data Quality

NUMERIC: INTEGER

gob_tmpr_dtq

I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[99\]](#)


V1 self.InRange(0,3) || self == null

M1 Value must be between 0 and 3


SCHWARZMUNDGRUNDEL - ROUND GOBY (NEOGOBIOUS MELANOSTOMUS)

SALINITY SURFACE

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER

gob_sals_low

W1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER

gob_sals_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER

gob_sals_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER

gob_sals_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER

gob_sals_dtq

I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[100\]](#)


V1 self.InRange(0,3) || self == null

M1 Value must be between 0 and 3


SCHWARZMUNDGRUNDEL - ROUND GOBY (NEOGOBIOUS MELANOSTOMUS)

TEMPERATURE BOTTOM

STATIC TEXT



STATIC TEXT




<div>Low</div> <div><div>V1</div><div>self.InRange(0,5) self == null</div></div> <div><div>M1</div><div>Value must be between 0 and 5</div></div>	<div>NUMERIC: INTEGER</div> <div>gob_tmpr_low</div> <div>-----</div>
<div>Moderate</div> <div><div>V1</div><div>self.InRange(0,5) self == null</div></div> <div><div>M1</div><div>Value must be between 0 and 5</div></div>	<div>NUMERIC: INTEGER</div> <div>gob_tmpr_mod</div> <div>-----</div>
<div>High</div> <div><div>V1</div><div>self.InRange(0,5) self == null</div></div> <div><div>M1</div><div>Value must be between 0 and 5</div></div>	<div>NUMERIC: INTEGER</div> <div>gob_tmpr_high</div> <div>-----</div>
<div>Very high</div> <div><div>V1</div><div>self.InRange(0,5) self == null</div></div> <div><div>M1</div><div>Value must be between 0 and 5</div></div>	<div>NUMERIC: INTEGER</div> <div>gob_tmpr_vhigh</div> <div>-----</div>
<div>Data Quality</div> <div><div>I</div><div>Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and And 864 other symbols [101]</div></div> <div><div>V1</div><div>self.InRange(0,3) self == null</div></div> <div><div>M1</div><div>Value must be between 0 and 3</div></div>	<div>NUMERIC: INTEGER</div> <div>gob_tmpr_dtq</div> <div>-----</div>


SCHWARZMUNDGRUNDEL - ROUND GOBY (NEOGOBIOUS MELANOSTOMUS)

SALINITY BOTTOM

STATIC TEXT




STATIC TEXT




<p>Low</p> <p>W1 self.InRange(0,5) self == null</p> <p>M1 Value must be between 0 and 5</p>	<p>NUMERIC: INTEGER</p> <p>gob_salb_low</p> <p>-----</p>
<p>Moderate</p> <p>V1 self.InRange(0,5) self == null</p> <p>M1 Value must be between 0 and 5</p>	<p>NUMERIC: INTEGER</p> <p>gob_salb_mod</p> <p>-----</p>
<p>High</p> <p>V1 self.InRange(0,5) self == null</p> <p>M1 Value must be between 0 and 5</p>	<p>NUMERIC: INTEGER</p> <p>gob_salb_high</p> <p>-----</p>
<p>Very high</p> <p>V1 self.InRange(0,5) self == null</p> <p>M1 Value must be between 0 and 5</p>	<p>NUMERIC: INTEGER</p> <p>gob_salb_vhigh</p> <p>-----</p>
<p>Data Quality</p> <p>I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and And 864 other symbols [102]</p> <p>V1 self.InRange(0,3) self == null</p> <p>M1 Value must be between 0 and 3</p>	<p>NUMERIC: INTEGER</p> <p>gob_salb_dtq</p> <p>-----</p>

SCHWARZMUNDGRUNDEL - ROUND GOBY (NEOGOBIOUS MELANOSTOMUS) OXYGEN REFERENCE LOADS

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER gob_oxyr_low

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER gob_oxyr_mod

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

High

NUMERIC: INTEGER gob_oxyr_high

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER gob_oxyr_vhigh

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5


Data Quality

NUMERIC: INTEGER gob_oxyr_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[103\]](#)
V1 self.InRange(0,3) || self == null
M1 Value must be between 0 and 3

SCHWARZMUNDGRUNDEL - ROUND GOBY (NEOGOBIOUS MELANOSTOMUS)
OXYGEN BSAP

STATIC TEXT




STATIC TEXT




<p>Low</p> <p>V1 self.InRange(0,5) self == null</p> <p>M1 Value must be between 0 and 5</p>	<p>NUMERIC: INTEGER</p> <p>gob_oxyb_low</p> <p>-----</p>
<p>Moderate</p> <p>V1 self.InRange(0,5) self == null</p> <p>M1 Value must be between 0 and 5</p>	<p>NUMERIC: INTEGER</p> <p>gob_oxyb_mod</p> <p>-----</p>
<p>High</p> <p>V1 self.InRange(0,5) self == null</p> <p>M1 Value must be between 0 and 5</p>	<p>NUMERIC: INTEGER</p> <p>gob_oxyb_high</p> <p>-----</p>
<p>Very high</p> <p>V1 self.InRange(0,5) self == null</p> <p>M1 Value must be between 0 and 5</p>	<p>NUMERIC: INTEGER</p> <p>gob_oxyb_vhigh</p> <p>-----</p>
<p>Data Quality</p> <p>I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and And 864 other symbols [104]</p> <p>V1 self.InRange(0,3) self == null</p> <p>M1 Value must be between 0 and 3</p>	<p>NUMERIC: INTEGER</p> <p>gob_oxyb_dtq</p> <p>-----</p>

SCHWARZMUNDGRUNDEL - ROUND GOBY (NEOGOBIOUS MELANOSTOMUS) OXYGEN WORST CASE

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER gob_oxyw_low

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER gob_oxyw_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER gob_oxyw_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER gob_oxyw_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER gob_oxyw_dtq

I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 863 other symbols \[105\]](#)

V1 self.InRange(0,3) || self == null

M1 Value must be between 0 and 3

Comments:

TEXT gob_com


ATLANTISCHER LACHS - ATLANTIC SALMON (SALMO SALAR L.) – FOCUS ON BALTIC SALMON

STATIC TEXT


.

ATLANTISCHER LACHS - ATLANTIC SALMON (SALMO SALAR L.) – FOCUS ON BALTIC SALMON TEMPERATURE SURFACE

STATIC TEXT



STATIC TEXT



<div>Low</div> <div><div>v1self.InRange(0,5) self == null</div><div>M1Value must be between 0 and 5</div></div>	<div>NUMERIC: INTEGER</div> <div>sal_tmps_low</div> <div>-----</div>
<div>Moderate</div> <div><div>v1self.InRange(0,5) self == null</div><div>M1Value must be between 0 and 5</div></div>	<div>NUMERIC: INTEGER</div> <div>sal_tmps_mod</div> <div>-----</div>
<div>High</div> <div><div>v1self.InRange(0,5) self == null</div><div>M1Value must be between 0 and 5</div></div>	<div>NUMERIC: INTEGER</div> <div>sal_tmps_high</div> <div>-----</div>
<div>Very high</div> <div><div>v1self.InRange(0,5) self == null</div><div>M1Value must be between 0 and 5</div></div>	<div>NUMERIC: INTEGER</div> <div>sal_tmps_vhigh</div> <div>-----</div>

Data Quality

NUMERIC: INTEGER sal_tmpr_dtq

I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[106\]](#)


V1 self.InRange(0,3) || self == null

M1 Value must be between 0 and 3


ATLANTISCHER LACHS - ATLANTIC SALMON (SALMO SALAR L.) – FOCUS ON BALTIC SALMON

SALINITY SURFACE

STATIC TEXT



STATIC TEXT



Low NUMERIC: INTEGER sal_sals_low

W1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate NUMERIC: INTEGER sal_sals_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High NUMERIC: INTEGER sal_sals_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high NUMERIC: INTEGER sal_sals_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER sal_sals_dtg

I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[107\]](#)


V1 self.InRange(0,3) || self == null

M1 Value must be between 0 and 3


ATLANTISCHER LACHS - ATLANTIC SALMON (SALMO SALAR L.) – FOCUS ON BALTIC SALMON

TEMPERATURE BOTTOM

STATIC TEXT



STATIC TEXT



Low NUMERIC: INTEGER sal_tmpb_low

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate NUMERIC: INTEGER sal_tmpb_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High NUMERIC: INTEGER sal_tmpb_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high NUMERIC: INTEGER sal_tmpb_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER sal_tmpb_dtq

I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[108\]](#)


V1 self.InRange(0,3) || self == null

M1 Value must be between 0 and 3


ATLANTISCHER LACHS - ATLANTIC SALMON (SALMO SALAR L.) – FOCUS ON BALTIC SALMON

SALINITY BOTTOM

STATIC TEXT



STATIC TEXT



Low NUMERIC: INTEGER sal_salb_low

W1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate NUMERIC: INTEGER sal_salb_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High NUMERIC: INTEGER sal_salb_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high NUMERIC: INTEGER sal_salb_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER sal_salb_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[109\]](#)

V1 self.InRange(0,3) || self == null


M1 Value must be between 0 and 3

ATLANTISCHER LACHS - ATLANTIC SALMON (SALMO SALAR L.) – FOCUS ON BALTIC SALMON
OXYGEN REFERENCE LOADS

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER sal_oxyr_low

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER sal_oxyr_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER sal_oxyr_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER sal_oxyr_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER sal_oxyr_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[110\]](#)

V1 self.InRange(0,3) || self == null


M1 Value must be between 0 and 3

ATLANTISCHER LACHS - ATLANTIC SALMON (SALMO SALAR L.) – FOCUS ON BALTIC SALMON
OXYGEN BSAP

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER sal_oxyb_low

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER sal_oxyb_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER sal_oxyb_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER sal_oxyb_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER sal_oxyb_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[111\]](#)

V1 self.InRange(0,3) || self == null


M1 Value must be between 0 and 3

ATLANTISCHER LACHS - ATLANTIC SALMON (SALMO SALAR L.) – FOCUS ON BALTIC SALMON
OXYGEN WORST CASE

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER sal_oxyw_low

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER sal_oxyw_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER sal_oxyw_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER sal_oxyw_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5


Data Quality	NUMERIC: INTEGERsal_oxyw_dtq
I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and And 863 other symbols [112] v1 self.InRange(0,3) self == null M1 Value must be between 0 and 3	-----
Comments:	TEXTsal_com

MEERFORELLE - SEA TROUT (SALMO TRUTTA) – FOCUS ON BALTIC SEA TROUT


STATIC TEXT

MEERFORELLE - SEA TROUT (SALMO TRUTTA) – FOCUS ON BALTIC SEA TROUT TEMPERATURE SURFACE

STATIC TEXT



STATIC TEXT



Low	NUMERIC: INTEGER	trt_tmps_low
V1 self.InRange(0,5) self == null	-----	
M1 Value must be between 0 and 5		
Moderate	NUMERIC: INTEGER	trt_tmps_mod
V1 self.InRange(0,5) self == null	-----	
M1 Value must be between 0 and 5		
High	NUMERIC: INTEGER	trt_tmps_high
V1 self.InRange(0,5) self == null	-----	
M1 Value must be between 0 and 5		
Very high	NUMERIC: INTEGER	trt_tmps_vhigh
V1 self.InRange(0,5) self == null	-----	
M1 Value must be between 0 and 5		

Data Quality

NUMERIC: INTEGER

trt_tmpr_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[113\]](#)

V1 self.InRange(0,3) || self == null


M1 Value must be between 0 and 3

MEERFORELLE - SEA TROUT (SALMO TRUTTA) – FOCUS ON BALTIC SEA TROUT
SALINITY SURFACE

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER

trt_sals_low

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER

trt_sals_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER

trt_sals_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER

trt_sals_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER

trt_sals_dtq

I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[114\]](#)


V1 self.InRange(0,3) || self == null

M1 Value must be between 0 and 3


MEERFORELLE - SEA TROUT (SALMO TRUTTA) – FOCUS ON BALTIC SEA TROUT

TEMPERATURE BOTTOM

STATIC TEXT



STATIC TEXT




<div>Low</div> <div><div><div>V1</div><div>self.InRange(0,5) self == null</div></div><div><div>M1</div><div>Value must be between 0 and 5</div></div></div>	<div>NUMERIC: INTEGER</div> <div>trt_tmpb_low</div> <div>-----</div>
<div>Moderate</div> <div><div><div>V1</div><div>self.InRange(0,5) self == null</div></div><div><div>M1</div><div>Value must be between 0 and 5</div></div></div>	<div>NUMERIC: INTEGER</div> <div>trt_tmpb_mod</div> <div>-----</div>
<div>High</div> <div><div><div>V1</div><div>self.InRange(0,5) self == null</div></div><div><div>M1</div><div>Value must be between 0 and 5</div></div></div>	<div>NUMERIC: INTEGER</div> <div>trt_tmpb_high</div> <div>-----</div>
<div>Very high</div> <div><div><div>V1</div><div>self.InRange(0,5) self == null</div></div><div><div>M1</div><div>Value must be between 0 and 5</div></div></div>	<div>NUMERIC: INTEGER</div> <div>trt_tmpb_vhigh</div> <div>-----</div>
<div>Data Quality</div> <div><div><div>I</div><div>Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and And 864 other symbols [115]</div></div><div><div>V1</div><div>self.InRange(0,3) self == null</div></div><div><div>M1</div><div>Value must be between 0 and 3</div></div></div>	<div>NUMERIC: INTEGER</div> <div>trt_tmpb_dtq</div> <div>-----</div>


MEERFORELLE - SEA TROUT (SALMO TRUTTA) – FOCUS ON BALTIC SEA TROUT

SALINITY BOTTOM

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER

trt_salb_low

W1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER

trt_salb_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER

trt_salb_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER

trt_salb_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER

trt_salb_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[116\]](#)

V1 self.InRange(0,3) || self == null


M1 Value must be between 0 and 3

MEERFORELLE - SEA TROUT (SALMO TRUTTA) – FOCUS ON BALTIC SEA TROUT OXYGEN REFERENCE LOADS

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER trt_oxyr_low

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER trt_oxyr_mod

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

High

NUMERIC: INTEGER trt_oxyr_high

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER trt_oxyr_vhigh

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5


Data Quality

NUMERIC: INTEGER trt_oxyr_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[117\]](#)
V1 self.InRange(0,3) || self == null
M1 Value must be between 0 and 3

MEERFORELLE - SEA TROUT (SALMO TRUTTA) – FOCUS ON BALTIC SEA TROUT OXYGEN BSAP

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER

trt_oxyb_low

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER

trt_oxyb_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER

trt_oxyb_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER

trt_oxyb_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER

trt_oxyb_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[118\]](#)

V1 self.InRange(0,3) || self == null


M1 Value must be between 0 and 3

MEERFORELLE - SEA TROUT (SALMO TRUTTA) – FOCUS ON BALTIC SEA TROUT OXYGEN WORST CASE

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER trt_oxyw_low

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER trt_oxyw_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER trt_oxyw_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER trt_oxyw_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER trt_oxyw_dtq

I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 863 other symbols \[119\]](#)

V1 self.InRange(0,3) || self == null

M1 Value must be between 0 and 3

Comments:


TEXT trt_com

EUROPÄISCHER AAL - EUROPEAN EEL (ANGUILLA ANGUILLA)


STATIC TEXT

EUROPÄISCHER AAL - EUROPEAN EEL (ANGUILLA ANGUILLA) TEMPERATURE SURFACE

STATIC TEXT



STATIC TEXT



<div>Low</div> <div><div><div>V1</div><div>self.InRange(0,5) self == null</div></div><div><div>M1</div><div>Value must be between 0 and 5</div></div></div>	<div>NUMERIC: INTEGER</div> <div>ee1_tmps_low</div> <div>-----</div>
<div>Moderate</div> <div><div><div>V1</div><div>self.InRange(0,5) self == null</div></div><div><div>M1</div><div>Value must be between 0 and 5</div></div></div>	<div>NUMERIC: INTEGER</div> <div>ee1_tmps_mod</div> <div>-----</div>
<div>High</div> <div><div><div>V1</div><div>self.InRange(0,5) self == null</div></div><div><div>M1</div><div>Value must be between 0 and 5</div></div></div>	<div>NUMERIC: INTEGER</div> <div>ee1_tmps_high</div> <div>-----</div>
<div>Very high</div> <div><div><div>V1</div><div>self.InRange(0,5) self == null</div></div><div><div>M1</div><div>Value must be between 0 and 5</div></div></div>	<div>NUMERIC: INTEGER</div> <div>ee1_tmps_vhigh</div> <div>-----</div>

Data Quality

NUMERIC: INTEGER eel_tmps_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[120\]](#)

V1 self.InRange(0,3) || self == null


M1 Value must be between 0 and 3

EUROPÄISCHER AAL - EUROPEAN EEL (ANGUILLA ANGUILLA)
SALINITY SURFACE

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER eel_sals_low

W1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER eel_sals_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER eel_sals_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER eel_sals_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER eel_sals_dtg


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[121\]](#)

V1 self.InRange(0,3) || self == null


M1 Value must be between 0 and 3

EUROPÄISCHER AAL - EUROPEAN EEL (ANGUILLA ANGUILLA)
TEMPERATURE BOTTOM

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER eel_tmpb_low

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER eel_tmpb_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER eel_tmpb_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER eel_tmpb_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER ee1_tmprb_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[122\]](#)

V1 self.InRange(0,3) || self == null


M1 Value must be between 0 and 3

EUROPÄISCHER AAL - EUROPEAN EEL (ANGUILLA ANGUILLA)
SALINITY BOTTOM

STATIC TEXT



STATIC TEXT



Low NUMERIC: INTEGER ee1_salb_low

W1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate NUMERIC: INTEGER ee1_salb_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High NUMERIC: INTEGER ee1_salb_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high NUMERIC: INTEGER ee1_salb_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER ee1_salb_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[123\]](#)

V1 self.InRange(0,3) || self == null


M1 Value must be between 0 and 3

EUROPÄISCHER AAL - EUROPEAN EEL (ANGUILLA ANGUILLA)
OXYGEN REFERENCE LOADS

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER ee1_oxyr_low

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER ee1_oxyr_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER ee1_oxyr_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER ee1_oxyr_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER ee1_oxyr_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[124\]](#)

V1 self.InRange(0,3) || self == null


M1 Value must be between 0 and 3

EUROPÄISCHER AAL - EUROPEAN EEL (ANGUILLA ANGUILLA)
OXYGEN BSAP

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER ee1_oxyb_low

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER ee1_oxyb_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER ee1_oxyb_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER ee1_oxyb_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER ee1_oxyb_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[125\]](#)

V1 self.InRange(0,3) || self == null


M1 Value must be between 0 and 3

EUROPÄISCHER AAL - EUROPEAN EEL (ANGUILLA ANGUILLA)
OXYGEN WORST CASE

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER ee1_oxyw_low

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER ee1_oxyw_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER ee1_oxyw_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER ee1_oxyw_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5


<div><div>Data Quality</div><div><div>I</div><div>Score Description</div><div>3</div><div>"Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and And 863 other symbols [126]</div></div><div><div>V1</div><div>self.InRange(0,3) self == null</div></div><div><div>M1</div><div>Value must be between 0 and 3</div></div></div>	<div><div>NUMERIC: INTEGER</div><div>ee1_oxyw_dtq</div><div>-----</div></div>
<div><div>Comments:</div></div>	<div><div>TEXT</div><div>ee1_com</div><div>-----</div></div>

FLUSSBARSCH - EUROPEAN PERCH (PERCA FLUVIATILIS)


STATIC TEXT

FLUSSBARSCH - EUROPEAN PERCH (PERCA FLUVIATILIS) TEMPERATURE SURFACE

STATIC TEXT



STATIC TEXT




Low	NUMERIC: INTEGER	per_tmps_low
V1 self.InRange(0,5) self == null		
M1 Value must be between 0 and 5		
Moderate	NUMERIC: INTEGER	per_tmps_mod
V1 self.InRange(0,5) self == null		
M1 Value must be between 0 and 5		
High	NUMERIC: INTEGER	per_tmps_high
V1 self.InRange(0,5) self == null		
M1 Value must be between 0 and 5		
Very high	NUMERIC: INTEGER	per_tmps_vhigh
V1 self.InRange(0,5) self == null		
M1 Value must be between 0 and 5		
Data Quality	NUMERIC: INTEGER	per_tmps_dtq
I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and And 864 other symbols [127]		
V1 self.InRange(0,3) self == null		
M1 Value must be between 0 and 3		


FLUSSBARSCH - EUROPEAN PERCH (PERCA FLUVIATILIS)

SALINITY SURFACE

STATIC TEXT



STATIC TEXT




Low		NUMERIC: INTEGER	per_sals_low
W1	self.InRange(0,5) self == null		
M1	Value must be between 0 and 5		
Moderate		NUMERIC: INTEGER	per_sals_mod
V1	self.InRange(0,5) self == null		
M1	Value must be between 0 and 5		
High		NUMERIC: INTEGER	per_sals_high
V1	self.InRange(0,5) self == null		
M1	Value must be between 0 and 5		
Very high		NUMERIC: INTEGER	per_sals_vhigh
V1	self.InRange(0,5) self == null		
M1	Value must be between 0 and 5		
Data Quality		NUMERIC: INTEGER	per_sals_dtq
I	Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and And 864 other symbols [128]		
V1	self.InRange(0,3) self == null		
M1	Value must be between 0 and 3		


FLUSSBARSCH - EUROPEAN PERCH (PERCA FLUVIATILIS)

TEMPERATURE BOTTOM

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER per_tmppb_low

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER per_tmppb_mod

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

High

NUMERIC: INTEGER per_tmppb_high

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER per_tmppb_vhigh

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5


Data Quality

NUMERIC: INTEGER per_tmppb_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[129\]](#)
V1 self.InRange(0,3) || self == null
M1 Value must be between 0 and 3

FLUSSBARSCH - EUROPEAN PERCH (PERCA FLUVIATILIS) SALINITY BOTTOM

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER

per_salb_low

W1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER

per_salb_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER

per_salb_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER

per_salb_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER

per_salb_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[130\]](#)

V1 self.InRange(0,3) || self == null


M1 Value must be between 0 and 3

FLUSSBARSCH - EUROPEAN PERCH (PERCA FLUVIATILIS) OXYGEN REFERENCE LOADS

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER

per_oxyr_low

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER

per_oxyr_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER

per_oxyr_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER

per_oxyr_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER

per_oxyr_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[131\]](#)

V1 self.InRange(0,3) || self == null


M1 Value must be between 0 and 3

FLUSSBARSCH - EUROPEAN PERCH (PERCA FLUVIATILIS) OXYGEN BSAP

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER

per_oxyb_low

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER

per_oxyb_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER

per_oxyb_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER

per_oxyb_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER

per_oxyb_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[132\]](#)

V1 self.InRange(0,3) || self == null


M1 Value must be between 0 and 3

FLUSSBARSCH - EUROPEAN PERCH (PERCA FLUVIATILIS) OXYGEN WORST CASE

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER per_oxyw_low

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER per_oxyw_mod

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

High

NUMERIC: INTEGER per_oxyw_high

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER per_oxyw_vhigh

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER per_oxyw_dtq

I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 863 other symbols \[133\]](#)
V1 self.InRange(0,3) || self == null
M1 Value must be between 0 and 3

Comments:


TEXT per_com

ZANDER - PIKEPERCH (SANDER LUCIOPERCA)


STATIC TEXT

ZANDER - PIKEPERCH (SANDER LUCIOPERCA) TEMPERATURE SURFACE

STATIC TEXT




STATIC TEXT




Low	NUMERIC: INTEGERppe_tmps_low
V1 self.InRange(0,5) self == null	-----
M1 Value must be between 0 and 5	
Moderate	NUMERIC: INTEGERppe_tmps_mod
V1 self.InRange(0,5) self == null	-----
M1 Value must be between 0 and 5	
High	NUMERIC: INTEGERppe_tmps_high
V1 self.InRange(0,5) self == null	-----
M1 Value must be between 0 and 5	
Very high	NUMERIC: INTEGERppe_tmps_vhigh
V1 self.InRange(0,5) self == null	-----
M1 Value must be between 0 and 5	
Data Quality	NUMERIC: INTEGERppe_tmps_dtq
I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and And 864 other symbols [134]	-----
V1 self.InRange(0,3) self == null	
M1 Value must be between 0 and 3	

STATIC TEXT




STATIC TEXT




Low	NUMERIC: INTEGER	ppe_sals_low
W1 self.InRange(0,5) self == null	-----	
M1 Value must be between 0 and 5		
Moderate	NUMERIC: INTEGER	ppe_sals_mod
V1 self.InRange(0,5) self == null	-----	
M1 Value must be between 0 and 5		
High	NUMERIC: INTEGER	ppe_sals_high
V1 self.InRange(0,5) self == null	-----	
M1 Value must be between 0 and 5		
Very high	NUMERIC: INTEGER	ppe_sals_vhigh
V1 self.InRange(0,5) self == null	-----	
M1 Value must be between 0 and 5		
Data Quality	NUMERIC: INTEGER	ppe_sals_dtq
I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and And 864 other symbols [135]	-----	
V1 self.InRange(0,3) self == null		
M1 Value must be between 0 and 3		

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER ppe_tmpr_low

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER ppe_tmpr_mod

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

High

NUMERIC: INTEGER ppe_tmpr_high

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER ppe_tmpr_vhigh

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5


Data Quality

NUMERIC: INTEGER ppe_tmpr_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[136\]](#)
V1 self.InRange(0,3) || self == null
M1 Value must be between 0 and 3

ZANDER - PIKEPERCH (SANDER LUCIOPERCA) SALINITY BOTTOM

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER ppe_salb_low

W1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER ppe_salb_mod

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

High

NUMERIC: INTEGER ppe_salb_high

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER ppe_salb_vhigh

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5


Data Quality

NUMERIC: INTEGER ppe_salb_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[137\]](#)
V1 self.InRange(0,3) || self == null
M1 Value must be between 0 and 3

ZANDER - PIKEPERCH (SANDER LUCIOPERCA) OXYGEN REFERENCE LOADS

STATIC TEXT



STATIC TEXT




<p>Low</p> <p>V1 self.InRange(0,5) self == null</p> <p>M1 Value must be between 0 and 5</p>	<p>NUMERIC: INTEGER</p> <p>ppe_oxyr_low</p> <p>-----</p>
<p>Moderate</p> <p>V1 self.InRange(0,5) self == null</p> <p>M1 Value must be between 0 and 5</p>	<p>NUMERIC: INTEGER</p> <p>ppe_oxyr_mod</p> <p>-----</p>
<p>High</p> <p>V1 self.InRange(0,5) self == null</p> <p>M1 Value must be between 0 and 5</p>	<p>NUMERIC: INTEGER</p> <p>ppe_oxyr_high</p> <p>-----</p>
<p>Very high</p> <p>V1 self.InRange(0,5) self == null</p> <p>M1 Value must be between 0 and 5</p>	<p>NUMERIC: INTEGER</p> <p>ppe_oxyr_vhigh</p> <p>-----</p>
<p>Data Quality</p> <p>I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and And 864 other symbols [138]</p> <p>V1 self.InRange(0,3) self == null</p> <p>M1 Value must be between 0 and 3</p>	<p>NUMERIC: INTEGER</p> <p>ppe_oxyr_dtq</p> <p>-----</p>


ZANDER - PIKEPERCH (SANDER LUCIOPERCA)

OXYGEN BSAP

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER ppe_oxyb_low

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER ppe_oxyb_mod

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

High

NUMERIC: INTEGER ppe_oxyb_high

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER ppe_oxyb_vhigh

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5


Data Quality

NUMERIC: INTEGER ppe_oxyb_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[139\]](#)
V1 self.InRange(0,3) || self == null
M1 Value must be between 0 and 3

ZANDER - PIKEPERCH (SANDER LUCIOPERCA) OXYGEN WORST CASE

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER ppe_oxyw_low

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER ppe_oxyw_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER ppe_oxyw_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER ppe_oxyw_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER ppe_oxyw_dtq

I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 863 other symbols \[140\]](#)

V1 self.InRange(0,3) || self == null

M1 Value must be between 0 and 3

Comments:


TEXT ppe_com

HECHT - NORTHERN PIKE (ESOX LUCIUS)


STATIC TEXT

HECHT - NORTHERN PIKE (ESOX LUCIUS) TEMPERATURE SURFACE

STATIC TEXT



STATIC TEXT



Low	NUMERIC: INTEGER	pik_tmps_low
<div><div>v1 self.InRange(0,5) self == null</div><div>M1 Value must be between 0 and 5</div></div>	-----	
Moderate	NUMERIC: INTEGER	pik_tmps_mod
<div><div>v1 self.InRange(0,5) self == null</div><div>M1 Value must be between 0 and 5</div></div>	-----	
High	NUMERIC: INTEGER	pik_tmps_high
<div><div>v1 self.InRange(0,5) self == null</div><div>M1 Value must be between 0 and 5</div></div>	-----	
Very high	NUMERIC: INTEGER	pik_tmps_vhigh
<div><div>v1 self.InRange(0,5) self == null</div><div>M1 Value must be between 0 and 5</div></div>	-----	

Data Quality

NUMERIC: INTEGER pik_tmps_dtg


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[141\]](#)

V1 self.InRange(0,3) || self == null


M1 Value must be between 0 and 3

HECHT - NORTHERN PIKE (ESOX LUCIUS)
SALINITY SURFACE

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER pik_sals_low

W1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER pik_sals_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER pik_sals_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER pik_sals_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER pik_sals_dtg


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[142\]](#)

V1 self.InRange(0,3) || self == null


M1 Value must be between 0 and 3

HECHT - NORTHERN PIKE (ESOX LUCIUS)
TEMPERATURE BOTTOM

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER pik_tmplb_low

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER pik_tmplb_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER pik_tmplb_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER pik_tmplb_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER pik_tmpb_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[143\]](#)

V1 self.InRange(0,3) || self == null


M1 Value must be between 0 and 3

HECHT - NORTHERN PIKE (ESOX LUCIUS)
SALINITY BOTTOM

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER pik_salb_low

W1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER pik_salb_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER pik_salb_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER pik_salb_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER pik_salb_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[144\]](#)

V1 self.InRange(0,3) || self == null


M1 Value must be between 0 and 3

HECHT - NORTHERN PIKE (ESOX LUCIUS)
OXYGEN REFERENCE LOADS

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER pik_oxyr_low

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER pik_oxyr_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER pik_oxyr_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER pik_oxyr_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER pik_oxyr_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[145\]](#)

V1 self.InRange(0,3) || self == null


M1 Value must be between 0 and 3

HECHT - NORTHERN PIKE (ESOX LUCIUS)
OXYGEN BSAP

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER pik_oxyb_low

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER pik_oxyb_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER pik_oxyb_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER pik_oxyb_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER pik_oxyb_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[146\]](#)

V1 self.InRange(0,3) || self == null


M1 Value must be between 0 and 3

HECHT - NORTHERN PIKE (ESOX LUCIUS)
OXYGEN WORST CASE

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER pik_oxyw_low

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER pik_oxyw_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER pik_oxyw_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER pik_oxyw_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5


Data Quality	NUMERIC: INTEGERpik_oxyw_dtq
<div>I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and And 863 other symbols [147]</div> <div>V1 self.InRange(0,3) self == null</div> <div>M1 Value must be between 0 and 3</div>	<div>-----</div>
Comments:	TEXTpik_com

AALMUTTER - EELPOUT (ZOARCES VIVIPARUS)


STATIC TEXT

AALMUTTER - EELPOUT (ZOARCES VIVIPARUS) TEMPERATURE SURFACE

STATIC TEXT



STATIC TEXT




Low	NUMERIC: INTEGER	eep_tmps_low
V1 self.InRange(0,5) self == null	-----	
M1 Value must be between 0 and 5		
Moderate	NUMERIC: INTEGER	eep_tmps_mod
V1 self.InRange(0,5) self == null	-----	
M1 Value must be between 0 and 5		
High	NUMERIC: INTEGER	eep_tmps_high
V1 self.InRange(0,5) self == null	-----	
M1 Value must be between 0 and 5		
Very high	NUMERIC: INTEGER	eep_tmps_vhigh
V1 self.InRange(0,5) self == null	-----	
M1 Value must be between 0 and 5		
Data Quality	NUMERIC: INTEGER	eep_tmps_dtq
I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and And 864 other symbols [148]	-----	
V1 self.InRange(0,3) self == null		
M1 Value must be between 0 and 3		


AALMUTTER - EELPOUT (ZOARCES VIVIPARUS)

SALINITY SURFACE

STATIC TEXT



STATIC TEXT




Low	NUMERIC: INTEGER	eep_sals_low
W1 self.InRange(0,5) self == null	-----	
M1 Value must be between 0 and 5		
Moderate	NUMERIC: INTEGER	eep_sals_mod
V1 self.InRange(0,5) self == null	-----	
M1 Value must be between 0 and 5		
High	NUMERIC: INTEGER	eep_sals_high
V1 self.InRange(0,5) self == null	-----	
M1 Value must be between 0 and 5		
Very high	NUMERIC: INTEGER	eep_sals_vhigh
V1 self.InRange(0,5) self == null	-----	
M1 Value must be between 0 and 5		
Data Quality	NUMERIC: INTEGER	eep_sals_dtq
I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and And 864 other symbols [149]	-----	
V1 self.InRange(0,3) self == null		
M1 Value must be between 0 and 3		


AALMUTTER - EELPOUT (ZOARCES VIVIPARUS)

TEMPERATURE BOTTOM

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER

eep_tmpb_low

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER

eep_tmpb_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER

eep_tmpb_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER

eep_tmpb_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER

eep_tmpb_dtq

I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[150\]](#)


V1 self.InRange(0,3) || self == null

M1 Value must be between 0 and 3


AALMUTTER - EELPOUT (ZOARCES VIVIPARUS)

SALINITY BOTTOM

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER

eep_salb_low

W1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER

eep_salb_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER

eep_salb_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER

eep_salb_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER

eep_salb_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[151\]](#)

V1 self.InRange(0,3) || self == null


M1 Value must be between 0 and 3

AALMUTTER - EELPOUT (ZOARCES VIVIPARUS) OXYGEN REFERENCE LOADS

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER

eep_oxyr_low

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER

eep_oxyr_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER

eep_oxyr_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER

eep_oxyr_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER

eep_oxyr_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[152\]](#)

V1 self.InRange(0,3) || self == null


M1 Value must be between 0 and 3

AALMUTTER - EELPOUT (ZOARCES VIVIPARUS)
OXYGEN BSAP

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER

eep_oxyb_low

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER

eep_oxyb_mod

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

High

NUMERIC: INTEGER

eep_oxyb_high

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER

eep_oxyb_vhigh

V1 self.InRange(0,5) || self == null

M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER

eep_oxyb_dtq


I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 864 other symbols \[153\]](#)

V1 self.InRange(0,3) || self == null


M1 Value must be between 0 and 3

AALMUTTER - EELPOUT (ZOARCES VIVIPARUS) OXYGEN WORST CASE

STATIC TEXT



STATIC TEXT



Low

NUMERIC: INTEGER eep_oxyw_low

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Moderate

NUMERIC: INTEGER eep_oxyw_mod

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

High

NUMERIC: INTEGER eep_oxyw_high

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Very high

NUMERIC: INTEGER eep_oxyw_vhigh

V1 self.InRange(0,5) || self == null
M1 Value must be between 0 and 5

Data Quality

NUMERIC: INTEGER eep_oxyw_dtq

I Score Description 3 "Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and [And 863 other symbols \[154\]](#)
V1 self.InRange(0,3) || self == null
M1 Value must be between 0 and 3

Comments:

TEXT eep_com

FINAL COMMENTS

Last comments, feedback or ideas:	<div>TEXT</div> <div>fin_com</div> <div></div>
-----------------------------------	--

[11] her_salb_dtq: Data Quality

[12] her_oxyr_dtq: Data Quality

[13] her_oxyb_dtq: Data Quality

[14] her_oxyw_dtq: Data Quality

[15] spr_tmpr_dtq: Data Quality

[16] spr_sals_dtq: Data Quality

[17] spr_tmpb_dtq: Data Quality

[18] spr_salb_dtq: Data Quality

[19] spr_oxyr_dtq: Data Quality

APPENDIX A — INSTRUCTIONS

[40] tur_oxyr_dtq: Data Quality

[41] tur oxyb dtq: Data Quality

[42] tur oxvw dtg: Data Quality

[43] [bri tmps dtq: Data Quality](#)

[44] bri sals dtg: Data Quality

[45] bri tmpb dtg: Data Quality

[46] bri salb dtg: Data Quality

[47] [bri_oxyr_dtg](#): Data Quality

[48] [bri oxyb dtq: Data Quality](#)

[49] bri oxyw dtq: Data Quality

[50] dab tmps dtq: Data Quality

[51] dab_sals_dtq: Data Quality

[52] [dab tmpb dtg: Data Quality](#)

[53] [dab_salb_dtq](#): Data Quality

[54] dab_oxyr_dtq: Data Quality

[55] dab_oxyb_dtq: Data Quality

[56] `dab_oxyw_dtq`: Data Quality

[57] flo_tmps_dtq: Data Quality

[58] flo_sals_dtq: Data Quality

179 / 190

forming an expert opinion. "

Score	Description
3	"Adequate Data. The score is based on data which have been observed, modeled or empirically measured for the species in question and comes from a reputable source."
2	"Limited Data. The score is based on data which has a high degree of uncertainty. The data used to score the attribute may be based on related or similar species."

[79] mul_sals_dtq: Data Quality

[80] `mul tmpb dtq: Data Quality`

[81] [mul_salb_dtg](#): Data Quality

[82] [mul_oxyr_dtq](#): Data Quality

[83] mul oxyb dtg: Data Quality

[84] mul oxyw dtg: Data Quality

[85] gar_tmpr_dtq: Data Quality

[86] qar_sals_dtq: Data Quality

[87] gar tmpb dtg: Data Quality

[88] qar salb dtq: Data Quality

[118] [trt_oxyb_dtq](#): Data Quality

[119] [trt oxyw dtg: Data Quality](#)

[120] eel tmps dtg: Data Quality

[121] eel sals dtg: Data Quality

[122] eel tmpb dtg: Data Quality

[123] eel salb dtg: Data Quality

[124] eel oxvr dtg: Data Ouality

[125] eel oxyb dtg: Data Quality

[126] eel oxyw dtg: Data Quality

[127] per tmps dtg: Data Quality

[128] per_sals_dtq: Data Quality

[129] `per_tmpb_dtq`: Data Quality

[130] per_salb_dtq: Data Quality

[131] `per_oxyr_dtq`: Data Quality

[132] per_oxyb_dtq: Data Quality

[133] per_oxyw_dtq: Data Quality

[134] ppe_tmpr_dtq: Data Quality

[135] ppe_sals_dtq: Data Quality

[136] ppe_tmprb_dtq: Data Quality

APPENDIX A — INSTRUCTIONS

Legend and structure of information in this file

Name of section		Type of question, scope		Variable name
Enabling condition for this section	Question title	Answer options		
E s4_other_sources_which.Contains(98)	SECTION 5: OTHER INCOME SOURCES			
Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur?		MULTI-SELECT SCOPE: PREFILLED		s4_rel_leaders_other
I This refers to family relations E s3_time_other > 0 V1 s4_rel_leaders_which.Contains(98) M1 Can not be itself V2 (s3_time_other_breeding_advice <= (50 - s3_time_art_insem_advice)) s3_time_other_breeding_advice == 0 M2 This person is not in the list F optioncode != s5_ignored_option_code		01 <input type="checkbox"/> Community animal health workers 02 <input type="checkbox"/> Private 03 <input type="checkbox"/> Government 04 <input type="checkbox"/> Livestock keepers association 05 <input type="checkbox"/> NGO And 5 other [13]		
Additional information: "I" – Question instruction "E" – Enabling condition "V1" – Validation condition №1 "M1" – Message for validation №1 "F" – Filter in Categorical questions		Link to full set in appendix		

Breadcrumbs	
Type or roster	Roster Title
CHAPTER 3 IDENTIFICATION / Roster: generated by fixed list:	LEADER RELATION DETAILS
01 Ward Livestock Officer 02 Village Livestock Officer 99 Other (specify)	
List items	