

```
transact to Payroll.addFund pending ...

[vm] from:0xca3...a733c, to:Payroll.addFund() 0xac5...15401, value:1000000000000000000
000 wei, data:0xa2f...09dfa, 0 logs, hash:0x9e1...0ba60
```

Details Debug

```
call to Payroll.owner

[call] from:0xca35b7d915458ef540ade6068dfe2f44e8fa733c, to:Payroll.owner(), data:8da5
c...5cb5b, return:
{
  "0": "address: 0xca35b7d915458ef540ade6068dfe2f44e8fa733c"
}
```

Details Debug

[illegible][illegible]

transact to Payroll.removeEmployee pending ...

[vm] from:0xca3...a733c, to:Payroll.removeEmployee(address) 0xac5...15401, value:0 wei, data:0xd10...fcddf, 0 logs, hash:0xdd8...e5f14

Details Debug

status	0x1 Transaction mined and execution succeed
from	0xca35b7d915458ef540ade6068dfe2f44e8fa733c
to	Payroll.removeEmployee(address) 0xac56b664c949c5269d8f57c8a38b99265a915401
gas	3000000 gas
transaction cost	38977 gas
execution cost	55274 gas
hash	0xdd805765d992b970994fc6fa936a373ce9baec6af9cec1defebde66671fe5f14
input	0xd108177a000000000000000000000000cc2e0f04b8a0b1d7bc856f635cd09418e96fcddf
decoded input	{ "address employeeId": "0xcc2e0f04b8a0b1d7bc856f635cd09418e96fcddf" }
decoded output	{}
logs	[]
value	0 wei

transact to Payroll.addEmployee pending ...

[vm] from:0xca3...a733c, to:Payroll.addEmployee(address,uint256) 0xac5...15401, value:0 wei, data:0xe7f...00001, 0 logs, hash:0xdc5...2e7ef

Details Debug

transact to Payroll.getPaid pending ...

[vm] from:0xca3...a733c, to:Payroll.getPaid() 0xac5...15401, value:0 wei, data:0xcf4...1d6f8, 0 logs, hash:0xf1...f1e58

Details Debug

status	0x1 Transaction mined and execution succeed
from	0xca35b7d915458ef540ade6068dfe2f44e8fa733c
to	Payroll.getPaid() 0xac56b664c949c5269d8f57c8a38b99265a915401
gas	3000000 gas
transaction cost	35327 gas
execution cost	14055 gas
hash	0x0f1858e48390dc9010f636962718b13c36a3a5a66b47efcdaca246a4f1df1e58
input	0xcf41d6f8
decoded input	{}
decoded output	{}
logs	[]
value	0 wei

```
[vm] from:0xca3...a733c, to:Payroll.calculateRunway() 0xac5...15401, value:0 wei, dat
a:0xa4ec...19512, 0 logs, hash:0xdbc...45dc2
```

status	0x1 Transaction mined and execution succeed
from	0xca35b7d915458ef540ade6068dfe2f44e8fa733c
to	Payroll.calculateRunway() 0xac56b664c949c5269d8f57c8a38b99265a915401
gas	3000000 gas
transaction cost	22200 gas
execution cost	928 gas
hash	0xdbcce4829800703c5dbd3213e3507dc4f10ba03d5646d5cab564e56588145dc2
input	0x4ec19512
decoded input	{}
decoded output	{ "0": "uint256: 25" }
logs	[]
value	0 wei

```
[vm] from:0xca3...a733c, to:Payroll.updateEmployee(address,uint256) 0xac5...15401, value:0 wei, data:0x5e9...00002, 0 logs, hash:0x379...497c5
```

status	0x1 Transaction mined and execution succeed
from	0xca35b7d915458ef540ade6068dfe2f44e8fa733c 📄
to	Payroll.updateEmployee(address,uint256) 0xac56b664c949c5269d8f57c8a38b99265a915401 📄
gas	3000000 gas 📄
transaction cost	67412 gas 📄
execution cost	44540 gas 📄
hash	0x379e31b926797a6791344e724fd063f93e0dc61af23afa90b8ea5b6a82497c5 📄
input	0x5e91d8ec000000000000000000000000ce2e0f04b8a0b1d7bc856f635cd09418e96fcddf000000000 0002 📄
decoded input	{ "address employeeId": "0xce2e0f04b8a0b1d7bc856f635cd09418e96fcddf", "uint256 salary": "2" } 📄
decoded output	{}
logs	[] 📄 📄
value	0 wei 📄

```
[vm] from:0xca3...a733c, to:0xac56b664c949c5269d8f57c8a38b99265a915401 0xac5...15401,
value:0 wei, data:0xf2f...c160c, 0 logs, hash:0xd39...af434
```

status	0x1 Transaction mined and execution succeed
from	0xca35b7d915458ef540ade6068dfe2f44e8fa733c
to	0xac56b664c949c5269d8f57c8a38b99265a915401 0xac56b664c949c5269d8f57c8a38b99265a915401
gas	3000000 gas
transaction cost	30394 gas
execution cost	7714 gas
hash	0xd397f6454188f62548cf5463e925700e3df59be4415f87ffe7360cf124baf434
input	0xf2fde38b00000000000000000000000000000014723a09acf6d2a60dcdf7aa4aff308fddc160c
logs	" - "
value	0 wei

