## **ASCII Code - The extended ASCII table**

**ASCII**, stands for American Standard Code for Information Interchange. It's a 7-bit character code where every single bit represents a unique character. On this webpage you will find 8 bits, 256 characters, ASCII table according to Windows-1252 (code page 1252) which is a superset of ISO 8859-1 in terms of printable characters. In the range 128 to 159 (hex 80 to 9F), ISO/IEC 8859-1 has invisible control characters, while Windows-1252 has writable characters. Windows-1252 is probably the most-used 8-bit character encoding in the world.

## ASCII control characters (character code 0-31)

The first 32 characters in the ASCII-table are unprintable control codes and are used to control peripherals such as printers.

DEC	ОСТ	HEX	BIN	Symbol	HTML Number	HTML Name	Description
0	000	00	00000000	NUL	�		Null char
1	001	01	0000001	SOH			Start of Heading
2	002	02	00000010	STX			Start of Text
3	003	03	00000011	ETX			End of Text
4	004	04	00000100	EOT			End of Transmission
5	005	05	00000101	ENQ			Enquiry
6	006	06	00000110	ACK			Acknowledgment
7	007	07	00000111	BEL			Bell
8	010	08	00001000	BS			Back Space
9	011	09	00001001	HT			Horizontal Tab
10	012	0A	00001010	LF			Line Feed
11	013	OB	00001011	VT			Vertical Tab
12	014	0C	00001100	FF			Form Feed
13	015	0D	00001101	CR			Carriage Return
14	016	0E	00001110	SO			Shift Out / X-On
15	017	0F	00001111	SI			Shift In / X-Off
16	020	10	00010000	DLE			Data Line Escape
17	021	11	00010001	DC1			Device Control 1 (oft. XON)
18	022	12	00010010	DC2			Device Control 2
19	023	13	00010011	DC3			Device Control 3 (oft. XOFF)
20	024	14	00010100	DC4			Device Control 4
21	025	15	00010101	NAK			Negative Acknowledgement
22	026	16	00010110	SYN			Synchronous Idle
23	027	17	00010111	ETB			End of Transmit Block
24	030	18	00011000	CAN			Cancel
25	031	19	00011001	EM			End of Medium
26	032	1A	00011010	SUB			Substitute
27	033	1B	00011011	ESC			Escape
28	034	1C	00011100	FS			File Separator
29	035	1D	00011101	GS			Group Separator
30	036	1E	00011110	RS			Record Separator
31	037	1F	00011111	US			Unit Separator

ASCII printable characters (character code 32-127)

Codes 32-127 are common for all the different variations of the ASCII table, they are called printable characters, represent letters, digits, punctuation marks, and a few miscellaneous symbols. You will find almost every character on your keyboard. Character 127 represents the command DEL.

						LITTAL AL .		5
	DEC	ОСТ	HEX	BIN	Symbol	HTML Number	HTML Name	Description
•	32	040	20	00100000				Space
•	33	041	21	00100001	!	!		Exclamation mark
<b>•</b>	34	042	22	00100010	"	"	"	Double quotes (or speech marks)
•	35	043	23	00100011	#	#		Number
<b>•</b>	36	044	24	00100100	\$	\$		Dollar
•	37	045	25	00100101	%	%		Per cent sign
•	38	046	26	00100110	&	&	&	Ampersand
•	39	047	27	00100111	1	'	1.	Single quote
	40	050	28	00101000	(	(		Open parenthesis (or open bracket)
			29	00101000				
•	41	051			*	8,#41;		Close parenthesis (or close bracket)
	42	052	2A	00101010		*		Asterisk
•	43	053	2B	00101011	+	+		Plus
•	44	054	2C	00101100	,	,		Comma
<b>•</b>	45	055	2D	00101101	-	-		Hyphen
<b>••</b>	46	056	2E	00101110		.		Period, dot or full stop
<b>•</b>	47	057	2F	00101111	/	/		Slash or divide
•	48	060	30	00110000	0	0		Zero
•	49	061	31	00110001	1	1		One
•	50	062	32	00110010	2	2		Two
	51	063	33	00110011	3	3		Three
	52	064	34	00110100	4	4		Four
	53	065	35	00110101	5	5		Five
0	54	066	36	00110101	6			Six
8	55	067	37		7	6		
				00110111		7		Seven
	56	070	38	00111000	8	8		Eight
	57	071	39	00111001	9	9		Nine
•	58	072	3A	00111010	:	:		Colon
•	59	073	3B	00111011	;	;		Semicolon
•	60	074	3C	00111100	<	<	<	Less than (or open angled bracket)
<b>•</b>	61	075	3D	00111101	=	=		Equals
•	62	076	3E	00111110	>	>	>	Greater than (or close angled bracket)
•	63	077	3F	00111111	?	?		Question mark
<b>••</b>	64	100	40	01000000	@	@		At symbol
•	65	101	41	01000001	Α	A		Uppercase A
•	66	102	42	01000010	В	B		Uppercase B
•	67	103	43	01000011	C	C		Uppercase C
•	68	104	44	01000100	D	D		Uppercase D
•	69	105	45	01000101	E	E		Uppercase E
<b></b>	70	106	46	01000110	F	F		Uppercase F
•	71	107	47	01000111	G	G		Uppercase G
•	72	110	48	01001000	Н	H		Uppercase H
	73	111	49	01001001	1	I		Uppercase I
8	74	112	4A	01001001	J	J		Uppercase J
0	75	113	4B	01001010	K	K		Uppercase K
0	76		4C		L			
		114		01001100		L		Uppercase L
	77	115	4D	01001101	M	M		Uppercase M
•	78	116	4E	01001110	N	N		Uppercase N
<b>•</b>	79	117	4F	01001111	0	O		Uppercase O
•	80	120	50	01010000	P	P		Uppercase P
•	81	121	51	01010001	Q	Q		Uppercase Q
<b>•</b>	82	122	52	01010010	R	R		Uppercase R
<b>•</b>	83	123	53	01010011	S	S		Uppercase S
•	84	124	54	01010100	T	T		Uppercase T
•	85	125	55	01010101	U	U		Uppercase U
•	86	126	56	01010110	V	V		Uppercase V
•	87	127	57	01010111	W	W		Uppercase W
	88	130	58	01011000	X	X		Uppercase X
	89	131	59	01011001	Υ	Y		Uppercase Y
	90	132	5A	01011010	Z	Z		Uppercase Z
0	91	133	5B	01011010	[	[		Opening bracket
8	92	134	5C					Backslash
•	ブム	154	JC	01011100	\	\		חמרעפומפון

	DEC	ОСТ	HEX	BIN	Symbol	HTML Number	HTML Name	Description
#	93	135	5D	01011101	]	]		Closing bracket
<b>•</b>	94	136	5E	01011110	٨	^		Caret - circumflex
#	95	137	5F	01011111	_	_		Underscore
•	96	140	60	01100000	`	`		Grave accent
•	97	141	61	01100001	а	a		Lowercase a
•	98	142	62	01100010	b	b		Lowercase b
+	99	143	63	01100011	С	c		Lowercase c
-	100	144	64	01100100	d	d		Lowercase d
+	101	145	65	01100101	е	e		Lowercase e
+	102	146	66	01100110	f	f		Lowercase f
+	103	147	67	01100111	g	g		Lowercase g
+	104	150	68	01101000	h	h		Lowercase h
+	105	151	69	01101001	i	i		Lowercase i
+	106	152	6A	01101010	j	j		Lowercase j
+	107	153	6B	01101011	k	k		Lowercase k
+	108	154	6C	01101100	I	l		Lowercase I
+	109	155	6D	01101101	m	m		Lowercase m
•	110	156	6E	01101110	n	n		Lowercase n
+	111	157	6F	01101111	0	o		Lowercase o
+	112	160	70	01110000	р	p		Lowercase p
+	113	161	71	01110001	q	q		Lowercase q
+	114	162	72	01110010	r	r		Lowercase r
+	115	163	73	01110011	S	s		Lowercase s
	116	164	74	01110100	t	t		Lowercase t
+	117	165	75	01110101	u	u		Lowercase u
+	118	166	76	01110110	V	v		Lowercase v
+	119	167	77	01110111	w	w		Lowercase w
+	120	170	78	01111000	х	x		Lowercase x
•	121	171	79	01111001	у	y		Lowercase y
•	122	172	7A	01111010	Z	z		Lowercase z
•	123	173	7B	01111011	{	{		Opening brace
•	124	174	7C	01111100	1			Vertical bar
-	125	175	7D	01111101	}	}		Closing brace
•	126	176	7E	01111110	~	~		Equivalency sign - tilde
+	127	177	7F	01111111				Delete

## The extended ASCII codes (character code 128-255)

There are several different variations of the 8-bit ASCII table. The table below is according to Windows-1252 (CP-1252) which is a superset of ISO 8859-1, also called ISO Latin-1, in terms of printable characters, but differs from the IANA's ISO-8859-1 by using displayable characters rather than control characters in the 128 to 159 range. Characters that differ from ISO-8859-1 is marked by light blue color.

	DEC	ОСТ	HEX	BIN	Symbol	HTML Number	HTML Name	Description
•	128	200	80	10000000	€	€	€	Euro sign
+	129	201	81	10000001				
0	130	202	82	10000010	,	'	'	Single low-9 quotation mark
•	131	203	83	10000011	f	ƒ	ƒ	Latin small letter f with hook
+	132	204	84	10000100	"	"	"	Double low-9 quotation mark
	133	205	85	10000101		…	…	Horizontal ellipsis
3	134	206	86	10000110	+	†	†	Dagger
3	135	207	87	10000111	‡	‡	‡	Double dagger
3	136	210	88	10001111		ˆ	ˆ	Modifier letter circumflex accent
•				10001000				Per mille sign
	137	211	89		% <sub>0</sub>	‰	‰	-
3	138	212	8A	10001010	Š	Š	Š	Latin capital letter S with caron
3	139	213	8B	10001011	·	‹	‹	Single left-pointing angle quotation
3	140	214	8C	10001100	Œ	Œ	Œ	Latin capital ligature OE
•	141	215	8D	10001101				
•	142	216	8E	10001110	Ž	Ž		Latin capital letter Z with caron
•	143	217	8F	10001111				
Ð	144	220	90	10010000				
•	145	221	91	10010001	,	'	'	Left single quotation mark
•	146	222	92	10010010	,	'	'	Right single quotation mark
	147	223	93	10010011	и	"	"	Left double quotation mark
•	148	224	94	10010100	и	"	"	Right double quotation mark
•	149	225	95	10010101		•	•	Bullet
	150	226	96	10010110	_	–	–	En dash
•	151	227	97	10010111	_	—	—	Em dash
	152	230	98	10011000	~	˜	˜	Small tilde
3	153	231	99	10011001	тм	™	™	Trade mark sign
•	154	232	9A		š	š		Latin small letter S with caron
	-			10011010		-	š	
	155	233	9B	10011011	>	›	›	Single right-pointing angle quotation mark
	156	234	9C	10011100	œ	œ	œ	Latin small ligature oe
3	157	235	9D	10011101				
+	158	236	9E	10011110	ž	ž		Latin small letter z with caron
+	159	237	9F	10011111	Ÿ	Ÿ	Ÿ	Latin capital letter Y with diaeresis
+	160	240	A0	10100000				Non-breaking space
÷	161	241	A1	10100001	i	¡	¡	Inverted exclamation mark
#	162	242	A2	10100010	¢	¢	¢	Cent sign
•	163	243	A3	10100011	£	£	£	Pound sign
+	164	244	A4	10100100	¤	¤	¤	Currency sign
÷	165	245	A5	10100101	¥	¥	¥	Yen sign
•	166	246	A6	10100110	1	¦	¦	Pipe, Broken vertical bar
	167	247	A7	10100111	§	§	§	Section sign
3	168	250	A8	10101000		¨	¨	Spacing diaeresis - umlaut
•	169	251	A9	10101001	©	©	&сору;	Copyright sign
3	170	252	AA	10101010	a	ª	ª	Feminine ordinal indicator
3	171	253	AB	10101010	«	ª, «	«	Left double angle quotes
	-							<u> </u>
2	172	254	AC	10101100	٦	¬	¬	Not sign
9	173	255	AD	10101101		­	­	Soft hyphen
3	174	256	AE	10101110	® _	®	®	Registered trade mark sign
3	175	257	AF	10101111	-	¯	¯	Spacing macron - overline
3	176	260	В0	10110000	۰	°	°	Degree sign
•	177	261	B1	10110001	±	±	±	Plus-or-minus sign
	178	262	B2	10110010	2	²	²	Superscript two - squared
•	179	263	В3	10110011	3	³	³	Superscript three - cubed
3	180	264	B4	10110100	,	´	´	Acute accent - spacing acute
•	181	265	B5	10110101	μ	µ	µ	Micro sign
•	182	266	В6	10110110	1	¶	¶	Pilcrow sign - paragraph sign
•	183	267	В7	10110111		·	·	Middle dot - Georgian comma
•	184	270	B8	10111000		¸	¸	Spacing cedilla
	185	271	B9	10111001	1	¹	¹	Superscript one
	186	272	BA	10111010	0	¹ º	-	Masculine ordinal indicator
							º	
•	187	273	BB	10111011	»	»	»	Right double angle quotes
+	188	274	BC	10111100	1/4	¼	¼	Fraction one quarter

	DEC	ОСТ	HEX	BIN	Symbol	HTML Number	HTML Name	Description
•	189	275	BD	10111101	1/2	½	½	Fraction one half
1	190	276	BE	10111110	3/4	¾	¾	Fraction three quarters
	191	277	BF	10111111	ż	¿	¿	Inverted question mark
	192	300	C0	11000000	À	À	À	Latin capital letter A with grave
	193	301	C1	11000001	Á	Á	Á	Latin capital letter A with acute
	194	302	C2	11000010	Â	Â	Â	Latin capital letter A with circumflex
	195	303	C3	11000011	Ã	Ã	Ã	Latin capital letter A with tilde
	196	304	C4	11000100	Ä	Ä	Ä	Latin capital letter A with diaeresis
)	197	305	C5	11000101	Å	Å	Å	Latin capital letter A with ring above
	198	306	C6	11000110	Æ	Æ	Æ	Latin capital letter AE
	199	307	C7	11000110	Ç	Ç	Ç	Latin capital letter C with cedilla
		310	C8		È			
<u> </u> 	200			11001000	É	È	È	Latin capital letter E with grave
	201	311	C9	11001001		É	É	Latin capital letter E with acute
_	202	312	CA	11001010	Ê	Ê	Ê	Latin capital letter E with circumflex
	203	313	СВ	11001011	Ë	Ë	Ë	Latin capital letter E with diaeresis
	204	314	CC	11001100	ì	Ì	&lgrave	Latin capital letter I with grave
	205	315	CD	11001101	ĺ	Í	ĺ	Latin capital letter I with acute
	206	316	CE	11001110	Î	Î	&lcirc	Latin capital letter I with circumflex
	207	317	CF	11001111	Ϊ	Ï	&luml	Latin capital letter I with diaeresis
	208	320	D0	11010000	Đ	Ð	Ð	Latin capital letter ETH
	209	321	D1	11010001	Ñ	Ñ	Ñ	Latin capital letter N with tilde
	210	322	D2	11010010	Ò	Ò	Ò	Latin capital letter O with grave
•	211	323	D3	11010011	Ó	Ó	Ó	Latin capital letter O with acute
	212	324	D4	11010100	ô	Ô	Ô	Latin capital letter O with circumflex
	213	325	D5	11010101	Õ	Ô Õ	Õ	Latin capital letter O with tilde
	214	326	D6	11010101	Ö	Ö	Ö	·
								Latin capital letter O with diaeresis
	215	327	D7	11010111	×	×	×	Multiplication sign
	216	330	D8	11011000	Ø	Ø	Ø	Latin capital letter O with slash
	217	331	D9	11011001	Ù	Ù	Ù	Latin capital letter U with grave
_	218	332	DA	11011010	Ú	Ú	Ú	Latin capital letter U with acute
1	219	333	DB	11011011	Û	Û	Û	Latin capital letter U with circumflex
1	220	334	DC	11011100	Ü	Ü	Ü	Latin capital letter U with diaeresis
	221	335	DD	11011101	Ý	Ý	Ý	Latin capital letter Y with acute
	222	336	DE	11011110	Þ	Þ	Þ	Latin capital letter THORN
1	223	337	DF	11011111	В	ß	ß	Latin small letter sharp s - ess-zed
1	224	340	EO	11100000	à	à	à	Latin small letter a with grave
•	225	341	E1	11100001	á	á	á	Latin small letter a with acute
•	226	342	E2	11100010	â	â	â	Latin small letter a with circumflex
	227	343	E3	11100010	ã	ã	ã	Latin small letter a with tilde
		-						
_	228	344	E4	11100100	ä	ä	ä	Latin small letter a with diaeresis
	229	345	E5	11100101	å	å	å	Latin small letter a with ring above
	230	346	E6	11100110	æ	æ	æ	Latin small letter ae
_	231	347	E7	11100111	Ç	ç	ç	Latin small letter c with cedilla
	232	350	E8	11101000	è	è	è	Latin small letter e with grave
1	233	351	E9	11101001	é	é	é	Latin small letter e with acute
	234	352	EA	11101010	ê	ê	ê	Latin small letter e with circumflex
•	235	353	EB	11101011	ë	ë	ë	Latin small letter e with diaeresis
	236	354	EC	11101100	ì	ì	ì	Latin small letter i with grave
	237	355	ED	11101101	í	í	í	Latin small letter i with acute
	238	356	EE	11101110	î	î	î	Latin small letter i with circumflex
	239	357	EF	11101111	ï	ï	ï	Latin small letter i with diaeresis
	240	360	F0		ð			Latin small letter it with diaeresis  Latin small letter eth
_			-	11110000		ð	ð	
_	241	361	F1	11110001	ñ	ñ	ñ	Latin small letter n with tilde
_	242	362	F2	11110010	ò	ò	ò	Latin small letter o with grave
	243	363	F3	11110011	ó	ó	ó	Latin small letter o with acute
	244	364	F4	11110100	ô	ô	ô	Latin small letter o with circumflex
	245	365	F5	11110101	õ	õ	õ	Latin small letter o with tilde
	246	366	F6	11110110	ö	ö	ö	Latin small letter o with diaeresis
•	247	367	F7	11110111	÷	÷	÷	Division sign
1	248	370	F8	11111000	ø	ø	ø	Latin small letter o with slash
•	249	371	F9	11111001	ù	ù	ù	Latin small letter u with grave
•	250	372	FA	11111010	ú	ú	ú	Latin small letter u with acute
	251	373	FB		û	ú û	û	Latin small letter u with circumflex
				11111011				
1	252	374	FC	11111100	ü	ü	ü	Latin small letter u with diaeresis
ŧ.	253	375	FD	11111101	ý	ý	ý	Latin small letter y with acute

	DEC	OCT	HEX	BIN	Symbol	HTML Number	HTML Name	Description
•	254	376	FE	11111110	þ	þ	þ	Latin small letter thorn
	255	377	FF	11111111	ÿ	ÿ	ÿ	Latin small letter y with diaeresis

Copyright © 2005-2018 Injosoft AB. All Rights Reserved.

6 sur 6