

0) Resumo e conclusões (executivo)

Status do OOS (walk-forward)

- **OOS: FAILED** — OOS_FAILED: returncode=1
- Log: logs/daily_reports/20260307/oos_run.log
- **Banca real (saldo atual):** 58.0
- **P&L (hoje / semana / mês):** 0.0 / 0.0 / 0.0

Principais causas de perda de throughput (24h)

- v5.2-api-back: **API_FAILED ×71** — No PMMs received (waited 4.0s)
- v5.4-ws-reversal-lay: **API_FAILED ×19** — No PMMs received (waited 4.0s)
- v5.1-ws-gate-lay: **API_FAILED ×15** — No PMMs received (waited 4.0s)
- v5.2-api-back: **API_FETCH_FAILED ×14** — Failed to fetch
- v5.2-api-back: **API_CTX_DESTROYED ×13** — Page.evaluate: Execution context was destroyed, most likely because of a navigation
- v5.2-api-back: **API_FAILED ×13** — No PMMs received (waited 4.1s)

Conversão (últimas 24h; auditoria DB)

- OK/total: **185/1188** (15.6%)
- OK_valid/total: **86/1188** (7.2%)

Saúde do executor (proxy por gaps no JSONL)

- Janela: 2026-02-26T16:46:23.085696+00:00 → 2026-03-07T21:56:28.729266+00:00 (n=234)
- Maior gap: 406947.8s | gaps>5min: 104 | gaps>15min: 71

Prontidão para LIVE (go/no-go)

Critério	Atual	Alvo	Status
Live liberado (EXECUTOR_ALLOW_LIVE)	True	True	OK
OK_valid/total (24h, DB)	7.2%	≥5.0%	OK
API_FAILED/total (24h, DB)	18.4%	≤20.0%	OK
STALE_QUEUE_WAIT/total (24h, DB)	6.6%	≤10.0%	OK
No PMMs received (24h, DB)	129	≤0	FAIL
too_many_open_betslips (24h, DB)	6	≤0	FAIL
Latência p90 call_to_done_ms (sucessos)	15194ms	≤8000ms	FAIL
Gaps >15min no executor_jsonl (proxy)	71	≤8	FAIL

Veredito: NÃO APTO

Motivos (prioridade)

- erros No PMMs received presentes
- erros too_many_open_betslips presentes

Próximos passos recomendados (para destravar LIVE)

- Atacar No PMMs received (timeout/min_wait/idle + estabilidade de sessão) antes de aumentar volume.
- Zerar too_many_open_betslips (caps/janelas + cleanup agressivo) para evitar bloqueio global.
- Reduzir STALE_QUEUE_WAIT (fila/concurrency) para não operar atrasado.

Conclusões operacionais (prioridades)

- **Objetivo 1 (conversão):** reduzir API_FAILED (especialmente No PMMs received) e STALE_QUEUE_WAIT para aumentar taxa de execução sem inflar risco.
- **Objetivo 2 (governança de risco):** consolidar sizing/limites (banca teórica vs banca real) e travas para evitar picos (too_many_open_betslips, rate limit, backoff).
- **Objetivo 3 (qualidade de entrada):** acompanhar slippage **com sinal** e seu impacto em ROI por bucket (negativo/flat/positivo) para validar edge e execução.

1) Resultados reais (shadow/live)

P&L real por dia (semana corrente)

Dia	P&L
2026-02-27	-6.14
2026-02-28	-1.47

Risco/consistência (a partir do P&L diário)

Métrica	Valor
Max drawdown (diário, monetário)	7.61
Max drawdown (semanal, monetário)	7.61
Max drawdown (mensal, monetário)	7.61
Janela do DD	2026-01-29 → 2026-02-28
Sharpe anualizado (vs banca real)	—
ROI/banca real (semana)	0.00%
ROI/banca real (mês)	0.00%
Sharpe anualizado (vs banca teórica)	—
ROI/banca teórica (semana; ref=10000)	0.00%
ROI/banca teórica (mês; ref=10000)	0.00%

Execução (últimos dias; executor_jsonl + placares quando disponíveis)

Dia	Exec rows	LIVE_OK	DRY_OK	API_FAILED	P&L Back	ROI Back	P&L Lay	ROI Lay/liab
2026-03-01	0	0	0	0	0.00	—	0.00	—
2026-03-02	0	0	0	0	0.00	—	0.00	—

Dia	Exec rows	LIVE_OK	DRY_OK	API_FAILED	P&L Back	ROI Back	P&L Lay	ROI Lay/liab
2026-03-03	64	0	41	21	21.90	22.12%	-18.32	-10.85%
2026-03-04	25	0	19	6	23.50	87.03%	-26.92	-53.35%
2026-03-05	7	0	6	1	2.49	27.67%	2.97	14.42%
2026-03-06	85	0	53	18	12.53	21.98%	-31.42	-9.10%
2026-03-07	43	0	9	12	9.46	45.04%	-4.98	-5.81%

Slippage × ROI por bucket (raw, com sinal) — acumulado (últimos 7 dias)

• Back (ROI por stake)

Bucket slippage_raw_pct	n	ROI mean (SE; IC95)
<= -2%	11	-35.39% (SE 15.47%) [-65.71%, -5.07%]
(-2, 2]	3	32.03% (SE 32.03%) [-30.75%, 94.82%]
> 2%	18	211.29% (SE 109.47%) [-3.28%, 425.85%]

• Lay (ROI por liability)

Bucket slippage_raw_pct	n	ROI mean (SE; IC95)
<= -2%	35	2401.67% (SE 1487.82%) [-514.46%, 5317.80%]
(-2, 2]	5	2.30% (SE 29.53%) [-55.58%, 60.18%]
> 2%	29	-14.06% (SE 9.91%) [-33.50%, 5.37%]

Slippage × ROI por combinação (top 4 por volume; acumulado)

• Back

Combinação	n	ROI<=-2%	n	ROI(-2..2]	n	ROI>2%	n	corr(slip_raw,ROI)
Back_In_Any	29	-35.39% (SE 15.47%) [-65.71%, -5.07%]	11	0.00% (SE 0.00%) [0.00%, 0.00%]	2	194.60% (SE 116.04%) [-32.83%, 422.04%]	16	0.07
Back_Pre_Any__England League 1	1	—	0	—	0	-100.00%	1	—

Combinação	n	ROI<=-2%	n	ROI(-2..2]	n	ROI>2%	n	corr(slip_raw,ROI)
Back_Pre_Any__England National League	1	—	0	—	0	789.50%	1	—
Back_Pre_Any__AFC Asian Champions League	1	—	0	96.10%	1	—	0	—

Slippage × ROI por combinação (top 9 por volume; acumulado)

• Lay

Combinação	n	ROI<=-2%	n	ROI(-2..2]	n	ROI>2%	n	corr(slip_raw,ROI)
Lay_In_Yes	55	2817.96% (SE 1790.33%) [-691.08%, 6327.00%]	29	2.30% (SE 29.53%) [-55.58%, 60.18%]	5	-9.28% (SE 11.09%) [-31.01%, 12.45%]	21	-0.07
Lay_Pre_Yes__England League 2	3	0.00%	1	—	0	-36.91% (SE 63.09%) [-160.57%, 86.75%]	2	—
Lay_Pre_Yes__Spain La Liga	3	0.00% (SE 0.00%) [0.00%, 0.00%]	2	—	0	6.72%	1	—
Lay_Pre_Yes__England National League	2	—	0	—	0	-42.60% (SE 57.40%) [-155.11%, 69.92%]	2	—
Lay_Pre_Yes__England Football League Championship	2	0.00%	1	—	0	33.56%	1	—
Lay_Pre_Yes__AFC Asian Champions League	1	—	0	—	0	-100.00%	1	—

Combinação	n	ROI<=-2%	n	ROI(-2..2]	n	ROI>2%	n	corr(slip_raw,ROI)
Lay_Pre_Ye s__Slovenia Cup (Pokal Hervis)	1	1612.90%	1	—	0	—	0	—
Lay_Pre_Ye s__Italy Serie A	1	—	0	—	0	5.75%	1	—
Lay_Pre_Ye s__France Ligue 1	1	724.64%	1	—	0	—	0	—

Funil de oportunidades (últimas 24h; auditoria DB)

audit_version	total	OK	OK_vali d	GATE_NOT_ELIGI BLE	API_FAILE D	STALE_QUEUE_ WAIT
v5.1-ws-gate-lay	368	14	14	294	42	0
v5.3-ws-gate-back	330	26	26	304	0	0
v5.2-api-back	326	102	3	0	118	79
v5.4-ws-reversal-lay	164	43	43	0	58	0

Motivos principais de não-execução / falha (top)

- v5.2-api-back: API_FAILED ×71 — No PMMs received (waited 4.0s)
- v5.4-ws-reversal-lay: API_FAILED ×19 — No PMMs received (waited 4.0s)
- v5.1-ws-gate-lay: API_FAILED ×15 — No PMMs received (waited 4.0s)
- v5.2-api-back: API_FETCH_FAILED ×14 — Failed to fetch
- v5.2-api-back: API_CTX_DESTROYED ×13 — Page.evaluate: Execution context was destroyed, most likely because of a navigation
- v5.2-api-back: API_FAILED ×13 — No PMMs received (waited 4.1s)
- v5.4-ws-reversal-lay: API_FAILED ×10 — Page.evaluate: Execution context was destroyed, most likely because of a navigation
- v5.4-ws-reversal-lay: API_FAILED ×10 — NO_ROOT_SESSION_COOKIE

Oportunidades identificadas / melhorias propostas (curto prazo)

- **PMM/timeout:** se No PMMs received dominar, aumentar timeout efetivo e reduzir bursts (workers/queue) tende a elevar conversão sem mexer na estratégia.
- **Betslips abertos:** too_many_open_betslips é um gargalo de throughput; manter caps/janelas e garantir cleanup rápido evita bloqueio global.
- **Fila:** STALE_QUEUE_WAIT indica atraso interno; atacar latência/concorrência antes de aumentar volume/seleção.

Portfólio OOS: vigente vs histórico recente

ts	n_active_keys
2026-03-05T23:49:11.271483+00:00	29

ts	n_active_keys
2026-03-06T00:41:54.885625+00:00	29
2026-03-06T01:09:56.974206+00:00	26
2026-03-06T11:43:37.806604+00:00	26
2026-03-06T12:25:57.301507+00:00	26
2026-03-06T14:30:17.760312+00:00	26
2026-03-06T15:16:17.010790+00:00	26
2026-03-06T22:03:14.399901+00:00	26

Parâmetros vigentes (visão executiva)

- **Combinações ativas (OOS):** ver 99.3 (active_keys) e o bloco 2) OOS.
- **Stake sizing operacional (real):** hoje é **FLAT** via BRIDGE_STAKE (ver 99.3 e 99.6).
- **Parâmetros técnicos efetivos** (executor/audit/bridge): ver 99.6 Filtros ativos.

Critérios de seleção (OOS) e critérios do real (bridge/executor)

- **OOS (walk-forward)** decide o portfólio active_keys.
- **Chave por liga:** True (scope=pre) ⇒ em pre-match a chave pode virar . . .__<League>.
- **Filtro de AH ativo?:** True (max_abs_line=2.00; scope=pre) ⇒ remove eventos com abs(line) acima do limiar.
- **Mínimo de jogos no treino:** wf_min_matches=0 (0 = desligado).
- **Regra de decisão (por combinação, no treino):**
 - Se ROI for **significativamente negativo** (IC90 inteiro < 0): **bloqueia**.
 - Se ROI for **significativamente positivo** (IC90 inteiro > 0): **ativa**.
 - Se ROI > 0 mas **não significativo**:
- **Pre-match:** ativa apenas se **CLV > 0** (CLV não precisa ser sig.).
- **In-match:** ativa se **ROI > 0** (CLV não se aplica).
- Operacionalmente, o OOS também pode excluir buckets de execução (ex.: wf_exclude_exec_buckets_back).
- **Real (shadow/live):**
 - O bridge só envia oportunidades cuja chave esteja em active_keys (policy current).
 - DRY_OK = **shadow** (não apostou); LIVE_OK = **efetivo** (apostou).

Este período está rodando shadow ou efetivo?

- Misturado: LIVE_OK=2 e DRY_OK=129.

Aspectos técnicos (latência/estabilidade)

- Latência detalhada: ver 99.2 (p50/p90/p99 por etapa).
- Gaps no executor_jsonl (proxy de downtime/restart/sem tráfego): max 406947.8s, gaps>5min 104, gaps>15min 71.

99) Operacional — saldo, P&L e execução

99.1 Accounting (saldo + P&L)

- Arquivo: logs/daily_reports/20260307/accounting_daily_report.json
- Saldo atual: **58.0**
- P&L hoje/semana/mês: **0.0 / 0.0 / 0.0**

Meses fechados:

Mês	P&L
2026-01	58.0
2026-02	-7.61

99.2 Execução (KPIs)

- Fonte: logs/executor_live.jsonl

Status (all)

Status	N
DRY_OK	129
API_FAILED	64
STALE	29
NO_SESSION	10
LIVE_OK	2

Latência (somente LIVE_OK/DRY_OK) — ms

Métrica	n	p50	p90	p99	mean
queue_delay	131	6.0	2975.0	5560.799999999994	738.5496183206106
call_to_done	131	3673.0	15194.0	284051.1	23313.106870229007
post	131	1286.0	13298.0	279408.49999999994	20918.618320610687

Slippage (somente LIVE_OK/DRY_OK, quando houver odd_at_decision)

- Definição: $\text{slippage} = \text{odd_final} - \text{odd_at_decision}$ (em odds decimais) e $\text{slippage_pct} = \text{slippage} / \text{odd_at_decision}$.
- Interpretação depende do lado:
- **Back**: slippage_pct **negativo** = piorou (odd caiu); **positivo** = melhorou.
- **Lay**: slippage_pct **positivo** = piorou (odd subiu); **negativo** = melhorou.

Tipo	n	p50	p90	p99	mean
abs	128	0.01700000000000001 26	16.5935	278.588180000000 5	12.1058671875
pct	128	0.5416505350203649	779.11981074481 05	13417.8649991845 76	604.08034379111 45

Slippage por lado (Back vs Lay)

Lado	Métrica	n	p50	p90	p99	mean
Back	slippage_pct (raw)	39	3.6514522821 576794	707.4133945 892512	8498.252149 502468	612.5964629 955306
Back	slippage_pct (custo, >=0)	39	0.0	39.29901230 373481	46.39578437 435579	8.307798253 81707
Lay	slippage_pct (raw)	89	-1.583113456 4643814	853.5422298 558733	15230.79549 1251318	600.3485612 183928
Lay	slippage_pct (custo, >=0)	89	0.0	853.5422298 558733	15230.79549 1251318	618.9216255 675607

_Nota: o p90/p99 de call_to_done_ms explode quando inclui NO_SESSION/API_FAILED (timeouts/relogin). Por isso reportamos também o recorte apenas de sucessos._

99.6 Filtros ativos (config efetiva)

_Nota: esta seção reflete as variáveis carregadas pelo daily_full_report (via .env). Services do systemd podem ter overrides (Environment=) que não aparecem aqui; use systemctl show para confirmar no VPS._

Executor

chave	valor
EXECUTOR_ALLOW_LIVE	1
EXECUTOR_WORKERS	``
EXECUTOR_QUEUE_MAX	``
EXECUTOR_CAP_WINDOW_SEC	``
EXECUTOR_CAP_MAX	``
EXECUTOR_FAST_PMM	1
EXECUTOR_PMM_TIMEOUT_SEC	6.0
EXECUTOR_PMM_MIN_WAIT_SEC	0.2
EXECUTOR_PMM_IDLE_TIMEOUT_SEC	1.0
EXECUTOR_BETSLIP_CACHE_MAX_KEYS	0

Audit H3B

chave	valor
AUDIT_MODE	ws_gate_lay
AUDIT_API_SIDES	``
AUDIT_EXECUTOR_WORKERS	4
AUDIT_TEMPORAL_WORKERS	``
AUDIT_MAX_QUEUE_DEPTH	``

chave	valor
AUDIT_MAX_QUEUE_WAIT_MS	``
GATE_DROP_OFFSET_SEC	``
GATE_DROP_RATIO	0.995
GATE_RISE_OFFSET_SEC	``
GATE_RISE_RATIO	``
GATE_OPEN_WINDOW_SEC	``
GATE_OPEN_MAX	10
GATE_MAX_LATE_SEC	4.0
GATE_LAY_REFRESH_TIMES_SEC	``

Bridge

chave	valor
BRIDGE_MODE	shadow
BRIDGE_EXEC_SIDE	``
BRIDGE_STAKE	3.0
BRIDGE_POLL_SEC	2.0
BRIDGE_LOOKBACK_SEC	120
BRIDGE_MAX_PER_CYCLE	1
BRIDGE_PREMATCH_ONLY	0
BRIDGE_POLICY_JSON	/home/betbot/Bets/betinasia_bot/logs/wf_policy_current.json
BRIDGE_POLICY_RELOAD_SEC	5.0
BRIDGE_POLICY_USE_BASE	1
BRIDGE_MIN_LIMIT	0.0

OOS / Walk-forward (daily)

chave	valor
DAILY_OOS_DIRECTION	up
DAILY_OOS_VERSIONS	v4.0-api, v5.0-ws-only, v1.0, v1.0-recovered, v5.1-ws-gate-lay, v5.2-api-back
DAILY_OOS_LOOKBACK_DAYS	30

chave	valor
DAILY_WF_TRAIN_MODE	``
DAILY_WF_TRAIN_DAYS	``
DAILY_WF_TEST_DAYS	``
DAILY_WF_STEP_DAYS	``
DAILY_WF_KEY_BY_LEAGUE	``
DAILY_WF_KEY_BY_LEAGUE_SCOPE	``
DAILY_WF_AH_MAX_ABS_LINE	``
DAILY_WF_AH_SCOPE	``
DAILY_WF_EXCLUDE_EXEC_BUCKETS_BACK	``

99.4 Aderência OOS (portfolio por dia × execução)

- Arquivo: logs/daily_reports/20260307/oos_adherence.json
- Policy current: logs/wf_policy_current.json

Resumo (últimos dias)

Dia	Ativas (keys)	Bridge rows	Skipped(not active)	Exec rows	LIVE_O K	DRY_O K	P&L Back	ROI Back	P&L Lay	ROI Lay/liab	P&L total
2026-03-01	28	0	0	0	0	0	0.00	—	0.00	—	0.00
2026-03-02	26	0	0	0	0	0	0.00	—	0.00	—	0.00
2026-03-03	26	76	4	64	0	41	21.90	22.12%	-18.32	-10.85%	3.58
2026-03-04	26	128	0	25	0	19	23.50	87.03%	-26.92	-53.35%	-3.42
2026-03-05	26	145	0	7	0	6	2.49	27.67%	2.97	14.42%	5.46
2026-03-06	26	110	0	85	0	53	12.53	21.98%	-31.42	-9.10%	-18.89
2026-03-07	26	52	0	43	0	9	9.46	45.04%	-4.98	-5.81%	4.48

Slippage × ROI (raw, com sinal; 3 buckets) — acumulado (últimos 7 dias)

- Back (ROI por stake)

Bucket slippage_raw_pct	n	ROI mean
<= -2%	11	-35.39%
(-2, 2]	3	32.03%
> 2%	18	211.29%

• **Lay (ROI por liability)**

Bucket slippage_raw_pct	n	ROI mean
<= -2%	35	2401.67%
(-2, 2]	5	2.30%
> 2%	29	-14.06%

99.5 Auditoria (DB) — motivos de no-OK (por versão)

- Arquivo: logs/daily_reports/20260307/audit_status_kpis.json
- Janela: últimas **24.0h** (desde 2026-03-06T22:47:39.325864+00:00)

Definições (colunas)

- **OK**: status='OK' no betslip_audit_results (a auditoria concluiu com sucesso).
- **OK com betslip_odd**: subset de OK em que betslip_odd está preenchido (houve snapshot do ticket/odds).
- **OK valid**: subset de OK em que is_valid_opportunity=true (passou o critério operacional de “oportunidade executável”).
- Na prática, o is_valid_opportunity tende a cair quando difference_pct está fora do range aceito (edge muito pequeno <2% ou mismatch >10%) ou quando campos essenciais do ticket estão ausentes.

audit_versio n	total	OK	OK com betslip_odd	OK valid	top no-OK
v5.1-ws-gat e-lay	368	14	14	14	GATE_NOT_ELIGIBLE=294, API_FAILED=42, GATE_STALE=18
v5.3-ws-gat e-back	330	26	0	26	GATE_NOT_ELIGIBLE=304
v5.2-api-bac k	326	102	102	3	API_FAILED=118, STALE_QUEUE_WAIT=79, API_FETCH_FAILED=14, API_CTX_DESTROYED=13
v5.4-ws-rev ersal-lay	164	43	43	43	API_FAILED=58, GATE_STALE=51, GATE_BLOCKED_CAP=12

Diagnóstico dos OK (por versão): buckets de |difference_pct|

_Leitura: OK valid tende a ser aproximadamente o bucket $2\% \leq |difference_pct| \leq 10\%$ (dependendo da regra vigente)._

audit_version	OK diff nulo	OK	diff	<2%	OK 2-10 %	OK	diff	>10%
v5.1-ws-gate-lay	0	0	1	13				
v5.3-ws-gate-back	26	0	0	0				
v5.2-api-back	0	17	3	82				
v5.4-ws-reversal-lay	0	3	6	34				

Top erros (api_error) por versão

- v5.2-api-back:
 - API_FAILED ×71: No PMMs received (waited 4.0s)
 - API_FETCH_FAILED ×14: Failed to fetch
 - API_CTX_DESTROYED ×13: Page.evaluate: Execution context was destroyed, most likely because of a navigation
 - API_FAILED ×13: No PMMs received (waited 4.1s)
 - API_FAILED ×6: HTTP_403: HTTP_403 | code=too_many_open_betslips | resp_prefix={"status":"error","code":"too_many_open_betslips","data":null}
- v5.4-ws-reversal-lay:
 - API_FAILED ×19: No PMMs received (waited 4.0s)
 - API_FAILED ×10: Page.evaluate: Execution context was destroyed, most likely because of a navigation
 - API_FAILED ×10: NO_ROOT_SESSION_COOKIE
 - API_FAILED ×4: Page.evaluate: Execution context was destroyed, most likely because of a navigation.
 - API_FAILED ×4: No PMMs received (waited 4.1s)
- v5.1-ws-gate-lay:
 - API_FAILED ×15: No PMMs received (waited 4.0s)
 - API_FAILED ×6: Failed to fetch
 - API_FAILED ×4: No PMMs received (waited 4.1s)
 - API_FAILED ×4: HTTP_401: HTTP_401 | code=auth_error | resp_prefix={"status":"error","code":"auth_error","data":{"detail":"Authentication credentials were not provided."}}
 - API_FAILED ×4: Page.evaluate: Execution context was destroyed, most likely because of a navigation.