PUBLIC

How-To: Handle Snapshot Differences

Applicable Releases:

All

Version 2.0

November 2023

Document History

Document Version	Description
1.0	First official release of this guide (February 2023)
1.1	SAP Note 3300062 - Ignore snapshot differences when active and inactive attribute values are equal
1.2.	Chapter Options to Prevent Snapshot Differences (July 2023)
2.0	Chapter Integration of Refresh Change Request in Master Data Updates (November 2023)

1 BUSINESS SCENARIO 4

2 SNAPSHOT AND SNAPSHOT DIFFERENCES IN A CR 4

3 OPTIONS TO HANDLE SNAPSHOT DIFFERENCES IN THE CHANGE REQUEST 6

3.1 Options to Handle Snapshot Differences Before the Activation Step 6
3.1.1 Using Report to Refresh the CR 6
3.1.2 Revert Backend Changes 6
3.1.3 Reject the CR 6
3.1.4 Add the Backend Changes to the CR 6

3.2 Options to Handle Snapshot Differences in the Activation Step 7
3.2.1 General Information About Workflow Task ACTIVATE CHANGE REQUEST 7
3.2.2 Using 'Do not bypass snapshot' 9
3.2.3 Using 'Bypass snapshot' and Activate the CR 9

3.3 Enhance Workflow With 'Refresh CR Step' 12
3.3.1 Using Rule-Based Workflow Template WS60800086 12
3.3.2 Using Other MDG WF Templates 15

4 OPTIONS TO PREVENT SNAPSHOT DIFFERENCE 16

4.1 Check for Existing CR in Consolidation or Mass Processing 16
4.1.1 Validation Rule 17
4.1.2 Mass Processing/Consolidation Settings 20
4.1.3 Result 21

4.2 Integration of Refresh Change Request in Master Data Updates 24
4.2.1 Prerequisites 24
4.2.2 Procedure for Material 24
4.2.3 Procedure for Business Partner/Supplier/Customer 25

5 ADDITIONAL INFORMATION 26

5.1 Further Reading 26
5.1.1 Information on SAP MDG on SAP S/4HANA 26
5.1.2 SAP Roadmap Explorer 26
5.1.3 Related Information 26

5.2 SAP Notes 26

© 2023 SAP SE or an SAP affiliate company. All rights reserved. See Legal Notice on www.sap.com/legal-notice for use terms, disclaimers, disclosures, or restrictions related to SAP Materials for general audiences.

1 Business Scenario

SAP Master Data Governance (MDG) provides business processes to find, create, change, and mark master data for deletion. It supports the governance of master data in a central hub and the distribution to connected operational and business intelligence systems.

The processes are workflow-driven and can include several approval and revision phases, and the collaboration of all users participating in the master data maintenance.

MDG offers change request (CR)-based processing of master data with integrated workflow, staging, approval, activation, and distribution.

This How-To Guide describes options on how to handle or even prevent snapshot differences.

2 Snapshot and Snapshot Differences in a CR

During the creation of a change request, a snapshot for all maintained reuse entities is written. An inactive data record is written for an entity in that CR when a field of this entity is changed in the CR. With activation, the CR data is written to the backend. The CR data results from the inactive data and, if it does not exist, the snapshot of an entity.

A snapshot difference exists if the data in the active area (backend) differs from the snapshot of the active data that was taken during the creation of the change request.

Well defined data ownership is a prerequisite for governance. The governance scope defines all fields that should only be maintained using MDG, central governance. However, in some cases, changes to these fields are made directly in the backend by other processes.

If these backend changes are made while a CR is in process, these changes are overwritten when the change request is activated and if pattern ‘Bypass snapshot’ is used. The following is a simplified illustration of where the backend changes are overwritten:



How does the user become aware of a difference? In the *Single Object Maintenance* (SOM) UI, there is a warning message (Attribute ‘XXX’ changed from ‘Value 1’ to ‘Value 2’ in reuse active area) and the corresponding fields are highlighted. The mouse over on these fields display it like a user had changed the new value (‘Value 2’) back to the snapshot value (‘Value 1’).

© 2023 SAP SE or an SAP affiliate company. All rights reserved. See Legal Notice on www.sap.com/legal-notice for use terms, disclaimers, disclosures, or restrictions related to SAP Materials for general audiences.

If the CR would be activated now, the ‘Value 1’ would overwrite the ‘Value 2’.



Another option is to use report `USMD_CREQUEST_SNAPSHOT_COMPARE`. The report lists the snapshot differences for one or more specified change requests. For more information, see SAP Note 2059700 - New report for analysing change request snapshot differences.

There are different ways to react to the message and to prevent the desired backend changes of the master data from being overwritten during the activation of the change request. These options are explained in more detail in chapter 3 Options to Handle Snapshot Differences in the Change Request.

There are also options to prevent snapshot differences. These options are explained in more detail in chapter 4 Options to Prevent Snapshot Difference.

© 2023 SAP SE or an SAP affiliate company. All rights reserved. See Legal Notice on www.sap.com/legal-notice for use terms, disclaimers, disclosures, or restrictions related to SAP Materials for general audiences.

3 Options to Handle Snapshot Differences in the Change Request

3.1 Options to Handle Snapshot Differences Before the Activation Step

There are different options for handling snapshot differences depending on the use case and the authorization of the user.

3.1.1 Using Report to Refresh the CR

You, as a key user, need to make urgent changes to master data and change the data using the backend transaction or you are made aware of a snapshot difference due to a warning message in your CR.

You can then run report `USMD_CREQUEST_SNAPSHOT_REFRESH` (SAP Note 3262032) to refresh the CR snapshot and inactive data from the active data.

Check, if any open change request exists for your object and note the CR IDs. Run report `USMD_CREQUEST_SNAPSHOT_REFRESH` for your CRs. This program updates the snapshot and inactive data (if unchanged) of the change requests to avoid overwriting desired backend changes of master data during change request activation. There is no longer a snapshot difference and therefore no message will be displayed when working afterwards with these CRs.

Values in inactive data which have been changed in the change request are not updated. By definition these changes should always win at the change request activation.

3.1.2 Revert Backend Changes

You are made aware of a snapshot difference due to a message in your CR.

Check the backend change documents. Revert the change with the backend transaction. You can then process the request without getting the message. If it turns out that the backend changes were necessary after all, change the data again after activating the change request.

3.1.3 Reject the CR

You are made aware of a snapshot difference due to a message in your CR.

Review the changes in the CR and the CR change documents. Reject the CR. Create a new CR and add back the CR changes. With the new snapshot, there is no longer a difference, and the request can be approved.

3.1.4 Add the Backend Changes to the CR

You are made aware of a snapshot difference due to a message in your CR. You find out that the current value in the backend is the correct value and adjust the value on your CR UI accordingly. With SAP Note 3300062 – ‘Ignore snapshot differences when active and inactive attribute values are equal’ the snapshot difference is ignored, no message will appear anymore and you can activate the CR.

© 2023 SAP SE or an SAP affiliate company. All rights reserved. See Legal Notice on www.sap.com/legal-notice for use terms, disclaimers, disclosures, or restrictions related to SAP Materials for general audiences.

3.2 Options to Handle Snapshot Differences in the Activation Step

After the general chapter *General Information About Workflow Task Activate Change* Request, you will find various options for how to handle snapshot differences in the activation step.

3.2.1 General Information About Workflow Task Activate Change Request

During the activation of a CR, the workflow task Activate Change Request (`TS60808002`) is used. This task initiates the activation of the change request, which means the data is transferred from the staging area to the active area. The activation fails if data consistency checks return an error (when you are using 'Do not bypass snapshot'). The system compares the data in the active area with the snapshot of the active data that was taken when the change request was created. If there is a difference, this means that there was a change of data in the active area since the change request was created. To prevent a loss of information, the activation fails, and the export parameter `SNAPSHOT_DIFF_EXISTS` returns `X`.

You can force the system to overwrite the active area with the data from the change request by setting the import parameter `IGNORE_SNAPSHOT_DIFF` to `X` ('Bypass snapshot').

This workflow task is used in the rule-based workflow template `WS60800086` and in workflow templates delivered with MDG.

Task in Rule-Based Workflow Template WS60800086

The generic workflow template (`WS60800086`) is the foundation of the rule-based workflow (RBWF). The different processes are reflected by BRFplus decision tables, which are maintained in the Customizing for each change request type.

The combination of this workflow template with the BRFplus decision tables allows you to easily set up many different processes that can be flexibly changed through Customizing.

© 2023 SAP SE or an SAP affiliate company. All rights reserved. See Legal Notice on www.sap.com/legal-notice for use terms, disclaimers, disclosures, or restrictions related to SAP Materials for general audiences.



By using different process patterns in the non-user decision table, it is determined whether the snapshot can be bypassed.

- Process pattern [05] ACTIVATION (DO NOT BYPASS SNAPSHOT)
  This process pattern activates the data in the change request. If there are conflicting changes to the data in the standard master data tables while a change request is running, the activation fails. The process pattern uses the standard background task ACTIVATE CHANGE REQUEST (`TS60808002`) with an empty value for parameter `IGNORE_SNAPSHOT_DIFF`.
- Process pattern [06] ACTIVATION (BYPASS SNAPSHOT)
  In this process pattern, the data is activated, even if the data was changed in the backend since the change request was created. Those backend changes are ignored and may be overwritten. This is done by calling the standard background task ACTIVATE CHANGE REQUEST (TS60808002) with the parameter `IGNORE_SNAPSHOT_DIFF` set to `X`.

For more information, see Process Pattern on the SAP Help Portal.

Task in Other MDG Workflow Templates

Check the binding of parameter `IGNORE_SNAPSHOT_DIFF` in the relevant activate step using ACTIVATE CHANGE REQUEST (`TS60808002`).

© 2023 SAP SE or an SAP affiliate company. All rights reserved. See Legal Notice on www.sap.com/legal-notice for use terms, disclaimers, disclosures, or restrictions related to SAP Materials for general audiences.

For example, see workflow template `WS54300003` where the parameter `IGNORE_SNAPSHOT_DIFF` is not set in the step ‘000562 Activate Change Request’ (‘Do not bypass snapshot’).



Parameter `IGNORE_SNAPSHOT_DIFF` is set in step ‘000717 Activate Change Request After Error’ (‘Bypass snapshot’).



3.2.2 Using ‘Do not bypass snapshot’

If your workflow uses ‘Do not bypass snapshot’, then changes done directly in the backend should be not allowed. The snapshot difference check recognizes that these actions are not permitted.

If the activation of a change request is not possible because it is not allowed to bypass the snapshot difference, you can have the same options as listed in chapter 3, *Options to Handle Snapshot Differences in the Change Request*

Options to Handle Snapshot Differences Before the Activation Step.

3.2.3 Using ‘Bypass snapshot’ and Activate the CR

It is possible to activate a CR, even if there are differences, and overwrite backend data. Before you activate, you have the option to adjust the values manually in the UI.

© 2023 SAP SE or an SAP affiliate company. All rights reserved. See Legal Notice on www.sap.com/legal-notice for use terms, disclaimers, disclosures, or restrictions related to SAP Materials for general audiences.

3.2.3.1 Using Rule-Based Workflow Template WS60800086

The delivered SAP content uses process pattern 06 ‘Bypass snapshot’ for the activation step 90. Here is an example of how to adapt the decision tables for your change request types to have the first activation step 90 with process pattern 05 ‘Do not bypass snapshot’ and a second activation step 95 with process pattern 06 ‘Bypass snapshot’.



Single Value Decision Table

Table Contents

Find: Next Previous

CR Previous Step	Previous Action	Condition Al...	New Chng. Req. Step	New CR Status
=00 (Processing)		1	90 (Final Check)	02 (Changes to Be Executed)
=90 (Final Check)	=09 (Activate)	Z2	91 (Activation)	02 (Changes to Be Executed)
=90 (Final Check)	=04 (Reject)	3	95 (Check snapshot difference and adapt data)	10 (To Revise: Perform Changes)
=91 (Activation)	=31 (Activation successful)	4	99 (Complete)	05 (Final Check Approved)
=91 (Activation)	=33 (Activation failed for snapshot)	5	95 (Check snapshot difference and adapt data)	Z9 (Process Snapshot Differences)
=91 (Activation)	<>31 (Activation successful)	5	90 (Final Check)	11 (Process Errors After Activation)
=92 (Revision)		6	99 (Complete)	06 (Final Check Rejected)
=95 (Check snapshot difference and ...	=09 (Activate)	2	91 (Activation)	02 (Changes to Be Executed)
=95 (Check snapshot difference and ...	=04 (Reject)	3	95 (Check snapshot difference and adapt data)	02 (Changes to Be Executed)

Non-User Agent Decision Table

© 2023 SAP SE or an SAP affiliate company. All rights reserved. See Legal Notice on www.sap.com/legal-notice for use terms, disclaimers, disclosures, or restrictions related to SAP Materials for general audiences.



After the first activation failed with an error, the key user in the step 95 has the opportunity to decide which data should be updated. The user decides if the value in the CR (here blank) or the value in the backend (here 001) is the correct value and adjusts the data in the CR. Afterwards, the user can activate the CR despite the snapshot difference. As an alternative, the key user can also run the `USMD_CREQUEST_SNAPSHOT_COMPARE` report to resolve the snapshot differences (see chapter 3.1.1, Using Report to Refresh the CR) or the other options mentioned in chapter 3.



3.2.3.2 Using Other MDG WF Templates

Check the following example in WF `WS54300003`.

The parameter `IGNORE_SNAPSHOT_DIFF` is not set in the step '000562 Activate Change Request', but the parameter `IGNORE_SNAPSHOT_DIFF` is set in the next activation step '000717 Activate Change Request After Error'.

The user in step 02, after the first activation failed, can activate the CR. As an alternative, the user can also run the report to resolve the snapshot differences (see chapter 3.1.1, Reject the CR).

© 2023 SAP SE or an SAP affiliate company. All rights reserved. See Legal Notice on www.sap.com/legal-notice for use terms, disclaimers, disclosures, or restrictions related to SAP Materials for general audiences.

Use the steps in our workflow template accordingly.



3.3 Enhance Workflow With ‘Refresh CR Step’

If you do not want to check if open change requests exist and also do not want to execute report `USMD_CREQUEST_SNAPSHOT_REFRESH` manually, you can include method `cl_usmd_snapshot_tools=>refresh_snapshot_for_cr` in a workflow background step.

3.3.1 Using Rule-Based Workflow Template WS60800086



Here is an example how to enhance the rule-based workflow using a Business Add-In (BAdI) to call the report and to adapt the decision tables for your change request types.

© 2023 SAP SE or an SAP affiliate company. All rights reserved. See Legal Notice on www.sap.com/legal-notice for use terms, disclaimers, disclosures, or restrictions related to SAP Materials for general audiences.

3.3.1.1 Create a Service Name in IMG

This chapter describes the definition of a service name for the rule-based workflow. It serves as BAdI filter value, and it is at the same time available for definitions in the rule-based workflow (BRFplus) for process pattern 'Synchronous System Method (02)'.

Start transaction `MDGIMG`. Navigate to *General Settings* > *Process Modeling* > *Workflow* > *Rule-Based Workflow* > *Configure Rule-Based Workflow* > *Define Service Names for Rule-Based Workflow*.
Create a new entry with the following data:

- A *Service Name* which gives the service a suitable name, here: `ZREFRESH_CR`
- A *Description* providing a hint about what this service does

Press *Save*.



3.3.1.2 Enhancement Spot USMD_SSW_SERVICE_PROCESSOR

In this chapter a BAdI implementation for BAdI `USMD_SSW_SYSTEM_METHOD_CALLER` is created. It enables calling a system method in a rule-based workflow in SAP Master Data Governance. You might refer to the BAdI documentation for further details. The service name defined in a previous chapter serves as BAdI filter.

Start transaction `MDGIMG`. Navigate to *General Settings* > *Process Modeling* > *Workflow* > *Rule-Based Workflow* > *Business Add-Ins* > *BAdI: Calling of System Method for Rule-Based Workflow* or start transaction `SE18`. Select option *BAdI Name* and enter `USMD_SSW_SYSTEM_METHOD_CALLER`.



© 2023 SAP SE or an SAP affiliate company. All rights reserved. See Legal Notice on www.sap.com/legal-notice for use terms, disclaimers, disclosures, or restrictions related to SAP Materials for general audiences.





Example code:

```
METHOD if_usmd_ssw_syst_method_caller~call_system_method.
* Refresh Change Request Staging and Inactive Data from active data


  "Clear the exporting parameter
  CLEAR: ev_action, et_message.


  "Ensure that the reference change request number is provided
  IF iv_cr_number IS INITIAL.
    "Implement proper error handling here...
    RETURN.
  ENDIF.

  cl_usmd_snapshot_tools=>refresh_snapshot_for_cr(
    EXPORTING
      iv_change_request = Iv_cr_number
    IMPORTING
      et_message        = et_message
      ev_failed         = DATA(lv_error) ).

  IF lv_error EQ 'X'.
    ev_action = '23'. ← Example action, change the example according to your
needs.
  ELSE.
    ev_action = '21'. ← Example action, change the example according to your
needs.
  ENDIF.


ENDMETHOD.
```

© 2023 SAP SE or an SAP affiliate company. All rights reserved. See Legal Notice on www.sap.com/legal-notice for use terms, disclaimers, disclosures, or restrictions related to SAP Materials for general audiences.

3.3.1.3 Single Value Decision Table

Table Contents

Find: Next Previous

CR Previous Step	Previous Action	Condition Alias	New Chng. Req. Step	New CR Status
=00 (Processing)		1	90 (Final Check)	02 (Changes to Be Executed)
=90 (Final Check)	=09 (Activate)	A2	91 (Activation)	02 (Changes to Be Executed)
=90 (Final Check)	=04 (Reject)	3	95 (Revision Processing)	10 (To Revise: Perform Changes)
=91 (Activation)	=31 (Activation successful)	4	99 (Complete)	05 (Final Check Approved)
=91 (Activation)	<>31 (Activation successful)	A3	Z4 (Check and Adapt)	07 (Activation Failed)
=Z4 (Check and Adapt)	=R1 (Refresh CR)	A5	Z5 (Refresh CR)	02 (Changes to Be Executed)
=Z4 (Check and Adapt)	=04 (Reject)	3	95 (Revision Processing)	02 (Changes to Be Executed)
=Z5 (Refresh CR)	=21 (Successfully executed)	A4	Z9 (Final Check)	02 (Changes to Be Executed)
=Z5 (Refresh CR)	=23 (Failed)	A3	Z4 (Check and Adapt)	10 (To Revise: Perform Changes)
=Z9 (Final Check)	=09 (Activate)	A2	91 (Activation)	02 (Changes to Be Executed)
=Z9 (Final Check)	=04 (Reject)	3	95 (Revision Processing)	10 (To Revise: Perform Changes)
=92 (Revision)		6	99 (Complete)	06 (Final Check Rejected)
=95 (Revision Processing)	=07 (Resubmit)	7	90 (Final Check)	02 (Changes to Be Executed)
=95 (Revision Processing)	=08 (Withdraw)	8	92 (Revision)	02 (Changes to Be Executed)

3.3.1.4 User Agent Decision Table



Table Contents

Find: Next Previous

Condition Alias	User Agt Grp No.	Step Type	User Agent Type	User Agent Value
=1 ; =5 ; =7	001	8 (Activate Change Request)	AG (Role)	SAP_MDGM_MENU_09
=3	001	8 (Activate Change Request)	AG (Role)	SAP_MDGM_MENU_09
=A3	001	§ (Check and Adapt (Snapshot Differences))	US (User)	
=A4	001	8 (Activate Change Request)	US (User)	

3.3.1.5 Non-User Agent Decision Table



Table Contents

Find: Next Previous

Condition Alias	Agent Group	Process Pattern	Service Name
=2	001	06 (Activation (Bypass Snapshot))	
=A2	001	05 (Activation (Do Not Bypass Snapshot))	
=4 ; =6	001	99 (Complete (Sub-)Workflow)	
=8	001	08 (Roll Back Change Request)	
=A5	001	02 (Synchronous System Method)	ZREFRESH_CR (Refresh CR: Snapshot and inactive data from active data)

3.3.2 Using Other MDG WF Templates

Use new steps in our workflow template accordingly.

© 2023 SAP SE or an SAP affiliate company. All rights reserved. See Legal Notice on www.sap.com/legal-notice for use terms, disclaimers, disclosures, or restrictions related to SAP Materials for general audiences.

3.3.2.1 Create new Workflow Standard Task

Create a new standard workflow task (transaction `PFTC`). Use the method `cl_usmd_snapshot_tools=>refresh_snapshot_for_cr`. Select *Synchronous Object Method* and *Background Processing*.

In addition, maintain the binding between the method parameter `IV_CHANGE_REQUEST` and a new task parameter of the same name.

Save the task. Then set the flag ‘Synchronous object method’ and save again.

3.3.2.2 Copy or Enhance Workflow Template

Copy or enhance the workflow template that you are using and for which you want to change the behavior.

Add the new workflow task after the dialog step where the workflow is after activation, which failed due to snapshot differences. Maintain the binding between the new parameter `IV_CHANGE_REQUEST` of the workflow task and the existing parameter `CHANGE_REQUEST.CREQUEST` from the workflow container. Maintain additional dialog steps to check the result of the report.

4 Options to Prevent Snapshot Difference

4.1 Check for Existing CR in Consolidation or Mass Processing

To prevent snapshot differences that might occur with activation when using consolidation or mass processing, you can use validation rules.

With validation rules, you can collaboratively describe, catalog, and implement rules for data quality using a central rule repository. These validation rules can be used for data quality evaluations and for checking data in change requests, in consolidation and in mass processing for products and business partners. More information about validation rules can be found here. See also How To Guides for Data Quality Management for more details how to create validation rules.

The following example shows how to use a validation rule to check for open change requests in the validation step of a mass processing process. If an open CRs for an object exist you can remove this object, move it to another process, or close the CR.

© 2023 SAP SE or an SAP affiliate company. All rights reserved. See Legal Notice on www.sap.com/legal-notice for use terms, disclaimers, disclosures, or restrictions related to SAP Materials for general audiences.

4.1.1 Validation Rule

Create a validation rule for base table Basic Data (MARA) and usage ‘Check in Mass Processing’. Create a meaningful error message, message severity ‘Error’ and assign it to the rule.



Maintain a suitable scope for materials, where a CR could exist.

Then create the condition expression, using a procedure call with type function module.

© 2023 SAP SE or an SAP affiliate company. All rights reserved. See Legal Notice on www.sap.com/legal-notice for use terms, disclaimers, disclosures, or restrictions related to SAP Materials for general audiences.





Coding example for the function module for material:

```
FUNCTION z_em_fm_check_mat_cr.
*"----------------------------------------------------------------------
*"*"Local Interface:
*"  IMPORTING
*"     REFERENCE(IV_MATNR) TYPE  MATNR
*"  EXPORTING
*"     REFERENCE(EV_CR) TYPE  BOOLEAN
*"----------------------------------------------------------------------

  "Initialize the exporting parameter (default: no open change requests)
  CLEAR ev_cr.
```

© 2023 SAP SE or an SAP affiliate company. All rights reserved. See Legal Notice on www.sap.com/legal-notice for use terms, disclaimers, disclosures, or restrictions related to SAP Materials for general audiences.

```
  "Check the importing parameter
  IF iv_matnr IS INITIAL.
    RETURN.
  ENDIF.

  "Get the External Model API
  cl_usmd_model_ext=>get_instance(
    EXPORTING
      i_usmd_model = 'MM'
    IMPORTING
      eo_instance  = DATA(lo_model_ext)
      et_message   = DATA(lt_message) ).
  IF lo_model_ext IS INITIAL OR lt_message IS NOT INITIAL.
    "...suitable error handling here...
    RETURN.
  ENDIF.

  "Create a table for the Material entity type
  lo_model_ext->create_data_reference(
    EXPORTING
      i_fieldname = 'MATERIAL'
      i_tabtype   = if_usmd_model_ext=>gc_tabtype_sorted
    IMPORTING
      er_data     = DATA(lr_materials)
      et_message  = lt_message ).
  IF lt_message IS NOT INITIAL.
    "...suitable error handling here...
    RETURN.
  ENDIF.
  FIELD-SYMBOLS <lt_materials> TYPE SORTED TABLE.
  ASSIGN lr_materials->* TO <lt_materials>.

  "Create a structure for the Material entity type
  DATA lr_material TYPE REF TO data.
  CREATE DATA lr_material LIKE LINE OF <lt_materials>.
  ASSIGN lr_material->* TO FIELD-SYMBOL(<ls_material>).

  "Insert the provided material ID into the materials table
  ASSIGN COMPONENT 'MATERIAL' OF STRUCTURE <ls_material> TO FIELD-
SYMBOL(<lv_material>).
  <lv_material> = iv_matnr.
  INSERT <ls_material> INTO TABLE <lt_materials>.

  "Get all open change requests with respect to the provided material
  lo_model_ext->if_usmd_model_cr_ext~retrieve_crs_by_object_keys_db(
    EXPORTING
      iv_object_type   = 'MATERIAL'
      it_object_key    = lr_materials
      it_cr_status_sel = VALUE #( ( fieldname = usmd0_cs_fld-crequest_status
                                    sign      = 'E'
                                    option    = 'BT'
                                    low       = usmd0_cs_crequest_status-
finally_approved
                                    high      = usmd0_cs_crequest_status-
finally_rejected ) )
    IMPORTING
      et_crequest_id   = DATA(lt_crequest_id)
      et_message       = lt_message ).
  IF lt_message IS NOT INITIAL.
```

© 2023 SAP SE or an SAP affiliate company. All rights reserved. See Legal Notice on www.sap.com/legal-notice for use terms, disclaimers, disclosures, or restrictions related to SAP Materials for general audiences.

```
    "...suitable error handling here...
    RETURN.
  ENDIF.

  IF lt_crequest_id IS NOT INITIAL.
    ev_cr = abap_true.
  ENDIF.

ENDFUNCTION.
```

For more information see 'Example: Implementing Rules with Extra Data Provisioning (Products)' and 'Implementing Validation Rules with Extra Data Provisioning'.

Make sure, that the newest version of `lo_model_ext->if_usmd_model_cr_ext~retrieve_crs_by_object_keys_db` is available in your system.

Therefore check, that following SAP Notes are available in your system:

3335502	Extend the External Model API by a method to search for change requests
3252274	Prevent the Creation of Mapping Entries when Reading CRs (1)
3230315	Prevent the Creation of Mapping Entries when Determining CRs
3164787	Short Dump OBJECTS_WA_NOT_COMPATIBLE when retrieving CRs by Object Keys
2779504	MDG Customer Connect: "MDG Out of the box application to search CRs by business data"

4.1.2 Mass Processing/Consolidation Settings

Create a new or enhance your relevant process template. Make sure that *Apply Validation Rules* is switched on in the validation configuration for this template.



In addition, you can check and change this setting directly in the process UI for consolidation and mass processing.

© 2023 SAP SE or an SAP affiliate company. All rights reserved. See Legal Notice on www.sap.com/legal-notice for use terms, disclaimers, disclosures, or restrictions related to SAP Materials for general audiences.



4.1.3 Result

The message is raised during the validation step. You can remove this object, move it to another process, or close the CR.

© 2023 SAP SE or an SAP affiliate company. All rights reserved. See Legal Notice on www.sap.com/legal-notice for use terms, disclaimers, disclosures, or restrictions related to SAP Materials for general audiences.



© 2023 SAP SE or an SAP affiliate company. All rights reserved. See Legal Notice on www.sap.com/legal-notice for use terms, disclaimers, disclosures, or restrictions related to SAP Materials for general audiences.

You can remove the material or move it to a new identical process by clicking on the red error bar.



Or from the Validation Result list.



Then you can activate.

If you rule has only severity warning, you can activate without removing. You can solve the snapshot differences for example with 3.1.1 Using Report to Refresh the CR.

© 2023 SAP SE or an SAP affiliate company. All rights reserved. See Legal Notice on www.sap.com/legal-notice for use terms, disclaimers, disclosures, or restrictions related to SAP Materials for general audiences.

4.2 Integration of Refresh Change Request in Master Data Updates

With S/4HANA 2023 FSP1 or SAP Notes 3391808, 3391656, 3342330 there is an option to set up the integration of refresh change request in master data updates (see also chapter 3.1.1 Using Report to Refresh the CR). A refresh of existing open change requests (snapshot and inactive data) is then triggered automatically after master data updates for material and business partner.

It ensures that backend changes on master data objects are not overwritten during change request activation so that intended backend changes as well as changes using a change request are compatible and consistent. Because of the refresh, there is no longer a snapshot difference and therefore no message will be displayed when working afterwards with these change requests.

4.2.1 Prerequisites

The change request refresh functionality on object level uses the bgRFC functionality. For more information about bgRFC, see SAP Help bgRFC (Background Remote Function Call) .

The following configuration is a prerequisite:

1. Run transaction *SBGRFCCONF*.
2. On the *Define Inbound Dest*. tab, choose Create.
3. In the Configure Inbound Destination pop-up, enter the following and then choose Add and Save:

   Inbound Destination Name: MDG_SNAPSHOT_REFRESH

   Add Queue Prefixes: MDG_SNAP_
4. In the main screen of the **SBGRFCCONF** transaction, save your changes.



For information on how to maintain non-default scheduler settings for the inbound destination, see the configuration steps described in the SAP Help bgRFC Configuration.

Note: To monitor background processing, you can use transaction SBGRFCMON.

4.2.2 Procedure for Material

To set up the integration, run transaction MDGIMG. Navigate to Classic Mode in SAP MDG -> Central Governance -> Central Governance for Material -> Activate Business Transaction Events and select the checkbox for the *MDGCRU* application.

© 2023 SAP SE or an SAP affiliate company. All rights reserved. See Legal Notice on www.sap.com/legal-notice for use terms, disclaimers, disclosures, or restrictions related to SAP Materials for general audiences.



4.2.3 Procedure for Business Partner/Supplier/Customer

To set up the integration, run transaction BUPA_CALL_FU or Customizing activity Activate Function Modules under Cross-Application Components -> SAP Business Partner -> Data Distribution -> Activate Function Modules.

Select the checkbox for the Event *BPOUT* Business Partner Outbound for Object *BUPX* Business Partner and BP Relationship with Item *5500001* and Function module name *MDG_BS_BP_SNAPSHOT_UPD*.

If this entry does not exist, create it manually with the following values:

Event: BPOUT Business Partner Outbound

Object: BUPX Business Partner and BP Relationship

Item: 5500001

Function module name: MDG_BS_BP_SNAPSHOT_UPD

Select the checkbox in column *Call* so that the function module is activated.



© 2023 SAP SE or an SAP affiliate company. All rights reserved. See Legal Notice on www.sap.com/legal-notice for use terms, disclaimers, disclosures, or restrictions related to SAP Materials for general audiences.

5 Additional Information

See also other How To Guides for Workflow.

5.1 Further Reading

5.1.1 Information on SAP MDG on SAP S/4HANA

- Exchange knowledge: SAP Community | Q&A | Blog
- Try SAP Master Data Governance on S/4HANA for free: Trial Version
- Try SAP Master Data Governance on S/4HANA on the SAP Cloud Appliance Library: S/4HANA 2022 FPS1
- Learn more: Latest Release | Help Portal | How-to Information | Key Presentations

5.1.2 SAP Roadmap Explorer

- Please see the roadmap for SAP Master Data Governance

5.1.3 Related Information

- Learn more: Floorplan Manager for Web Dynpro ABAP | How to Adapt FPM | FPM Blog | How-to Information | Service Mapping Tool | SAP S/4HANA Cookbook CVI

5.2 SAP Notes

In addition to the detailed explanations written in this document, please see the following SAP Notes for further important information.

Note	Description
3391808	Refresh Change Request in Master Data Updates
3391656	MDG-BP/C/S: Integration of Refresh Change Request in Master Data Updates
3342330	MDG-M: Integration of Refresh Change Request in Master Data Updates
2063542	Function for updating snapshot
3262032	Extension of Snapshot Refresh Functionality
2059700	New report for analyzing change request snapshot differences
3300062	Ignore snapshot differences when active and inactive attribute values are equal
3335502	Extend the External Model API by a method to search for change requests
3252274	Prevent the Creation of Mapping Entries when Reading CRs (1)
3230315	Prevent the Creation of Mapping Entries when Determining CRs
3164787	Short Dump OBJECTS_WA_NOT_COMPATIBLE when retrieving CRs by Object Keys
2779504	MDG Customer Connect: "MDG Out of the box application to search CRs by business data"
2221398	MDG-BP/C/S/CA: (Un-)Supported Fields in Data Model BP

© 2023 SAP SE or an SAP affiliate company. All rights reserved. See Legal Notice on www.sap.com/legal-notice for use terms, disclaimers, disclosures, or restrictions related to SAP Materials for general audiences.

2847807	MDG-BP/C/S/CA: Usage of MDG Tools and Processes
2313368	Functional restrictions in MDG for Business Partner / Customer / Supplier with SAP Master Data Governance 9.0
2472845	Functional restrictions in MDG for Business Partner / Customer / Supplier with SAP Master Data Governance 9.1
2656712	Functional restrictions in MDG for Business Partner / Customer / Supplier in SAP Master Data Governance 9.2 and on SAP S/4HANA 1809
2816557	Functional restrictions in MDG for Business Partner / Customer / Supplier on SAP S/4HANA 1909
2925030	Functional restrictions in MDG for Business Partner / Customer / Supplier on SAP S/4HANA 2020
3070003	Functional restrictions in MDG for Business Partner / Customer / Supplier on SAP S/4HANA 2021
3220117	Functional restrictions in MDG for Business Partner / Customer / Supplier on SAP S/4HANA 2022
3194967	MDG Customer Connection 2021 for S/4HANA 2022
3043582	MDG Customer Connection 2020
3134600	MDG-M: Supported fields in Data Model MM
1806108	Functional restrictions in MDG-M in MDG7 (incl. SP02)
2129261	Functional restrictions in MDG-M in MDG8
2284745	Functional Restrictions in MDG for Material with SAP Master Data Governance 9.0
2461516	Functional Restrictions in MDG for Material with SAP Master Data Governance 9.1
2656693	Functional Restrictions in MDG for Material in SAP Master Data Governance 9.2 and on SAP S/4HANA 1809
2816571	Functional Restrictions in MDG for Material on SAP S/4HANA 1909
2948873	Functional Restrictions in MDG for Material on SAP S/4HANA 2020
3070012	Functional Restrictions in MDG for Material on SAP S/4HANA 2021
3219945	Functional Restrictions in MDG for Material on SAP S/4HANA 2022
2479869	Usage of Lean Classification with SAP Master Data Governance
1619534	How to Create, Enhance and Adapt FPM Applications
1637249	MDG: Information for efficient message processing
2105467	MDG Performance
2561461	Scope of support for SAP Master Data Governance (MDG)

© 2023 SAP SE or an SAP affiliate company. All rights reserved. See Legal Notice on www.sap.com/legal-notice for use terms, disclaimers, disclosures, or restrictions related to SAP Materials for general audiences.