



Functional Requirement Document

DIRECT TO function

Version **V01**

Date **26/02/2026**

Authors:

Luc Flohr

Balazs Palotas

Guillaume Claudon

1 Executive summary

This document is the functional specification of the EMERGENCY DESCENT function. It provides “aircraft-level” requirements that will be the main input for systems specifications.

The purpose of the EMERGENCY DESCENT function is to have the aircraft descend to a safe altitude in the case of loss of cabin pressurisation.

Contents

1	Executive summary	2
2	Record of revisions	5
3	General	6
3.1	Objective	6
3.2	Applicability	6
3.3	Reference documents	6
3.4	Acronyms	6
3.5	Definitions	6
4	Function Description	7
5	Operational scenarios	8
6	Requirements	9
7	Open items	10
8	Appendices	11

List of Figures

2 Record of revisions

Issue	DATE	Reason for revision
V01	26/02/2026	First issue

3 General

3.1 Objective

3.2 Applicability

3.3 Reference documents

3.4 Acronyms

AP	Autopilot
ND	Navigation Display
FCU	Flight Control Unit
MSA	Minimum Safe Altitude

3.5 Definitions

4 Function Description

The purpose of the EMERGENCY DESCENT function is to navigate the aircraft from its current altitude to 10 000 ft or the MSA in the current sector, following the fastest descent profile.

5 Operational scenarios

6 Requirements

7 Open items

8 Appendices