

Xiaomi 12 Pro Specifications

| SPECS | Xiaomi 12 Pro |
|--------------|---|
| SCREEN | 6.73-inch QHD+ AMOLED Display (1440 x 3200 Pixels, 521 ppi) with Corning Gorilla Glass Victus, 20:9 Aspect Ratio, 1Hz to 120Hz Adaptive Refresh Rate, Dolby Vision, HDR10+ & punch-hole |
| OS | Android 12 with MIUI 13 |
| CHIPSET | Qualcomm Snapdragon 8 Gen 1 |
| CPU | Octa Core CPU 1x Cortex-X2 @ 3.0GHz , 3x Cortex-A710 @ 2.5GHz & 4x Cortex-A510 @ 1.8GHz |
| GPU | Adreno 730 |
| RAM | 12 GB |
| REAR CAMERA | Triple Cameras: |
| | 50MP Main Camera (Sony IMX707, f/1.9 Aperture, OIS, Autofocus) |
| | 50MP Telephoto (f/1.9 Aperture, 2x optical zoom) |
| | 50MP Ultra-wide (f/2.2 Aperture, 115° FoV) |
| FRONT CAMERA | -Dual-tone LED Flash -Up to 8K@24fps Video Recording, Motion-tracking focus |
| | 32 Megapixels (f/2.5 Aperture) - Up to 1080p@60fps Video Recording |
| STORAGE | 256GB |
| EXPANSION | None |
| SIM CARD | Dual SIM (Nano-SIM) |

| SPECS | Xiaomi 12 Pro |
|-------------|---|
| NETWORKS | 5G, 4G LTE (with VoLTE), 3G HSPA+, 2G EDGE & GPRS Networks |
| WI-FI | Wi-Fi 6 |
| NFC | Yes |
| BLUETOOTH | Bluetooth 5.2 |
| INFRARED | Yes |
| POSITIONING | GPS (tri-band) with A-GPS, GLONASS, GALILEO, QZSS, NavIC, & BeiDou |
| USB OTG | Yes |
| USB PORT | USB Type-C |
| SOUND | Dolby ATMOS and Quad Stereo Speakers tuned by Harman Kardon |
| | USB Type-C Audio Output |
| FM RADIO | No |
| BIOMETRICS | Face Recognition & Fingerprint Sensor (under-display) |
| SENSORS | Gyroscope, Compass, Ambient Light Sensor, Virtual Proximity Sensor, Accelerometer |
| BATTERY | 4600 mAh Li-Po Battery (Non-removable) |
| | 120W Fast Charging (Xiaomi HyperCharge, 100% in 18 minutes via Boost Mode or 24 minutes via Standard Mode), 50W Fast Wireless Charging (100% in 42 minutes) |
| MATERIAL | Glass front and back |
| DIMENSIONS | 163.6 x 74.6 x 8.16 mm |
| WEIGHT | 205 g |

| SPECS | Xiaomi 12 Pro |
|-------------|--|
| COLORS | Gray, Blue, and Purple |
| LAUNCH DATE | March 23, 2022 |
| PRICE | ₱48,999.00 - Official Price in the Philippines |