Solución Lab 7 FISI 6510

Guillermo Fidalgo

3 de marzo de 2021

Exercise 5.1: In the on-line resources you will find a file called velocities.txt, which contains two columns of numbers, the first representing time t in seconds and the second the x-velocity in meters per second of a particle, measured once every second from time t=0 to t=100. The first few lines look like this:

```
0 0
1 0.069478
2 0.137694
3 0.204332
4 0.269083
5 0.331656
```

Write a program to do the following:

- a) Read in the data and, using the trapezoidal rule, calculate from them the approximate distance traveled by the particle in the *x* direction as a function of time. See Section 2.4.3 on page 57 if you want a reminder of how to read data from a file.
- b) Extend your program to make a graph that shows, on the same plot, both the original velocity curve and the distance traveled as a function of time.

```
[1]: import numpy as np import matplotlib.pyplot as plt
```

a)

```
[2]: data=np.loadtxt("velocities.txt")
    t=data[:,0]
    vx=data[:,1]
```


```
[3]: def f(x):
    return vx[x]

N = len(vx)
a = 0
b = 100
h = 1
```

```
pos=[]
s = 0.5*f(a) + 0.5*f(b)
pos.append(h*s)
for k in range(1,N):
    s += f(a+k*h)
    pos.append(h*s)
```

b)

```
[4]: plt.figure(dpi=150)
   plt.plot(t,vx,label='velocity')
   plt.plot(t,pos,label='position')
   plt.xlabel("time",size=12)
   plt.ylabel("Velocity\nand\nPosition",size=12,labelpad=30,rotation=0)
   plt.tight_layout()
   plt.legend()
   plt.show()
```



```
[]:
```