

```
#####
Lab 02 - Exchange 2019 Installation
Exercise 1 - Installing Exchange 2019 Prerequisites
Author: Guillermo Padilla Keymole
This script prepares the ad07 server for Exchange installation
#####
```

I started the ad07 virtual machine and logged in as domain07\Administrator
Then I opened PowerShell as Administrator to begin installing all required prerequisites

```
#####
Step 1 - Install Visual C++ Redistributable for Visual Studio 2013
#####
```

I opened a browser and downloaded the following file:

<https://www.microsoft.com/en-us/download/details.aspx?id=40784>

From the download page, I clicked "Download", selected "vcredist_x64.exe", and saved the file to the desktop

Visual C++ Redistributable Packages for Visual Studio 2013

The Visual C++ Redistributable Packages install run-time components that are required to run C++ applications that are built by using Visual Studio 2013. For an updated version of these redistributable packages, see KB 3138367.

Important! Selecting a language below will dynamically change the complete page content to that language.

Select language

English

Download


Choose the download you want

<input type="checkbox"/> File Name	Size
<input type="checkbox"/> vcredist_arm.exe	1.4 MB
<input type="checkbox"/> vcredist_x86.exe	6.2 MB
<input checked="" type="checkbox"/> vcredist_x64.exe	6.9 MB


Download

Total size: 6.9 MB

I double-clicked the file and completed the installation wizard



Once the **setup** completed, I verified that the installation was successful by checking Programs and Features



```
#####  
Step 2 - Verify .NET Framework 4.8 Installation  
#####
```

To verify that .NET Framework 4.8 is installed (already present on Server 2022), I ran this command in PowerShell:

```
(Get-ItemProperty "HKLM:\SOFTWARE\Microsoft\NET Framework  
Setup\NDP\v4\Full").Release
```

```
PS C:\Users\Administrator> (Get-ItemProperty "HKLM:\SOFTWARE\Microsoft\NET Framework Setup\NDP\v4\Full").  
Release  
528449
```

If the output value is 528040 or higher, then .NET 4.8 is confirmed installed

The output showed 528449, which means .NET 4.8 is installed

```
#####  
Step 3 - Install the IIS URL Rewrite Module  
#####
```


I visited the following URL in the browser:

<https://www.iis.net/downloads/microsoft/url-rewrite>

Download URL Rewrite Module 2.1

- English: [x86 installer](#) / [x64 installer](#)

I clicked "Download" and saved the installer, then ran it from the desktop



Once the installation was complete, I confirmed the module was added by opening IIS Manager and verifying that "URL Rewrite" was listed under the server node

Step 4 - Install Required Windows Server Features

In PowerShell, I ran the following single-line command to install all features required by Exchange 2019

```
Install-WindowsFeature Server-Media-Foundation, NET-Framework-45-Features, RPC-over-HTTP-proxy, RSAT-Clustering, RSAT-Clustering-CmdInterface, RSAT-Clustering-Mgmt, RSAT-Clustering-PowerShell, WAS-Process-Model, Web-Asp-Net45, Web-Basic-Auth, Web-Client-Auth, Web-Digest-Auth, Web-Dir-Browsing, Web-Dyn-Compression, Web-Http-Errors, Web-Http-Logging, Web-Http-Redirect, Web-Http-Tracing, Web-ISAPI-Ext, Web-ISAPI-Filter, Web-Lgcy-Mgmt-Console, Web-Metabase, Web-Mgmt-Console, Web-Mgmt-Service, Web-Net-Ext45, Web-Request-Monitor, Web-Server, Web-Stat-Compression, Web-Static-Content, Web-Windows-Auth, Web-WMI, Windows-Identity-Foundation, RSAT-ADDS
```

```
PS C:\Users\Administrator> Install-WindowsFeature Server-Media-Foundation, NET-Framework-45-Features, RPC-over-HTTP-proxy, RSAT-Clustering, RSAT-Clustering-CmdInterface, RSAT-Clustering-Mgmt, RSAT-Clustering-PowerShell, WAS-Process-Model, Web-Asp-Net45, Web-Basic-Auth, Web-Client-Auth, Web-Digest-Auth, Web-Dir-Browsing, Web-Dyn-Compression, Web-Http-Errors, Web-Http-Logging, Web-Http-Redirect, Web-Http-Tracing, Web-ISAPI-Ext, Web-ISAPI-Filter, Web-Lgcy-Mgmt-Console, Web-Metabase, Web-Mgmt-Console, Web-Mgmt-Service, Web-Net-Ext45, Web-Request-Monitor, Web-Server, Web-Stat-Compression, Web-Static-Content, Web-Windows-Auth, Web-WMI, Windows-Identity-Foundation, RSAT-ADDS
```


Success	Restart Needed	Exit Code	Feature Result
True	No	Success	{Message Queuing, Message Queuing Server, ...}

The installation took several minutes and returned Success with no errors


Step 5 – Install the Unified Communications Managed API 4.0 Runtime

I visited the following URL [in](#) my browser:

<https://www.microsoft.com/en-us/download/details.aspx?id=34992>



I downloaded the file "UcmaRuntimeSetup.exe" and ran the installer



I followed the installation wizard to complete the [setup](#)

After installation, I verified [it](#) appeared under Programs and Features

Step 6 – Final Step: Restart the Server

Once all prerequisites were installed and verified, I restarted the server to finalize [configuration](#)

[Restart-Computer](#)

```
PS C:\Users\Administrator> Restart-Computer
```


Exercise 2 - Installing Microsoft Exchange 2019
This script covers the installation of Exchange Server 2019 CU
#####

I logged into the ad07 server as domain07\Administrator

I opened a browser and navigated to the official Microsoft Exchange download page

I downloaded the latest cumulative update of Exchange Server 2019 from this link

<https://support.microsoft.com/en-us/topic/cumulative-update-15-for-exchange-server-2019-kb5042461-6e24534e-40f4-4f3a-9dc7-7406a1117bbf>

Method 2: Microsoft Download Center

- You can get the standalone update package through the Microsoft Download Center.

Microsoft Exchange Server 2019 Cumulative Update 15 - [Download the package now](#)

Cumulative Update 15 Exchange Server 2019 (KB5042461)

Cumulative Update 15 Exchange Server 2019 (KB5042461)


Important! Selecting a language below will dynamically change the complete page content to that language.

Select language

English

Download


Once the download was complete, I right-clicked the ExchangeServer2019-x64-CU15.iso file and selected [Mount](#)



This opened the ISO and displayed its contents as a mounted DVD drive


Launching the Exchange 2019 Installer

From the mounted ISO, I right-clicked on **Setup.exe** and chose Run as Administrator




The Exchange installation wizard opened and began the initialization **process**

When prompted, I accepted the license agreement and clicked Next



On the next screen, I left the option checked to automatically install Windows Server roles and features required by Exchange Server

Server Role Selection



This ensures that any missing dependencies are added during **setup**

Choosing Installation Path and Organization Name

I continued through the wizard and left the default installation path

Installation Space and Location

Disk space required: 5711 MB

Disk space available: 179093 MB

Specify the path for the Exchange Server installation:

C:\Program Files\Microsoft\Exchange Server\V15

browse

When prompted **for** the Exchange Organization Name, I entered

AD07-Exchange

Exchange Organization

Specify the name for this Exchange organization:

AD07-Exchange

This name is used **in** Active Directory and **in** backend **configuration** but is not shown to **end** users

Malware Protection and Prerequisite Check

I kept the default option to enable malware protection

Malware Protection Settings

Malware scanning helps protect your messaging environment by detecting messages that may contain viruses or spyware. It can be turned off, replaced, or paired with other premium services for layered protection.

Malware scanning is enabled by default. However, you can disable it if you're using another product for malware scanning. If you choose to disable malware scanning now, you can enable it at any point after you've installed Exchange.

Disable malware scanning.


☐ Yes

☒ No

Internet access is required to download the latest anti-malware engine and definition updates.

The `setup` wizard ran a Prerequisite Check

Even though it showed a few warnings, the Install button became available because all required checks passed




I clicked Install to `begin` the full installation of Exchange Server 2019

```
#####  
Installation Progress and Completion  
#####
```

The Exchange `setup` completed all 14 installation steps

This `process` took approximately 45 minutes in my virtual machine environment

Once the `setup` finished, I clicked the Finish button



Then I restarted the server to apply all `configuration` changes

`Restart-Computer`

```
PS C:\Users\Administrator> Restart-Computer_
```


Exercise 3 – Validating Exchange 2019 Installation
This exercise confirms that Exchange Server 2019 was successfully installed and operational
#####

After the Exchange installation completed and the server restarted, I logged in as domain07\Administrator

Step 1 – Check Exchange Installation Log
#####

I opened File Explorer and browsed to the following path

C:\ExchangeSetupLogs\ExchangeSetup.log

```
ExchangeSetup.log - Notepad
File Edit Format View Help
[06/17/2025 23:54:40.0020] [0] *****
[06/17/2025 23:54:40.0020] [0] Starting Microsoft Exchange Server 2019 Setup
[06/17/2025 23:54:40.0020] [0] *****
[06/17/2025 23:54:40.0020] [0] Local time zone: (UTC-06:00) Guadalajara, Mexico City, Monterrey.
[06/17/2025 23:54:40.0020] [0] Operating system version: Microsoft Windows NT 6.2.9200.0.
[06/17/2025 23:54:40.0036] [0] Setup version: 15.2.1748.10.
[06/17/2025 23:54:40.0036] [0] Logged on user: DOMAIN07\Administrator.
[06/17/2025 23:54:40.0043] [0] The registry key, HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\ExchangeServer\V15\Setup, wasn't found.
[06/17/2025 23:54:40.0047] [0] The registry key, HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\ExchangeServer\V15\Setup, wasn't found.
[06/17/2025 23:54:40.0065] [0] Command Line Parameter Name='sourcedir', Value='E:\'.
[06/17/2025 23:54:40.0065] [0] Command Line Parameter Name='mode', Value='Install'.
[06/17/2025 23:54:40.0068] [0] RuntimeAssembly was started with the following command: '/sourcedir:E: /mode:Install'.
[06/17/2025 23:54:40.0068] [0] The registry key, HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\ExchangeServer\V15\Setup, wasn't found.
[06/17/2025 23:54:40.0350] [0] Starting file's copying...
[06/17/2025 23:54:40.0352] [0] Setup copy files from 'E:\Setup\ServerRoles\Common' to 'C:\Windows\Temp\ExchangeSetup'
[06/17/2025 23:54:40.0410] [0] Disk space required: 2137294999 bytes.
[06/17/2025 23:54:40.0410] [0] Disk space available: 189879656448 bytes.
[06/17/2025 23:54:40.0557] [0] Finished loading screen CopyFilesPage.
[06/17/2025 23:57:25.0780] [0] File's copying finished.
[06/17/2025 23:57:25.0989] [0] Finished loading screen InitializingSetupPage.
[06/17/2025 23:57:29.0395] [0] Setup is choosing the domain controller to use
[06/17/2025 23:57:41.0698] [0] Setup is choosing a local domain controller...
[06/17/2025 23:57:43.0547] [0] Setup has chosen the local domain controller ad07.domain07.local for initial queries
[06/17/2025 23:57:43.0661] [0] PrepareAD has either not been run or has not replicated to the domain controller used by Setup.
[06/17/2025 23:57:43.0661] [0] The schema master domain controller is available
[06/17/2025 23:57:43.0661] [0] The schema master domain controller is in the local domain; setup will use ad07.domain07.local
[06/17/2025 23:57:43.0667] [0] Setup is choosing a global catalog...
[06/17/2025 23:57:43.0675] [0] Setup has chosen the global catalog server ad07.domain07.local.
[06/17/2025 23:57:43.0678] [0] Setup will use the domain controller 'ad07.domain07.local'.
```

I scrolled through the log to confirm that all setup steps completed successfully and that no critical errors occurred

The log file provided detailed status information for all 14 installation phases

```
#####  
Step 2 – Load Exchange PowerShell Snap-in and Validate Services  
#####
```

I opened PowerShell as Administrator

I ran this command to load the Exchange PowerShell module

```
Add-PSSnapin *exc*
```

```
PS C:\Users\Administrator> Add-PSSnapin *exc*
```

This command loaded all Exchange-related cmdlets into the session

Next, I ran the following command to list mailboxes

```
Get-Mailbox
```

```
PS C:\Users\Administrator> Add-PSSnapin *exc*  
PS C:\Users\Administrator> Get-Mailbox
```

Name	Alias	ServerName	ProhibitSendQuota
----	-----	-----	-----
Administrator	Administrator	ad07	Unlimited
DiscoverySearchMailbox...	DiscoverySearchMa...	ad07	50 GB (53,687,091,200 bytes)

Since no mailboxes have been created yet, this returned no results – which is expected

Then I checked that all required Exchange services were running **using** this command

```
Test-ServiceHealth
```

```
PS C:\Users\Administrator> Test-ServiceHealth
```

Role	: Mailbox Server Role
RequiredServicesRunning	: True
ServicesRunning	: {IISAdmin, MSEXchangeADTopology, MSEXchangeDelivery, MSEXchangeIS...}
ServicesNotRunning	: {}

Role	: Client Access Server Role
RequiredServicesRunning	: True
ServicesRunning	: {IISAdmin, MSEXchangeADTopology, MSEXchangeMailboxReplication, MSEXchangeRPC...}
ServicesNotRunning	: {}

Role	: Hub Transport Server Role
RequiredServicesRunning	: True
ServicesRunning	: {IISAdmin, MSEXchangeADTopology, MSEXchangeEdgeSync, MSEXchangeServiceHost...}
ServicesNotRunning	: {}


The output confirmed that all critical services were **in** a Healthy state

```
#####  
Step 3 - Review IIS for Exchange Web Services  
#####
```

I opened IIS Manager

Under the server node, I expanded Sites and saw that new Exchange-related sites were created, including:

Default Web Site
Exchange Back End **End**




These sites were **using** secure HTTPS bindings and linked to the SSL certificate created earlier

They enable access to Exchange features like Outlook on the Web (OWA) and the Exchange Admin Center (EAC)

```
#####  
Step 4 - Access the Exchange Admin Center  
#####
```

I opened a browser and navigated to the following address

<https://ad07.domain07.local/ecp>



The Exchange Admin Center login screen appeared

```
#####  
Step 5 - Export and Shutdown  
#####
```


Once validation was complete, I shut down the server **using** this command

Stop-Computer

```
PS C:\Users\Administrator> Stop-Computer_
```

Then I exported the VM **in** VMware Workstation:

Clicked on the VM named ad07 and Selected File on the top right of VMware
Selected Export to OVF
Saved **it** as Exchange2019.ova to preserve the working Exchange server image

 Exchange2019.ova	2025-06-17 9:05 PM	Open Virtualizatio...	16,212,060 KB
--	--------------------	-----------------------	---------------