Tutorial Nix COMPAS22

Quentin GUILLOTEAU, Adrien FAURE, Millian POQUET, Olivier RICHARD

Université Grenoble Alpes, Inria, CNRS, Grenoble INP, LIG

2022-07-05

The goal of this tutorial

- Present Reproducibility issues
- Show that current solutions do not tackle those issues
- Present Nix as a promising solution
- Show you how we use it in the Datamove team
- Let you play with it!

The Reproducibility Problem

Different Levels of Reproducibility

- Repetition: Run exact same experiment
- **Replication**: Run experiment with different parameters
- **3 Variation**: Run experiment with different environment

\hookrightarrow Share the experimental environment and how to build/modify it

How to share a Software Environment in HPC?

- Containers?

 need Dockerfile to rebuild/modify. might not be repro (e.g., apt update, curl, commit)
- Spack? → share through modules...

Quentin GUILLOTEAU | UGA,LIG | 2022-07-05 3 / 15

Why is it important?

Control your software environment!

- Use/develop/test/distribute software
 - Manually install many dependencies?
 - Shared env for whole team (tunable) and test machines
 - Bug only on my machine? Means this is hardware or OS related
- Reproducible research
 - Repeat experiment in exact same environment
 - Introduce or test variation

Listing the versions of the dependencies is not enough!

 \hookrightarrow How to easily rebuild from there?

Nix

Nix and NixOS

The Nix Package Manager

- Functional Package Manager
- Packages are functions
 - Inputs = dependencies
 - Body of function = how to build
- Nix Lang \simeq JSON + λ
- (≃) Solves Dependencies Hell
- Reproducible by design

- No side effects:
 - fails if undeclared dep.
 - new pkg cannot break existing ones
- Started in 2003
- 12k commits, 47k C++ LOC

The NixOS Linux Distribution

- Based on Nix
- Declarative approach

 Complete description of the system (kernel, services, pkgs)

Quentin GUILLOTEAU | UGA,LIG | 2022-07-05 5 / 15

Nixpkgs: The Nix Packages Repository

nixpkgs: https://github.com/NixOS/nixpkgs

- Git repository
- Only contains Nix Expressions of the packages
- 340k commits, 85k packages¹
- Pinning the commit of nixpkgs ensure reproducibility of build
- Binary cache of stable packages

 faster builds



https://repology.org/repositories/statistics

Main ideas on building a Nix package

Build in a sandbox

- pure env variables
- no network access (src fetched by Nix, not by user code)
- no inter-process communication
- isolated filesystem

Build phases

- unpackPhase
- patchPhase
- configurePhase
- buildPhase
- checkPhase
- installPhase

Quentin GUILLOTEAU | UGA,LIG | 2022-07-05 7 / 15

Example of Package

```
1 { stdenv, fetchgit, simgrid, boost, cmake }:
                                                     Dependencies
  stdenv.mkDerivation rec {
    pname = "chord";
    version = "0.1.0":
    src = fetchgit {
7
      url = "https://gitlab.inria.fr/me/chord";
8
                                                        Sources
      rev = "069d2a5bfa4c40...":
      sha256 = "sha256-ff4f...":
10
    };
11
12
    buildInputs = [ simgrid boost cmake ];
13
                                                         Build Info
14
    # configurePhase = "cmake .";
15
    # buildPhase = "make";
16
    # installPhase = "mkdir -p $out/bin && mv chord $out/bin";
17
18
```

Derivation

Override Inputs

```
pkgs ? import (fetchTarball {
      url = "https://github.com/NixOS/nixpkgs/[...].tar.gz";
2
      sha256 = "sha256:[...]";}) {}
3
                                                     Pinning
4
  let
    packages = rec {
                                                       Pkg Def
      chord = pkgs.callPackage ./chord.nix { };
7
      chord_custom = chord.override {
8
         simgrid = simgrid-330 x
                                                  Override
q
         boost = boost-167;
10
      };
11
12
      boost-176 = \ldots;
13
14
      boost - 167 = ...:
      boost = boost-176:
15
16
17
      simgrid-330 = ...;
      simgrid-331 = ...;
18
      simgrid = simgrid-331:
                                  nix-build -A chord custom
19
    }:
20
21 in packages
```

Nix Store

All packages in /nix/store

- Isolated packages
- Hash(inputs, source code)-packagename
- lacksquare Package names known before build o binary cache

```
/nix/store

── hash-packagename

── bin

── packagename

── lib

── libpackagename.so
```

How to store the packages?

Usual approach: Merge them all

- Conflicts
- PATH=/usr/bin

Nix approach: Keep them separated

- + Pkg variation
- + Isolated
- + Well def. PATH
- + Read-only

```
/nix/store

— y9zg6ryffgc5c9y67fcmfdkyyiivjzpj-glibc-2.27

— lib

— libc.so
— nc5qbagm3wqfg2lv1gwj373bn88dpqr8-mypkg-0.1.0

— bin
— myprogram
— lib
— libmylib.so
```

1 Introduction


2 Nix

3 How we use Nix in Datamove


4 Conclusio



Write Nix expressions.



Put them in a Git repository.




Use them for your experiment.




Quentin GUILLOTEAU | UGA,LIG | 2022-07-05 12 / 15




Customize them.




Quentin GUILLOTEAU | UGA,LIG | 2022-07-05 12 / 15



Use them for dev, including CI.





Quentin GUILLOTEAU | UGA,LIG | 2022-07-05 12 / 15

Tutorial Nix | Conclusion

1 Introduction

2 Nix

3 How we use Nix in Datamove

4 Conclusion

Nix critique

Strengths

- + No missing dependencies, local build likely works anywhere
- + Traceable dependencies (pinned Nixpkgs)
- + nix-shell = multi-language virtualenv
- + Minimal size docker container generation is trivial
- + Distributed Nix expressions e.g., nur-kapack

Weaknesses

- Contaminant: dependencies must be expressed in Nix
- Learning curve + change in pratice
- Implicit behaviors to build packages (looks magic at first sight)
- External storage (github, gitlab,...)

Quentin GUILLOTEAU | UGA,LIG | 2022-07-05 13 / 15

Take home message

Nix in a nutshell

- Define pure packages (build in sandbox)
- Control and isolate your environments

Steep learning curve, but worth it

- If you want to make sure your code runs in 5 years
- If you want to escape dependency hell

Quentin GUILLOTEAU | UGA,LIG | 2022-07-05

Your turn!

What you will do now

- install Nix on your machines (or G5K)
- package the chord application (distributed hashtable)
- 3 build a docker image of chord
- start a package repository
- 5 use this repository to start experiments

https://tinyurl.com/NixCompas22

If you have time

- package your own applications! (don't hesitate to ask for help)
- play with Nix Flakes

Quentin GUILLOTEAU | UGA,LIG | 2022-07-05 15 / 15