

Despliegue de aplicaciones web.

Antonio Fernández campos

Instalacion de xampp:





Desarrollo en localhost entorno XAMPP y configuración de un host virtual en Apache

```
*hosts: Bloc de notas
 Archivo Edición Formato Ver Ayuda
# Copyright (c) 1993-2009 Microsoft Corp.
  # This is a sample HOSTS file used by Microsoft TCP/IP for Windows.
# This file contains the mappings of IP addresses to host names. Each # entry should be kept on an individual line. The IP address should # be placed in the first column followed by the corresponding host name # The IP address and the host name should be separated by at least one # space.
 # Additionally, comments (such as these) may be inserted on individual # lines or following the machine name denoted by a '#' symbol.
                 102.54.94.97 rhino.acme.com
38.25.63.10 x.acme.com
 # localhost name resolution is handled within DNS itself.
# 127.0.0.1 localhost
# ::1 localhost
127.0.0.1 misWebs.local.com
 *httpd-vhosts: Bloc de notas
  Archivo Edición Formato Ver Ayuda
# IP addresses. This is indicated by the asterisks in the directives below.
   "
# Please see the documentation at
  # Please see the documentation at
# <URL:http://httpd.apache.org/docs/2.4/vhosts/>
# for further details before you try to setup virtual hosts.
  # You may use the command line option '-S' to verify your virtual host
  # Use name-based virtual hosting.
  ##NameVirtualHost *:80
 # WirtualHost example:
# Almost any Apache directive may go into a VirtualHost container.
# The first VirtualHost section is used for all requests that do not
# match a ##ServerName or ##ServerAlias in any <VirtualHost> block.
#
#
#*<VirtualHost *:80>
##ServerAdmin webmaster@dummy-host.example.com
##DocumentRoot "C:/xampp/htdocs/dummy-host.example.com"
##ServerName dummy-host.example.com
##ServerName dummy-host.example.com
##Errorlog "logs/dummy-host.example.com
##Curbundog "logs/dummy-host.example.com-error.log"
##Gustomlog "logs/dummy-host.example.com-access.log" common
##</VirtualHost>
 ##<VirtualHost *:80>
##KVurtualhost *:809
##ServerAdmin webmaster@dummy-host2.example.com
##BOcumentRoot "C:/xampp/htdocs/dummy-host2.example.com"
##ServerName dummy-host2.example.com
##Errorolog "logs/dummy-host2.example.com-error.log"
##Gustomlog "logs/dummy-host2.example.com-error.log"
##Gustomlog "logs/dummy-host2.example.com-access.log" common
##</VirtualHost>
NameVirtualHost *

</irtualHost *>
DocumentRoot "C:\xampp\htdocs"
ServerHame localhost
</irtualHost >


VirtualHost *>
DocumentRoot "C:\miproyecto\httpdocs"
ServerName misNebs.local.com

Options All
| AllowOverride All
Require all granted
</Directory>

 </Directory>
```

Creación de un sitio web en Joomla





Creación de un sitio web en Wordpress:

