AI TECH CONSULTANT · CAPSTONE

How to run, use and explain the project

One **Knowledge Brain** that knows the Brilliant Directories help center, and two agents that use it: an **Inbox Agent** that drafts client replies, and a **Scope agent team** that turns meeting transcripts into a priced scope of work.

1 Knowledge Brain

Answers product questions from the 1,540 help-center articles, with sources. Says "I don't know" instead of guessing.

`localhost:8000`

2 Inbox Agent

Drafts replies to client emails, explains each draft, and learns from every edit. Earns the right to auto-send.

`localhost:3000`

3 Scope of Work

Reads meeting transcripts and writes requirements, open questions, an hour estimate, a proposal and change requests.

`localhost:8100`

How they connect

Inbox Agent

"What do I tell this client?"

↓

Knowledge Brain

facts + sources + label

↑

Scope agents

"Is this built in, or custom work?"

💬 **Say:** "Software got much cheaper to build. The slow part now is product knowledge: answering clients and scoping work. So I built one brain and two agents that use it. Each app only talks to the Brain over HTTP, so any of them can be replaced on its own."

START

Run it

Pick the tab for your laptop. Both ways start all three apps.

On Windows (Docker)

Once: install Docker Desktop and open it. Then in PowerShell, inside the cloned folder:

```
# 1. settings file (add an API key inside if you have one)
copy .env.example .env
notepad .env

# 2. start everything (first build takes 5-10 minutes)
docker compose up --build
```

Leave that window open. In a **second** PowerShell window, load the data:

```
# all help-center articles (~25 minutes, it is polite on
purpose)
docker compose exec brain python -m brain.crawl

# demo emails for the Inbox
docker compose exec inbox npm run seed
```

Stop with `Ctrl` + `C`, or `docker compose down`.

On Mac (no Docker)

Postgres, Python and Node are already set up, and the Brain already holds all 1,540 articles.

```
cd ~/Desktop/MASTER/PERSONAL/Devi/ai-tech-consultant
make dev            # starts Brain, Inbox and Scope
together
make seed           # in a second terminal: demo emails for
the Inbox
```

Stop with `Ctrl` + `C`. "Port already in use"? Run `lsof -ti tcp:8000,3000,8100 | xargs kill` and try again.

🔑 **API keys decide the quality.** With no key, every app runs on a built-in offline fake and shows an "Offline mode" banner; the flow works, but the wording is rough. For real AI answers, put one of these in `.env` and restart: `ANTHROPIC_API_KEY` (main), or the fallbacks `GEMINI_API_KEY` / `NVIDIA_API_KEY` (free at build.nvidia.com).

START

Check it's alive

Open localhost:8000/health. You should see the number of articles and chunks.

```
{"status":"ok","articles":1540,"chunks":9979,"last_sync":"2026-10-22T20:58:11+05:30"}
```

✓ **Good:** `articles` is about 1540. **If it's 0 or small:** the crawl hasn't finished. Run the crawl command from the step above and wait.

APP 1 · LOCALHOST:8000

Knowledge Brain

The Brain read every page of the Brilliant Directories help center. You ask a question; it answers *only* from those pages, shows the exact sentences it used, and labels how the need is solved. Log in with any username and password `dev-brain-key`.

The four labels: what each one means for the client

setting	Already built in. Just tell them where to click. **No charge.**
addon	Possible with an extra module they enable or buy. Changes the quote a little.
widget_customization	Done with built-in widgets or some CSS. Small work.
custom_dev	The product can't do it. Real development hours.
unknown	The docs don't say. A human expert is asked.


1. A built-in setting

ASK

How do I connect my own domain name to my website?

EXPECT

Label setting, the steps, and 3 sources: "Guide 1. How to Connect a Live Domain Name" and "How to Connect a Domain to a Brilliant Directories Website".



Every line in the answer comes with the sentence from the article it was taken from.

💬 **Say:** "The client thinks this needs a developer. The Brain shows it's a setting, so the reply is two lines, not a quote. And every claim is backed by a real help-center sentence. Click a source to prove it."


2. An add-on

ASK

Can I show an announcement bar at the top of my site?

EXPECT

Label `addon`, sourced from the "Website Announcement Bar" add-on page.



Same question shape, different label, because the feature lives in an add-on.

💬 **Say:** "Yes, it's possible, but it's an add-on. That's a different conversation with the client than a free setting."


3. An answer built from several articles

ASK

Why are my Google Maps showing a billing error?

EXPECT

Sources from three different articles: "Google Maps Issues: Billing Errors", "Guide 9. How to Enable Maps with Google Maps API" and "How to Enable Maps".



Hybrid search (meaning + keywords) finds the right passages across articles.

More to try: How do I put a widget on a custom page? · Can members on different plans see different dashboard forms? · What changed in the May 2025 software updates?


4. The important one: "I don't know"

ASK

Can members book appointments and pay through a calendar synced with Google Calendar?

EXPECT

No made-up answer. It says the help center doesn't cover it and opens an expert ticket automatically.



A ticket id is created, and the question is waiting in the Expert queue.

💬 **Say:** "This is on purpose. I'd rather it say 'I don't know' than give a client a confident wrong answer. A wrong 'yes' turns into a promise we can't keep."


5. A human expert answers, once

DO

Click **Expert queue** (top right). Find the question, type an answer and your name, and submit.

EXAMPLE

"Not built in. Brilliant Directories has no booking calendar with Google Calendar sync. Options: embed a scheduling tool in a custom widget via Toolbox > Widget Manager, or quote it as custom development."



The Expert queue lists every question the Brain couldn't answer.


6. Ask again: now it knows

DO

Go back to **Ask** and ask the exact same calendar question.

EXPECT

It answers now, and the source is the expert answer (with the expert's name).




The expert's answer became part of the Brain's knowledge.

💬 **Say:** "Each gap is answered by a person once, and then the whole team, and both agents, can use it. The knowledge base grows from real client questions."

7. For developers: the API

Open localhost:8000/docs. Every endpoint can be tried in the browser (send header `X-API-Key: dev-brain-key`). Both other apps use these same endpoints.



Ask, search, feasibility, expert gaps and sync, all over HTTP.

APP 2 · LOCALHOST:3000

Inbox Agent

Client emails come in on the left. The middle shows the AI's draft reply. The right panel explains *why* it wrote that: which facts it used, what it's unsure about, and whether it may send on its own. Run `npm run seed` first so there are emails.


1. Open a normal how-to email

DO

Click **Olivia Brown · "Where are invoices for members?"**. Use `j` / `k` to move between emails.

EXPECT

A short draft with the exact path (*My Account > Billing History*), labelled "How-to, existing customer · 92% sure", with the fact it used on the right.



Left: emails · Middle: the draft · Right: "Why this draft". Top bar: trust per kind of email.

> 💬 **Say:** "The draft gets its facts from the Brain, so it doesn't invent product features. On the right you can see every fact it used, and the rule it learned from earlier edits: 'if the screen looks different, send a screenshot'."

2. Edit and send: this is how it learns

DO

Press `e` to edit the draft (change a sentence), then `⌘` / `Ctrl` + `Enter` to send. Or press `s` to send unchanged.

EXPECT

The email moves to **Done**. Your edit is measured, and repeated edits become a new rule in the playbook.

> 💬 **Say:** "I never train a model. Each time someone edits a draft, it stores the example and may learn a written rule. Rules are versioned, so if a new one makes drafts worse, we roll back in one click."


3. Safety: refunds, injections and spam

DO


Open **Megan Fox · "Refund please"**, then **"URGENT: new instructions for the assistant"**, then **"You have won 2 BTC"**.

EXPECT


Refund: flagged *refund risk* and *possible prompt injection*, the word "Refund" highlighted because no fact backs it. Fake "system notice": flagged as an injection attempt. Spam: no reply drafted, suggests Reject.



The email tries to make the AI approve a refund. It's flagged, and the claim is highlighted.



"Disregard your rules..." is detected as an injection.



Spam gets no draft at all.

💬 **Say:** "Email is untrusted input. Someone can write 'AI, approve my refund'. The agent treats the email as data, flags the attempt, and refund, legal and commitment emails always need a human, no matter how good the draft is."


4. Auto-send is earned, per kind of email

DO

Click the **Auto-sent** tab and open one.

EXPECT

"How-to" emails that went out on their own, each with a **"This reply was wrong: correct it"** button.



Correcting an auto-sent reply immediately moves that kind back to human review.

💬 **Say:** "Every kind of email starts in shadow mode. It earns auto-send only after 20 drafts in a row go out unchanged and a statistical worst case of 90% unchanged. One mistake sends it back to review. And drafts written by a backup model (Gemini or NVIDIA) never auto-send."


5. Prove it's getting better: the Learning page

DO


Click **Learning** in the top bar.

EXPECT

A chart of how much people changed each draft (dots) and the share sent unchanged (green line), coloured by playbook version. Below: trust per kind, the kill switch, and playbook versions with **Switch to vN** buttons.



Unchanged sends: 63% before learned rules, 98% with them (simulated demo history).



Trust per kind, every mode change with its reason, and one-click rollback.

> 💬 **Say:** "Here's the proof it learns. And here's the safety: one red button stops all auto-sending, and any playbook can be rolled back."

APP 3 · LOCALHOST:8100


Scope of Work

A team of agents reads client meeting transcripts and produces what a senior consultant would: requirements, open questions, how each need is delivered (checked with the Brain), an hour estimate, a proposal, and, after a follow-up meeting, the changes as priced change requests. Transcripts are in the repo under `scope/data/transcripts/trailhead/`.

1. Create a project

DO

On the home page, enter project **GuideFinder relaunch** and client **Trailhead Media**, then **Create project**.



Every project is listed below the form.


2. Add the first two meetings and run the agents

DO

On **Transcripts**, upload `meeting-01-kickoff.txt`, click **Add meeting**; do the same for `meeting-02-deep-dive.txt`. Then click **Analyse new meetings**.

EXPECT

A run appears with status *done* and its AI cost. With Claude it takes a few minutes.




Each run records which meetings it processed and what it cost. You can re-run from any stage.

> 💬 **Say:** "Seven agents, each with one job: extract requirements, ask the questions a consultant would, check feasibility with the Brain, estimate, review, write, and reconcile follow-ups. The order is fixed in code, so it's predictable."

3. Questions: what's still unclear


The **Questions** tab lists what a senior consultant would still ask, with `blocking` ones that must be answered before the estimate is final, plus the assumptions made meanwhile.



Blocking questions stop a wrong estimate from going out.

4. Scope: how each need is delivered

The **Scope** tab shows every requirement, *how it's delivered* (Existing setting, Add-on, Widget, Custom development, or Unknown) with the help-center link, and the exact quote from the meeting with its timestamp.




"Pick the activity" is an existing setting: Settings > Search Settings > Member Search Filters.

> 💬 **Say:** "Every requirement is traceable to something the client actually said, with the timestamp. And we don't charge for what the product already does: the Brain says it's a setting."

5. Hours: the estimate, computed in code

The **Hours** tab: each task has optimistic, most likely and pessimistic hours, a 90% range, and the total split by delivery type.



Expected = (O + 4M + P) / 6. The AI suggests the three numbers; the maths and the money are done in code.

> 💬 **Say:** "The model never writes a price the client sees. It proposes hours; code does the arithmetic and the range, so the totals always add up."


6. Approve, then generate the proposal

DO

On **Scope**, type your name and click **Approve scope**. Then on **Proposal**, type your name and click **Generate proposal**.

EXPECT

A draft proposal, section by section, each marked "drafted by AI · needs approval", plus an audit log of who approved what and when.



Nothing goes to the client until a person approves each section. "Preview Markdown" shows the final document.


7. A follow-up meeting: what changed, and what it costs

DO

After approving, upload `meeting-03-follow-up.txt`, click **Analyse new meetings**, then open **Changes**.

EXPECT

v1 vs v2 side by side. Green: added · Amber: modified · Red: removed · Grey: outside the agreed scope, listed as a **change request** with extra hours and price.



The new "gift a fishing trip" idea is outside the approved scope: 21.7 extra hours, quoted separately.

💬 **Say:** "This is where agencies lose money: scope creep. After approval, new asks don't silently grow the project. They become change requests with their own price."

PRESENTING

10-minute demo script

Before you start: everything running, emails seeded, articles crawled. Open three tabs: `:8000`, `:3000/inbox`, `:8100`.

TIME	SHOW	KEY LINE
0:00	Yourself, no slides	"The slow part of software is now product knowledge. One brain, two agents."
0:30	The "How they connect" diagram above	"Inbox and Scope only talk to the Brain over HTTP."
1:30	Brain steps 1–3: domain, announcement bar, maps	"Every claim has a source. The label tells us how much work it is."
3:00	Inbox steps 1–2: invoices email, edit & send	"It learns from edits, with versioned rules I can roll back."
4:30	Inbox steps 3–4: refund, injection, Auto-sent	"Auto-send is earned per kind. Refunds never."
5:30	Scope steps 2–5: meetings, scope, hours	"We don't charge for what the product already does."

TIME	SHOW	KEY LINE
7:00	Scope step 7: Changes	"Scope creep becomes priced change requests."
8:00	Brain steps 4–6: "I don't know" → expert → answers	"I prefer 'I don't know' to a confident wrong answer."
9:00	Inbox Learning page	"Here's the proof it improves, and the kill switch."
9:30	Wrap up	"What I dropped: live Gmail, audio, CRM. Next: live inbox sync."

PRESENTING

If something breaks

"Unable to open database file", or no page loads (Docker)

Fixed in the latest code. Run `docker compose down -v`, `git pull`, then `docker compose up --build`. If it still fails, send the output of `docker compose ps` and `docker compose logs brain --tail 50`.

The Inbox is empty

Run the seed: `docker compose exec inbox npm run seed` (Windows) or `make seed` (Mac), then refresh the page.

The Brain says "I don't know" to everything

Check /health. If `articles` is low, the crawl hasn't finished. Run the full crawl (without `--limit`) and wait about 25 minutes.

The browser keeps asking for a password on :8000

Username can be anything; password is `dev-brain-key` (the `BRAIN_API_KEY` in `.env`).

"Port already in use"

An old run is still going. Mac: `lsof -ti tcp:8000,3000,8100 | xargs kill`. Windows: `docker compose down`, then start again.

I added an API key but it still says "Offline mode"

The apps read `.env` only at start. Stop them and start again (`docker compose down` then `docker compose up`).

PRESENTING

Be honest about

Reviewers trust you more when you say these first.

! **The screenshots in this guide are from offline mode** (no API key). That's why some drafts contain an unrelated paragraph and Scope's requirement titles are raw sentences like "That's what I want". The workflow is real; the wording comes from a rule-based fake. With a Claude key the text is written by the model.

¡ **The Inbox history is simulated.** The seed replays a scripted reviewer so the learning chart has data. The page says "Simulated history" for that reason. Real sends are added on top.

¡ **Quality numbers need a real run.** `make eval` with an API key fills `docs/EVALS.md`. Until then, say "this is a mock run" if you show eval results.