

URL to GitHub Repository: https://github.com/GulbakhorOllaberganova/prominio3and4.git
URL to Public Link of your Video: https://watch.screencastify.com/v/8VkjaFMs7T0Vt3MgCSFO

Instructions:

- 1. Follow the **Coding Steps** below to complete this assignment.
 - In Eclipse, or an IDE of your choice, write the code that accomplishes the objectives listed below. Ensure that the code compiles and runs as directed.
 - Create a new repository on GitHub for this week's assignment and push your completed code to this dedicated repo.
 - Create a video showcasing your work:
 - In this video: record and present your project verbally while showing the results of the working project.
 - <u>Easy way to Create a video</u>: Start a meeting in Zoom, share your screen, open Eclipse with the code and your Console window, start recording & record yourself describing and running the program showing the results.
 - Your video should be a maximum of 5 minutes.
 - Upload your video with a public link.
 - Easy way to Create a Public Video Link: Upload your video recording to YouTube with a public link.
- 2. In addition, please include the following in your Coding Assignment Document:
 - The URL for this week's GitHub repository.
 - The URL of the public link of your video.
- 3. Save the Coding Assignment Document as a .pdf and do the following:
 - Push the .pdf to the GitHub repo for this week.
 - Upload the .pdf to the LMS in your Coding Assignment Submission.



Coding Steps — Arrays and Methods

- 1. Create an array of int called ages that contains the following values: 3, 9, 23, 64, 2, 8, 28, 93.
 - a. Programmatically subtract the value of the first element in the array from the value in the last element of the array (i.e. do not use ages[7] in your code). Print the result to the console.
 - b. Add a new age to your array and repeat the step above to ensure it is dynamic (works for arrays of different lengths).
 - c. Use a loop to iterate through the array and calculate the average age. Print the result to the console.
- 2. Create an array of String called names that contains the following values: "Sam", "Tommy", "Tim", "Sally", "Buck", "Bob".
 - a. Use a loop to iterate through the array and calculate the average number of letters per name. Print the result to the console.
 - b. Use a loop to iterate through the array again and concatenate all the names together, separated by spaces, and print the result to the console.
- 3. How do you access the last element of any array?
- 4. How do you access the first element of any array?
- 5. Create a new array of int called nameLengths. Write a loop to iterate over the previously created names array and add the length of each name to the nameLengths array.
- 6. Write a loop to iterate over the nameLengths array and calculate the sum of all the elements in the array. Print the result to the console.
- 7. Write a method that takes a String, word, and an int, n, as arguments and returns the word concatenated to itself n number of times. (i.e. if I pass in "Hello" and 3, I expect the method to return "HelloHelloHello").
- 8. Write a method that takes two Strings, firstName and lastName, and returns a full name (the full name should be the first and the last name as a String separated by a space).
- 9. Write a method that takes an array of int and returns true if the sum of all the ints in the array is greater than 100.
- 10. Write a method that takes an array of double and returns the average of all the elements in the array.
- 11. Write a method that takes two arrays of double and returns true if the average of the elements in the first array is greater than the average of the elements in the second array.
- 12. Write a method called willBuyDrink that takes a boolean isHotOutside, and a double moneyInPocket, and returns true if it is hot outside and if moneyInPocket is greater than 10.50.
- 13. Create a method of your own that solves a problem. In comments, write what the method does and why you created it.



```
public class Week3and4 {
      public static void main(String[] args) {
            fullname("Gulbakhor", "Ollaberganova");//8
            concatenete("Hello", 5);//7
            int[] sumindex= {1,9,7};
            //System.out.println(sumarray(sumindex));//9
            double[]hi= {2.0,8.0};
            double[]buy= {4.0, 2.0};
            //System.out.println(average(hi));//10
            //System.out.println(firstEgreater(hi, buy));
            //System.out.println(willBuyDrink(false, 20.0));//11
            //System.out.println(isoddnumber(3));//12
            //System.out.println(fullname("Gulbakhor", "Ollaberganova"));
           1. Create an array of int called ages that contains the following
values: 3, 9, 23, 64, 2, 8, 28, 93.
int []ages= {3, 9, 23, 64, 2, 8, 28, 93,30};
//System.out.println( ages[ages.length - 1] - ages[0]);
double sum=0;
for(int i=0; i<ages.length; i++) {</pre>
sum+=ages[i];
//System.out.println(sum);
double avg=sum/ages.length;
//System.out.println(avg);
//2. Create an array of String called names that contains the following values:
"Sam", "Tommy", "Tim", "Sally", "Buck", "Bob".
double summ=0;
String names[]= {"Sam", "Tommy", "Tim", "Sally", "Buck", "Bob"};
for(String name: names) {
     summ+=name.length();
      //System.out.println(summ);
     double average=summ/name.length();
     //System.out.println(average);
//3. How do you access the last element of any array?
// array name with index of array length subtracted one: ages[ages.length-1];
//names[names.length-1];
//4. How do you access the first element of any array?
// array name with "0" index: ages[0]
//names[0];
//5. Create a new array of int called nameLengths. Write a loop to iterate over the
previously created names array and add the length of each name to the nameLengths
array.
int[]nameLengths=new int[names.length];
```



```
for(int i=0; i< names.length; i++) {</pre>
nameLengths[i]=names[i].length();
      //System.out.println( nameLengths[i]);
};
//6. Write a loop to iterate over the nameLengths array and calculate the sum of
all the elements in the array. Print the result to the console.
      int summary =0;
      for(int a=0; a<nameLengths.length; a++) {</pre>
            summary+=nameLengths[a];
            //System.out.println(summary);
      //7. Write a method that takes a String, word, and an int, n, as arguments
and returns the word concatenated to itself n number of times. (i.e. if I pass in
"Hello" and 3, I expect the method to return "HelloHelloHello").
}
      public static void concatenete(String word, int n) {
            String result="";
            for(int i=0; i<n; i++) {</pre>
            result+=word;
           System.out.println(result);
            }
      //8. Write a method that takes two Strings, firstName and lastName, and
returns a full name (the full name should be the first and the last name as a
String separated by a space).
      public static String fullname(String firstName, String lastName) {
            return firstName+ " " +lastName;
      //9. Write a method that takes an array of int and returns true if the sum
of all the ints in the array is greater than 100.
      public static boolean sumarray(int[]array) {
            int all=0;
            for(int j=0; j<array.length; j++) {</pre>
                  all+=array[j];
                  System.out.println(all);
            if(all>100) {
                  return false;
            }else {
                  return true;
            }
```



```
//10. Write a method that takes an array of double and returns the average of
all the elements in the array.
      public static double average(double[]averg) {
            double all=0;
            for (int i=0; i<averg.length; i++) {</pre>
                  all+=averg[i];
            return all/averg.length;
      }
      //11. Write a method that takes two arrays of double and returns true if the
average of the elements in the first array is greater than the average of the
elements in the second array.
            public static boolean firstEgreater(double[]one, double[]two) {
                  double first=0.0;
                  double second=0.0;
                  double oneAverage=0;
                  double twoAverage=0;
                  for(int l=0; l<one.length; l++) {</pre>
                        first+=one[l];
                        oneAverage= first/one.length;
                        //System.out.println(oneAverage);
                  for(int d=0; d<two.length; d++) {</pre>
                        second+=two[d];
                      twoAverage= second/two.length;
                        System.out.println(twoAverage);
                  if(oneAverage>twoAverage) {
                        return true;
                  }else {
                        return false;
                  }
                  return false;
      }
            //12. Write a method called willBuyDrink that takes a boolean
isHotOutside, and a double moneyInPocket, and returns true if it is hot outside and
if moneyInPocket is greater than 10.50.
            public static boolean willBuyDrink(boolean isHotOutside, double
moneyInPocket) {
                  if(isHotOutside == true && moneyInPocket>10.50) {
                        return true;
                  }else {
                        return false;
                  }
```



```
}
//13. Create a method of your own that solves a problem. In comments,
write what the method does and why you created it.
    public static boolean isoddnumber(int number) {
        if (number%2 !=0) {
            return true;
        }else {
               return false;
        }
}// isoddnumber must return true if number is odd and it must return false if number is not odd.
```