

Count Servers that Communicate

leetcode.com/problems/count-servers-that-communicate/description/?envType=daily-question&envId=2025-01-23

Daily Question

Run Submit

1

Premium

Description Editorial Solutions Submissions

1267. Count Servers that Communicate


Solved

Medium Topics Companies Hint

You are given a map of a server center, represented as a $m \times n$ integer matrix `grid`, where 1 means that on that cell there is a server and 0 means that it is no server. Two servers are said to communicate if they are on the same row or on the same column.

Return the number of servers that communicate with any other server.

Example 1:



1.5K 72 6661 Online

Code

C++ Auto

```
1 class Solution {
2 public:
3     int countServers(vector<vector<int>>& grid) {
4         vector<int> Rows(grid.size());
5         vector<int> Col(grid[0].size());
6
7         // Calculate row and column sums
8         for (int i = 0; i < grid.size(); i++) {
```

Restored from local Upgrade to Cloud Saving Ln 1, Col 1

Testcase Test Result

Case 1 Case 2 Case 3 +

grid =

[[1,0],[0,1]]

Source

Game Play Analysis I - LeetCode

leetcode.com/problems/game-play-analysis-i/description/

Problem List

Run Submit

1 Premium

DescriptionEditorialSolutionsSubmissions

511. Game Play Analysis I

Solved

EasyTopicsCompanies

SQL SchemaPandas Schema

Table: Activity

Column Name	Type
player_id	int
device_id	int
event_date	date
games_played	int

(player_id, event_date) is the primary key (combination of columns with unique values) of this table.
This table shows the activity of players of some games.
Each row is a record of a player who logged in and played a number of games (possibly 0) before logging out on someday using some device.

Code

MySQLAuto

```
1 # Write your MySQL query statement below
2 # Write your MySQL query statement below
3 WITH CTE AS(
4     SELECT *,
5         RANK() OVER(PARTITION BY player_id ORDER BY event_date) AS ranking
6     FROM Activity
7 )
8 SELECT player_id, event_date AS first_login
```

SavedLn 1, Col 1

TestcaseTest Result

Case 1

Activity =

player_id	device_id	event_date	games_played
1	2	2016-03-01	5
1	2	2016-05-02	6
2	3	2017-06-25	1
3	1	2016-03-02	0
3	4	2018-07-03	5

9046725 Online

Find Customer Referee - LeetCode

leetcode.com/problems/find-customer-referee/description/

Problem ListRunSubmit

82 Online

584. Find Customer RefereeSolved

EasyTopicsCompaniesHint

SQL SchemaPandas Schema

Table: Customer

Column Name	Type
id	int
name	varchar
referee_id	int

In SQL, id is the primary key column for this table. Each row of this table indicates the id of a customer, their name, and the id of the customer who referred them.

Find the names of the customer that are **not referred by** the customer with `id = 2`.

Return the result table in **any order**.

2.4K26982 Online

Code

MySQLAuto

```
1 # Write your MySQL query statement below
2 select name from customer where referee_id != 2 or referee_id is null;
```

SavedLn 1, Col 1

TestcaseTest Result

Customer =

id	name	referee_id
1	Will	null
2	Jane	null
3	Alex	2
4	Bill	null
5	Zack	1
6	Mark	2

Count Servers that Communicate

leetcode.com/problems/count-servers-that-communicate/description/

Problem ListRunSubmit

9Premium

DescriptionEditorialSolutionsSubmissions


1267. Count Servers that Communicate

MediumTopicsCompaniesHint

You are given a map of a server center, represented as a $m \times n$ integer matrix `grid`, where 1 means that on that cell there is a server and 0 means that it is no server. Two servers are said to communicate if they are on the same row or on the same column.

Return the number of servers that communicate with any other server.

Example 1:



1.5K72

6657 Online

Code

C++Auto

```
1 class Solution {
2 public:
3     int countServers(vector<vector<int>>& grid) {
4         vector<int> Rows(grid.size());
5         vector<int> Col(grid[0].size());
6
7         // Calculate row and column sums
8         for (int i = 0; i < grid.size(); i++) {
```

Restored from local Upgrade to Cloud SavingLn 1, Col 1

TestcaseTest Result

Case 1Case 2Case 3+

grid =

[[1,0],[0,1]]

Source

Invalid Tweets - LeetCode

leetcode.com/problems/invalid-tweets/description/

Problem List

Run

Submit

79 Online

Premium

Description

Editorial

Solutions

Submissions

1683. Invalid Tweets

Solved

EasyTopicsCompanies

SQL Schema

Pandas Schema

Table: Tweets

Column Name	Type
tweet_id	int
content	varchar

tweet_id is the primary key (column with unique values) for this table.

content consists of characters on an American Keyboard, and no other special characters.

This table contains all the tweets in a social media app.

Write a solution to find the IDs of the invalid tweets. The tweet is invalid if the number of characters used in the content of the tweet is **strictly greater** than 15.

1.1K19479 Online

Code

MySQLAuto

```
1 # Write your MySQL query statement below
2 SELECT tweet_id FROM Tweets
3 WHERE LENGTH(content) > 15;
```

Restored from local Upgrade to Cloud SavingLn 1, Col 1

Testcase

Test Result

Case 1

Tweets =

tweet_id	content
1	Let us Code
2	More than fifteen chars are here!

1757. Recyclable and Low Fat Products

Easy

Topics

Companies

SQL Schema >

Pandas Schema >

Table: Products

Column Name	Type
product_id	int
low_fats	enum
recyclable	enum

product_id is the primary key (column with unique values) for this table.

low_fats is an ENUM (category) of type ('Y', 'N') where 'Y' means this product is low fat and 'N' means it is not.

recyclable is an ENUM (category) of types ('Y', 'N') where 'Y' means this product is recyclable and 'N' means it is not.

Write a solution to find the ids of products that are both low fat and recyclable.

2.7K



239



180 Online

Code

MySQL Auto

```
1 # Write your MySQL query statement below
2 select product_id from Products where low_fats='Y' and recyclable='Y';
```

Restored from local Upgrade to Cloud Saving

Ln 1, Col 1

Testcase Test Result

Case 1

Products =

product_id	low_fats	recyclable
0	Y	N
1	Y	Y
2	N	Y
3	Y	Y
4	N	N