



## Architecture des Systèmes d'Information


Servlet Programming Model Context Set Param






### Servlet Lattice









### Servlet





### Servlet Lattice







## Big Picture












**Context** 





### Servlet Container and Servlet Context





### interface ServletContext



#### ServletContext

getInitParameter()


setAttribute()

getAttribute()



### Servlet Container and Servlet Context








# **Context Init Parameter** servletContext Container Request Servlet Attribute Response < **FUCHS** Config Attribute web.xml **Param**

### **Context Parameter**







### ContextParam Set Servlet



```
package contextParamSet;
import java.io.IOException;
import java.io.PrintWriter;
import javax.servlet.ServletContext;
import javax.servlet.ServletException;
import javax.servlet.http.HttpServlet;
import javax.servlet.http.HttpServletRequest;
import javax.servlet.http.HttpServletResponse;
public class ContextParamSet extends HttpServlet {
          protected void doGet(HttpServletRequest request, HttpServletResponse response)
                                                            throws ServletException, IOException {
                    System.out.println( "Servlet Set context OK");
                    PrintWriter out = response.getWriter();
                    ServletContext context = getServletContext();
                    String lastName = context.getInitParameter("lastName");
                    getServletContext().setAttribute("lastName", lastName);
                    out.println("My last name is " + context.getAttribute("lastName"));
```

### ContextParam WEB.XML



```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE web-app PUBLIC "-//Sun Microsystems, Inc.//DTD Web Application 2.2//EN"</pre>
"http://java.sun.com/j2ee/dtds/web-app_2_2.dtd">
<web-app id="WebApp_ID">
        <context-param>
                 <param-name>lastName</param-name>
                 <param-value>FUCHS</param-value>
        </context-param>
        <servlet>
                 <servlet-name>ContextParamSet</servlet-name>
                 <servlet-class>contextParamSet.ContextParamSet</servlet-class>
        </servlet>
        <servlet-mapping>
                 <servlet-name>ContextParamSet</servlet-name>
                 <url-pattern>/ContextParamSet</url-pattern>
        </servlet-mapping>
</web-app>
```





**Emmanuel fuchs Architecture des Systèmes d'Information**