1. Các lệnh chạy docker:

docker-compose up -d --build: Build và chạy tất cả service



docker-compose logs producer: Kiểm tra log producer



docker-compose logs consumer: Kiểm tra log consumer



docker ps: Kiểm tra trạng thái các container



docker exec -it consumer ping rabbitmq: ping từ consumer đến rabbitmq để kiểm tra thông suốt



docker container top consumer: Kiểm tra xem ứng dụng node.js có đang chạy không



docker stats: Xem CPU, RAM, Network I/O của Producer, Consumer, MQ



docker-compose up -d --scale consumer=3: Chạy 3 container consumer cùng lúc



docker-compose logs -f consumer: Xem log cụ thể (consumer)



2. Test bằng Postmain



RabbitMQ™ RabbitMQ 4.2.2 Erlang 27.3.4.6

Refreshed 2026-01-22 20:14:28 Refresh every 5 seconds
Virtual host All
Cluster rabbit@ee289ebf26c9
User user Log out

Overview | Connections | Channels | Exchanges | Queues and Streams | Admin

Overview

Totals

Queued messages last minute ?

Ready	0
Unacked	0
Total	0

Message rates last minute ?

Publish	0.00/s	Deliver (auto ack)	0.00/s	Get (manual ack)	0.00/s	Unroutable (return)	0.00/s
Publisher confirm	0.00/s	Consumer ack	0.00/s	Get (auto ack)	0.00/s	Unroutable (drop)	0.00/s
Deliver (manual ack)	0.00/s	Redelivered	0.00/s	Get (empty)	0.00/s		

Global counts ?

Connections: 2 | Channels: 2 | Exchanges: 7 | Queues: 2 | Consumers: 1

Nodes

Name	File descriptors ?	Erlang processes	Memory ?	Disk space	Uptime	Cores	Info	Reset stats	+/-
rabbit@ee289ebf26c9	40 1048576 available	463 1048576 available	149 MiB 3.6 GiB high watermark	236 GiB 48 MiB low watermark	30m 47s	20	basic 2 rss	This node All nodes	

Churn statistics

RabbitMQ™ RabbitMQ 4.2.2 Erlang 27.3.4.6

Refreshed 2026-01-22 19:50:01 Refresh every 5 seconds
Virtual host All
Cluster rabbit@ee289ebf26c9
User user Log out

Overview | Connections | Channels | Exchanges | Queues and Streams | Admin

Connections

All connections (2)

Pagination

Page 1 of 1 - Filter: Regex ?

Displaying 2 items , page size up to: 100

Overview				Details			Network		+/-
Name	Container ID ?	User name	State	SSL / TLS	Protocol	Channels	From client	To client	
172.18.0.3:47700		user	running	○	AMQP 0-9-1	1	0 B/s	0 B/s	
172.18.0.4:33800		user	running	○	AMQP 0-9-1	1	0 B/s	0 B/s	

HTTP API | Documentation | Tutorials | New releases | Commercial edition | Commercial support | Discussions | Discord | Plugins | GitHub

RabbitMQ™ RabbitMQ 4.2.2 Erlang 27.3.4.6

Refreshed 2026-01-22 19:50:30 Refresh every 5 seconds

Virtual host All

Cluster rabbit@ee289ebf26c9

User user Log out

Overview | Connections | Channels | Exchanges | Queues and Streams | Admin

Queues

All queues (2)

Pagination

Page 1 of 1 - Filter: Regex ?

Displaying 2 items , page size up to: 100

Overview					Messages			Message rates			+/-
Virtual host	Name	Type	Features	State	Ready	Unacked	Total	incoming	deliver / get	ack	
/	order_queue	classic	D DLX DLK Args	running	0	0	0				
/	order_queue.dlq	classic	D Args	running	0	0	0				

Add a new queue

HTTP API | Documentation | Tutorials | New releases | Commercial edition | Commercial support | Discussions | Discord | Plugins | GitHub