

Java File Handling

Count occurrences of the character pairs **pe** and **pi**

The program writes a short tongue twister to `sample.txt`, reads it line by line, converts each line to lowercase, and counts adjacent occurrences of **pe** and **pi**.

Compile and run

```
1 javac FileHandling.java
2 java FileHandling
```

Program

```
1 import java.io.*;
2 import java.util.*;
3
4 public class FileHandling {
5
6     public static void main(String[] args) {
7
8         String text =
9             "Peter Piper picked a peck of pickled peppers\n" +
10            "A peck of pickled peppers Peter Piper picked\n" +
11            "If Peter Piper picked a peck of pickled peppers\n" +
12            "Where's the peck of pickled peppers Peter Piper picked?";
13
14         try {
15
16             FileWriter fw = new FileWriter("sample.txt");
17             fw.write(text);
18             fw.close();
19
20             BufferedReader br =
21                 new BufferedReader(new FileReader("sample.txt"));
22
23             int pe = 0;
24             int pi = 0;
25             String line;
26
27             while ((line = br.readLine()) != null) {
28
29                 line = line.toLowerCase();
30
31                 for (int i = 0; i < line.length() - 1; i++) {
32
33                     String pattern = line.substring(i, i + 2);
34
35                     if (pattern.equals("pe"))
36                         pe++;
37
38                     if (pattern.equals("pi"))
39                         pi++;
40                 }
41             }
42
43             br.close();
44
```

```
45         System.out.println("'pe' - no of occurrences - " + pe);
46         System.out.println("'pi' - no of occurrences - " + pi);
47
48     } catch (IOException e) {
49         System.out.println("File error: " + e.getMessage());
50     }
51 }
52 }
```