

RegressionTest Test Log

Execution Environment

Host name: User - LAPTOP-3EMEP7SS.mshome.net  
Local OS: Windows 10 64bit  
Katalon version: 8.4.0.208  
Device Name: emulator-5554 (sdk\_gphone\_x86 - Android 11)

Test Execution Log

<b>TEST SUITE: RegressionTest</b>	
Full Name:	RegressionTest
Start / End / Elapsed:	2022-11-08 11:22:15.570 / 2022-11-08 11:23:49.883 / 00:01:34.313
Status:	1 test total, 0 passed, 1 failed, 0 error, 0 incomplete, 0 skipped
<b>TEST CASE: Test Cases/RunFeatureFile</b>	
Full Name:	RegressionTest/Test Cases/RunFeatureFile
Start / End / Elapsed:	2022-11-08 11:22:15.890 / 2022-11-08 11:23:49.883 / 00:01:33.993
Status:	FAILED
Message:	<p>Test Cases/RunFeatureFile FAILED.</p> <p>Reason:</p> <p>com.kms.katalon.core.exception.StepFailedException: Keyword runFeatureFile was failed (Root cause: java.lang.RuntimeException: java.io.IOException: The handle is invalid</p> <p>at cucumber.api.formatter.NiceAppendable.tryFlush(NiceAppendable.java:82)</p> <p>at cucumber.api.formatter.NiceAppendable.append(NiceAppendable.java:21)</p> <p>at cucumber.runtime.formatter.JSONFormatter.finishReport(JSONFormatter.java:171)</p> <p>at cucumber.runtime.formatter.JSONFormatter.access\$400(JSONFormatter.java:40)</p> <p>at cucumber.runtime.formatter.JSONFormatter\$5.receive(JSONFormatter.java:80)</p> <p>at cucumber.runtime.formatter.JSONFormatter\$5.receive(JSONFormatter.java:77)</p> <p>at cucumber.runner.EventBus.send(EventBus.java:28)</p> <p>at cucumber.runtime.Runtime.run(Runtime.java:109)</p> <p>at cucumber.api.cli.Main.run(Main.java:35)</p> <p>at cucumber.api.cli.Main\$run.call(Unknown Source)</p> <p>at</p> <p>com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.groovy:108)</p> <p>at</p> <p>com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords\$_runFeatureFile_closure1.doCall(CucumberBuiltinKeywords.groovy)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword(KeywordMain.groovy:74)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword(KeywordMain.groovy:68)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordMain\$runKeyword.call(Unknown Source)</p> <p>at</p> <p>com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.runFeatureFile(CucumberBuiltinKeywords.groovy:75)</p> <p>at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords\$runFeatureFile\$0.callStatic(Unknown Source)</p> <p>at</p> <p>com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.runFeatureFile(CucumberBuiltinKeywords.groovy:248)</p> <p>at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords\$runFeatureFile.call(Unknown Source)</p> <p>at RunFeatureFile.run(RunFeatureFile:24)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:445)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:436)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:415)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:407)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:284)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestSuiteMainPhase(CommonExecutor.java:65)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:144)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185)</p> <p>at com.kms.katalon.core.main.TestCaseMain\$startTestSuite\$0.call(Unknown Source)</p> <p>at TempTestSuite1667881323403.run(TempTestSuite1667881323403.groovy:36)</p> <p>Caused by: java.io.IOException: The handle is invalid</p> <p>at cucumber.runtime.io.URLOutputStream.write(URLOutputStream.java:60)</p> <p>at cucumber.api.formatter.NiceAppendable.tryFlush(NiceAppendable.java:80)</p> <p>at cucumber.api.formatter.NiceAppendable.append(NiceAppendable.java:21)</p> <p>at cucumber.runtime.formatter.JSONFormatter.finishReport(JSONFormatter.java:171)</p> <p>at cucumber.runtime.formatter.JSONFormatter.access\$400(JSONFormatter.java:40)</p> <p>at cucumber.runtime.formatter.JSONFormatter\$5.receive(JSONFormatter.java:80)</p> <p>at cucumber.runtime.formatter.JSONFormatter\$5.receive(JSONFormatter.java:77)</p> <p>at cucumber.runner.EventBus.send(EventBus.java:28)</p> <p>at cucumber.runtime.Runtime.run(Runtime.java:109)</p> <p>at cucumber.api.cli.Main.run(Main.java:35)</p> <p>at cucumber.api.cli.Main\$run.call(Unknown Source)</p>

```

        at
com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords$_runFeatureFile_closure1.doCall(CucumberB
uiltinKeywords.groovy:108)
        at
com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords$_runFeatureFile_closure1.doCall(CucumberB
uiltinKeywords.groovy)
        at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword(KeywordMain.groovy:74)
        at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword(KeywordMain.groovy:68)
        at com.kms.katalon.core.keyword.internal.KeywordMain$runKeyword.call(Unknown Source)
        at
com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.runFeatureFile(CucumberBuiltinKeywords.groo
vy:75)
        at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords$runFeatureFile$0.callStatic(Unknown
Source)
        at
com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.runFeatureFile(CucumberBuiltinKeywords.groo
vy:248)
        at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords$runFeatureFile.call(Unknown Source)
        at Script1667881169404.run(Script1667881169404.groovy:24)
        ... 13 more
    )
        at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.groovy:50)
        at com.kms.katalon.core.keyword.internal.KeywordMain.stepFailed(KeywordMain.groovy)
        at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword(KeywordMain.groovy:76)
        at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword(KeywordMain.groovy:68)
        at com.kms.katalon.core.keyword.internal.KeywordMain$runKeyword.call(Unknown Source)
        at
com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.runFeatureFile(CucumberBuiltinKeywords.groo
vy:75)
        at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords$runFeatureFile$0.callStatic(Unknown
Source)
        at
com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.runFeatureFile(CucumberBuiltinKeywords.groo
vy:248)
        at com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords$runFeatureFile.call(Unknown Source)
        at RunFeatureFile.run(RunFeatureFile:24)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:445)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:436)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:415)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:407)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:284)
        at com.kms.katalon.core.common.CommonExecutor.accessTestSuiteMainPhase(CommonExecutor.java:65)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:144)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185)
        at com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)
        at TempTestSuite1667881323403.run(TempTestSuite1667881323403.groovy:36)
    Caused by: java.lang.RuntimeException: java.io.IOException: The handle is invalid
        at cucumber.api.formatter.NiceAppendable.tryFlush(NiceAppendable.java:82)
        at cucumber.api.formatter.NiceAppendable.append(NiceAppendable.java:21)
        at cucumber.runtime.formatter.JSONFormatter.finishReport(JSONFormatter.java:171)
        at cucumber.runtime.formatter.JSONFormatter.access$400(JSONFormatter.java:40)
        at cucumber.runtime.formatter.JSONFormatter$5.receive(JSONFormatter.java:80)
        at cucumber.runtime.formatter.JSONFormatter$5.receive(JSONFormatter.java:77)
        at cucumber.runner.EventBus.send(EventBus.java:28)
        at cucumber.runtime.Runtime.run(Runtime.java:109)
        at cucumber.api.cli.Main.run(Main.java:35)
        at cucumber.api.cli.Main$run.call(Unknown Source)
        at
com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords$_runFeatureFile_closure1.doCall(CucumberB
uiltinKeywords.groovy:108)
        at
com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords$_runFeatureFile_closure1.doCall(CucumberB
uiltinKeywords.groovy)
        at com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword(KeywordMain.groovy:74)
        ... 20 more
    Caused by: java.io.IOException: The handle is invalid
        at cucumber.runtime.io.URLOutputStream.write(URLOutputStream.java:60)
        at cucumber.api.formatter.NiceAppendable.tryFlush(NiceAppendable.java:80)
        ... 32 more

```

**TEST STEP:** runFeatureFile("Include/features/register.feature")

**Start / End / Elapsed:** 2022-11-08 11:22:16.346 / 2022-11-08 11:22:49.546 / 00:00:33.200

**TEST STEP:** User navigates to login page

**Start / End / Elapsed:** 2022-11-08 11:22:17.472 / 2022-11-08 11:22:39.502 / 00:00:22.030

```

11:22:17.950    INFO    Detected NodeJS location: "C:\Program Files\nodejs\node.exe"
11:22:19.696    INFO    Appium server started on port 62,720
11:22:38.521    PASSED   Started app at: 'E:\Semester 7\Alterra\Materi\Mini Projek\app-release.apk'
11:22:38.628    WARNING  Timeout '0' is invalid. Using default page load timeout: '60'
11:22:39.491    PASSED   Tapped on element 'Object Repository\Log/android.widget.Button'
11:22:39.500    PASSED   User navigates to login page

```

**TEST STEP:** *User navigates to register page***Start / End / Elapsed:** 2022-11-08 11:22:39.504 / 2022-11-08 11:22:42.307 / 00:00:02.803

11:22:39.642 WARNING Timeout '0' is invalid. Using default page load timeout: '60'

11:22:42.304 PASSED Tapped on element 'Object Repository/Register/android.widget.Button (1)'

11:22:42.306 PASSED User navigates to register page

**TEST STEP:** *User enter <Fullame> and perpass@gmail.com and passWord123***Start / End / Elapsed:** 2022-11-08 11:22:42.309 / 2022-11-08 11:22:46.432 / 00:00:04.123

11:22:42.390 WARNING Timeout '0' is invalid. Using default page load timeout: '60'

11:22:44.681 PASSED Text 'Gunado Siregar' has been set to element 'Object Repository/Register/android.widget.EditText - Alex Under, Fullname (1)'

11:22:44.732 WARNING Timeout '0' is invalid. Using default page load timeout: '60'

11:22:44.886 PASSED Tapped on element 'Object Repository/Register/android.widget.EditText - alexemail.com, Email'

11:22:44.951 WARNING Timeout '0' is invalid. Using default page load timeout: '60'

11:22:45.884 PASSED Text 'bursar@gmail.com' has been set to element 'Object Repository/Register/android.widget.EditText - alexemail.com, Email (1)'

11:22:45.956 WARNING Timeout '0' is invalid. Using default page load timeout: '60'

11:22:46.153 PASSED Tapped on element 'Object Repository/Register/android.widget.EditText - 123123123, Password'

11:22:46.239 WARNING Timeout '0' is invalid. Using default page load timeout: '60'

11:22:46.430 PASSED Text 'passWord123' has been set to element 'Object Repository/Register/android.widget.EditText - 123123123, Password (1)'

11:22:46.432 PASSED User enter <Fullame> and perpass@gmail.com and passWord123

**TEST STEP:** *User click button register***Start / End / Elapsed:** 2022-11-08 11:22:46.433 / 2022-11-08 11:22:49.271 / 00:00:02.838

11:22:46.504 WARNING Timeout '0' is invalid. Using default page load timeout: '60'

11:22:47.440 PASSED Tapped on element 'Object Repository/Register/android.widget.Button (2)'

11:22:49.268 PASSED Close app successfully

11:22:49.270 PASSED User click button register

11:22:16.410 INFO Starting run keyword runFeatureFile: 'Include/features/register.feature' and extract report to folder: 'E:\Semester 7\Alterra\Materi\Mini Projek\MiniProjectMobile\Reports\20221108\_112203\RegressionTest\20221108\_112203\cucumber\_report\1667881336399'...

11:22:49.545 PASSED Feature file: 'Include/features/register.feature' was passed

**TEST STEP:** *runFeatureFile("Include/features/login.feature")***Start / End / Elapsed:** 2022-11-08 11:22:49.547 / 2022-11-08 11:23:18.846 / 00:00:29.299**TEST STEP:** *User navigates to login page***Start / End / Elapsed:** 2022-11-08 11:22:49.747 / 2022-11-08 11:23:11.708 / 00:00:21.961

11:22:50.010 INFO Detected NodeJS location: "C:\Program Files\nodejs\node.exe"

11:22:52.269 INFO Appium server started on port 62,986

11:23:11.090 PASSED Started app at: 'E:\Semester 7\Alterra\Materi\Mini Projek\app-release.apk'

11:23:11.159 WARNING Timeout '0' is invalid. Using default page load timeout: '60'

11:23:11.707 PASSED Tapped on element 'Object Repository/Log/android.widget.Button'

11:23:11.708 PASSED User navigates to login page

**TEST STEP:** *User input radengunado@gmail.com and passWord123***Start / End / Elapsed:** 2022-11-08 11:23:11.709 / 2022-11-08 11:23:17.300 / 00:00:05.591

11:23:11.803 WARNING Timeout '0' is invalid. Using default page load timeout: '60'

11:23:14.852 PASSED Tapped on element 'Object Repository/Log/android.widget.EditText - Email'

11:23:14.910 WARNING Timeout '0' is invalid. Using default page load timeout: '60'

11:23:16.038 PASSED Text 'radengunado@gmail.com' has been set to element 'Object Repository/Log/android.widget.EditText - Email (1)'

11:23:16.098 WARNING Timeout '0' is invalid. Using default page load timeout: '60'

11:23:16.269 PASSED Tapped on element 'Object Repository/Log/android.widget.EditText - Password'

11:23:16.341 WARNING Timeout '0' is invalid. Using default page load timeout: '60'

11:23:17.298 PASSED Text 'passWord123' has been set to element 'Object Repository/Log/android.widget.EditText - Password (1)'

11:23:17.299 PASSED User input radengunado@gmail.com and passWord123

**TEST STEP:** *User click button login***Start / End / Elapsed:** 2022-11-08 11:23:17.300 / 2022-11-08 11:23:18.819 / 00:00:01.519

11:23:17.369 WARNING Timeout '0' is invalid. Using default page load timeout: '60'

11:23:17.553 PASSED Tapped on element 'Object Repository/Log/android.widget.Button (1)'

11:23:18.816 PASSED Close app successfully  
11:23:18.818 PASSED User click button login  
11:22:49.548 INFO Starting run keyword runFeatureFile: 'Include/features/login.feature' and extract report to folder: 'E:\Semester 7\Alterra\Materi\Mini Projek\MiniProjectMobile\Reports\20221108\_112203\RegressionTest\20221108\_112203\cucumber\_report\1667881369548'...  
11:23:18.845 PASSED Feature file: 'Include/features/login.feature' was passed  
**TEST STEP:** runFeatureFile("Include/features/logout.feature")  
**Start / End / Elapsed:** 2022-11-08 11:23:18.846 / 2022-11-08 11:23:49.868 / 00:00:31.022  
**TEST STEP:** User navigates to login page  
**Start / End / Elapsed:** 2022-11-08 11:23:19.167 / 2022-11-08 11:23:43.005 / 00:00:23.838  
11:23:19.511 INFO Detected NodeJS location: "C:\Program Files\nodejs\node.exe"  
11:23:21.768 INFO Appium server started on port 63,231  
11:23:41.497 PASSED Started app at: 'E:\Semester 7\Alterra\Materi\Mini Projek\app-release.apk'  
11:23:41.568 WARNING Timeout '0' is invalid. Using default page load timeout: '60'  
11:23:43.003 PASSED Tapped on element 'Object Repository\Log/android.widget.Button'  
11:23:43.004 PASSED User navigates to login page  
**TEST STEP:** User input radengunado@gmail.com and passWord123  
**Start / End / Elapsed:** 2022-11-08 11:23:43.006 / 2022-11-08 11:23:47.765 / 00:00:04.759  
11:23:43.091 WARNING Timeout '0' is invalid. Using default page load timeout: '60'  
11:23:46.721 PASSED Tapped on element 'Object Repository\Log/android.widget.EditText - Email'  
11:23:46.822 WARNING Timeout '0' is invalid. Using default page load timeout: '60'  
11:23:47.065 PASSED Text 'radengunado@gmail.com' has been set to element 'Object Repository\Log/android.widget.EditText - Email (1)'  
11:23:47.149 WARNING Timeout '0' is invalid. Using default page load timeout: '60'  
11:23:47.507 PASSED Tapped on element 'Object Repository\Log/android.widget.EditText - Password'  
11:23:47.560 WARNING Timeout '0' is invalid. Using default page load timeout: '60'  
11:23:47.763 PASSED Text 'passWord123' has been set to element 'Object Repository\Log/android.widget.EditText - Password (1)'  
11:23:47.764 PASSED User input radengunado@gmail.com and passWord123  
**TEST STEP:** User click button login  
**Start / End / Elapsed:** 2022-11-08 11:23:47.765 / 2022-11-08 11:23:49.618 / 00:00:01.853  
11:23:47.828 WARNING Timeout '0' is invalid. Using default page load timeout: '60'  
11:23:47.987 PASSED Tapped on element 'Object Repository\Log/android.widget.Button (1)'  
11:23:49.614 PASSED Close app successfully  
11:23:49.616 PASSED User click button login  
**TEST STEP:** User click button profile  
**Start / End / Elapsed:** 2022-11-08 11:23:49.619 / 2022-11-08 11:23:49.811 / 00:00:00.192  
11:23:49.779 WARNING Timeout '0' is invalid. Using default page load timeout: '60'  
11:23:49.806 FAILED User click button profile FAILED.  
Reason:  
com.kms.katalon.core.exception.StepFailedException: No driver found  
at  
com.kms.katalon.core.mobile.helper.MobileScreenCaptor.getAnyAppiumDriver(MobileScreenCaptor.java:82)  
at  
com.kms.katalon.core.mobile.helper.MobileScreenCaptor.take(MobileScreenCaptor.java:49)  
at  
com.kms.katalon.core.helper.screenshot.ScreenCaptor.takeScreenshotAndGetAttributes(ScreenCaptor.java:37)  
at  
com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed(MobileKeywordMain.groovy:40)  
at  
com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.runKeyword(MobileKeywordMain.groovy:23)  
at  
com.kms.katalon.core.mobile.keyword.builtin.TapKeyword.tap(TapKeyword.groovy:84)  
at  
com.kms.katalon.core.mobile.keyword.builtin.TapKeyword.execute(TapKeyword.groovy:68)  
at  
com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform

```

m(KeywordExecutor.groovy:74)
    at
com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.tap(MobileBuiltInKey
words.groovy:1490)
    at
com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords$tap$0.call(Unknown
Source)
    at altaShop.logout.clickProfile(logout.groovy:54)
    at *.User click button profile(E:/Semester 7/Alterra/Materi/Mini
Projek/MiniProjectMobile/Include/features/logout.feature:10)

```

TEST STEP: *User click logout*

**Start / End / Elapsed:** 2022-11-08 11:23:49.815 / 2022-11-08 11:23:49.818 / 00:00:00.003

11:23:49.818 NOT\_RUN User click logout

11:23:18.847 INFO Starting run keyword runFeatureFile: 'Include/features/logout.feature' and extract report to folder: 'E:\Semester 7\Alterra\Materi\Mini Projek\MiniProjectMobile\Reports\20221108\_112203\RegressionTest\20221108\_112203\cucumber\_report\1667881398847'...

11:23:49.863 **FAILED** Keyword runFeatureFile was failed (Root cause: java.lang.RuntimeException: java.io.IOException: The handle is invalid

```

    at
cucumber.api.formatter.NiceAppendable.tryFlush(NiceAppendable.java:82)
    at
cucumber.api.formatter.NiceAppendable.append(NiceAppendable.java:21)
    at
cucumber.runtime.formatter.JSONFormatter.finishReport(JSONFormatter.java:171)
    at
cucumber.runtime.formatter.JSONFormatter.access$400(JSONFormatter.java:40)
    at
cucumber.runtime.formatter.JSONFormatter$5.receive(JSONFormatter.java:80)
    at
cucumber.runtime.formatter.JSONFormatter$5.receive(JSONFormatter.java:77)
    at cucumber.runner.EventBus.send(EventBus.java:28)
    at cucumber.runtime.Runtime.run(Runtime.java:109)
    at cucumber.api.cli.Main.run(Main.java:35)
    at cucumber.api.cli.Main$run.call(Unknown Source)
    at
com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords$_runFeatureFile_
closure1.doCall(CucumberBuiltinKeywords.groovy:108)
    at
com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords$_runFeatureFile_
closure1.doCall(CucumberBuiltinKeywords.groovy)
    at
com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword(KeywordMain.groov
y:74)
    at
com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword(KeywordMain.groov
y:68)
    at
com.kms.katalon.core.keyword.internal.KeywordMain$runKeyword.call(Unknown
Source)
    at
com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.runFeatureFile(C
ucumberBuiltinKeywords.groovy:75)
    at
com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords$runFeatureFile$0
.callStatic(Unknown Source)
    at
com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.runFeatureFile(C
ucumberBuiltinKeywords.groovy:248)
    at
com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords$runFeatureFile.c
all(Unknown Source)
    at RunFeatureFile.run(RunFeatureFile:24)
    at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
    at
com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:11
9)
    at
com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:445
)
    at
com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:436

```

```

)
    at
com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecu
tor.java:415)
    at
com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.ja
va:407)
    at
com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:284)
    at
com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecu
tor.java:65)
    at
com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuite
Executor.java:144)
    at
com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:106
)
    at
com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:185)
    at
com.kms.katalon.core.main.TestCaseMain$startTestSuite$0.call(Unknown Source)
    at
TempTestSuite1667881323403.run(TempTestSuite1667881323403.groovy:36)
Caused by: java.io.IOException: The handle is invalid
    at cucumber.runtime.io.URLOutputStream.write(URLOutputStream.java:60)
    at
cucumber.api.formatter.NiceAppendable.tryFlush(NiceAppendable.java:80)
    at
cucumber.api.formatter.NiceAppendable.append(NiceAppendable.java:21)
    at
cucumber.runtime.formatter.JSONFormatter.finishReport(JSONFormatter.java:171)
    at
cucumber.runtime.formatter.JSONFormatter.access$400(JSONFormatter.java:40)
    at
cucumber.runtime.formatter.JSONFormatter$5.receive(JSONFormatter.java:80)
    at
cucumber.runtime.formatter.JSONFormatter$5.receive(JSONFormatter.java:77)
    at cucumber.runner.EventBus.send(EventBus.java:28)
    at cucumber.runtime.Runtime.run(Runtime.java:109)
    at cucumber.api.cli.Main.run(Main.java:35)
    at cucumber.api.cli.Main$run.call(Unknown Source)
    at
com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords$_runFeatureFile_
closure1.doCall(CucumberBuiltinKeywords.groovy:108)
    at
com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords$_runFeatureFile_
closure1.doCall(CucumberBuiltinKeywords.groovy)
    at
com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword(KeywordMain.groov
y:74)
    at
com.kms.katalon.core.keyword.internal.KeywordMain.runKeyword(KeywordMain.groov
y:68)
    at
com.kms.katalon.core.keyword.internal.KeywordMain$runKeyword.call(Unknown
Source)
    at
com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.runFeatureFile(C
ucumberBuiltinKeywords.groovy:75)
    at
com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords$runFeatureFile$0
.callStatic(Unknown Source)
    at
com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords.runFeatureFile(C
ucumberBuiltinKeywords.groovy:248)
    at
com.kms.katalon.core.cucumber.keyword.CucumberBuiltinKeywords$runFeatureFile.c
all(Unknown Source)
    at Script1667881169404.run(Script1667881169404.groovy:24)
    ... 13 more
)

```