


Name: Gunal S
Supersetid: 8003253

GIT-HOL


1. HANDS-ON LAB outputs



```
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows


PS C:\Users\LENOVO\Desktop\git lab> git config --global user.name "Gunal S"
PS C:\Users\LENOVO\Desktop\git lab> git config --global user.email "mrcoder271999@gmail.com"
PS C:\Users\LENOVO\Desktop\git lab> git config --list
diff.astextplain.textconv=astextplain
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
filter.lfs.required=true
http.sslbackend=openssl
http.sslcainfo=C:/Program Files/Git/mingw64/etc/ssl/certs/ca-bundle.crt
core.autocrlf=true
core.fscache=true
core.symlinks=false
pull.rebase=false
credential.helper=manager
credential.https://dev.azure.com.usehttppath=true
init.defaultbranch=master
core.editor="C:\Users\LENOVO\AppData\Local\Programs\Microsoft VS Code\bin\code" --wait
user.name=Gunal S
user.email=mrcoder271999@gmail.com
filter.lfs.required=true
filter.lfs.clean=git-lfs clean -- %f
filter.lfs.smudge=git-lfs smudge -- %f
filter.lfs.process=git-lfs filter-process
PS C:\Users\LENOVO\Desktop\git lab>
```



```
C:\Users\LENOVO\gitconfig - Notepad++
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?


[core]
    editor = '/c/Program Files (x86)/Notepad++/notepad++.exe' -multiInst -nosession
[user]
    name = Gunal S
    email = mrcoder271999@gmail.com
[filter "lfs"]
    required = true
    clean = git-lfs clean -- %f
    smudge = git-lfs smudge -- %f
    process = git-lfs filter-process
```

Name: Gunal S
Supersetid: 8003253



```
PS C:\Users\LENOVO\Desktop\git lab> git remote add mrcoder271999@gmail.com https://github.com/mrcoder271999/demolab.git
PS C:\Users\LENOVO\Desktop\git lab> git push origin master
remote: Permission to mrcoder271999/demolab.git denied to Gunall509.
fatal: unable to access 'https://github.com/mrcoder271999/demolab.git/': The requested URL returned error: 403
PS C:\Users\LENOVO\Desktop\git lab> git remote -v
mrcoder271999@gmail.com https://github.com/mrcoder271999/demolab.git (fetch)
mrcoder271999@gmail.com https://github.com/mrcoder271999/demolab.git (push)
origin https://github.com/mrcoder271999/demolab.git (fetch)
origin https://github.com/mrcoder271999/demolab.git (push)
PS C:\Users\LENOVO\Desktop\git lab> git remote set-url origin https://github.com/mrcoder271999/demolab.git
git:https://github.com : The term 'git:https://github.com' is not recognized as the name of a cmdlet, function, script
file, or operable program. Check the spelling of the name, or if a path was included, verify that the path is correct
and try again.
At line:1 char:1
+ git:https://github.com
+ ~~~~~
+ CategoryInfo          : ObjectNotFound: (git:https://github.com:String) [], CommandNotFoundException
+ FullyQualifiedErrorId : CommandNotFoundException

PS C:\Users\LENOVO\Desktop\git lab> git remote set-url origin https://github.com/mrcoder271999/demolab.git
PS C:\Users\LENOVO\Desktop\git lab> git push origin master
info: please complete authentication in your browser...
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Writing objects: 100% (3/3), 248 bytes | 248.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/mrcoder271999/demolab.git
 * [new branch]      master -> master
PS C:\Users\LENOVO\Desktop\git lab>
```



mrcoder271999 / demolab

master 1 Branch 0 Tags

Go to file Add file Code

About

No description, website, or topics provided.

Activity

0 stars

0 watching

0 forks

Releases

No releases published

6d27e08 · 13 minutes ago 1 Commit


welcome.txt welcome lab 1 13 minutes ago

README

Add a README

Name: Gunal S
Supersetid: 8003253

2. HANDS-ON LAB output




```
git lab
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows


PS C:\Users\LENOVO\Desktop\git lab> git status
On branch master
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    log/

nothing added to commit but untracked files present (use "git add" to track)
PS C:\Users\LENOVO\Desktop\git lab> |
```



```
*C:\Users\LENOVO\Desktop\git lab\gitignore - Notepad++
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?
Folder as Workspace
.gitignore
1 *.log
2 log/
```

Name: Gunal S
Supersetid: 8003253



The screenshot shows a Windows desktop environment. In the background, a web browser window is open with the address bar showing 'claude.ai/chat/3f7b8e66-44f9-490f-9402-987d2...'. The foreground features a Windows PowerShell terminal window with the following text:

```
Untracked files:
(use "git add <file>..." to include in what will be committed)
Log/


nothing added to commit but untracked files present (use "git add" to track)
PS C:\Users\LENOVO\Desktop\git lab> notepad++ .gitignore
PS C:\Users\LENOVO\Desktop\git lab> git status
On branch master
Untracked files:
  (use "git add <file>..." to include in what will be committed)
    .gitignore

nothing added to commit but untracked files present (use "git add" to track)
PS C:\Users\LENOVO\Desktop\git lab> git add .gitignore
git: 'add.gitignore' is not a git command. See 'git --help'.
PS C:\Users\LENOVO\Desktop\git lab> git add .gitignore
PS C:\Users\LENOVO\Desktop\git lab> git commit -m "exclude ignore files"
[master 560af32] exclude ignore files
1 file changed, 2 insertions(+)
create mode 100644 .gitignore
PS C:\Users\LENOVO\Desktop\git lab> git push origin master
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 16 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 295 bytes | 98.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/mrcoder271999/demolab.git
6d27e08..560af32 master -> master
PS C:\Users\LENOVO\Desktop\git lab>
```

The taskbar at the bottom shows various application icons, including the Start button, Search, and several open applications like File Explorer, Chrome, and Spotify. The system tray on the right indicates the time as 12:25 AM and the battery level at 59%.

Name: Gunal S
Supersetid: 8003253


3. HANDS-ON output



```
git lab
Step-by-step instructions - Cl...
claude.ai/chat/3f7b8e66-44f9-490f-9402-987d2...
Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.

Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows

PS C:\Users\LENOVO\Desktop\git lab> git branch GitNewBranch
PS C:\Users\LENOVO\Desktop\git lab> git branch -a
  GitNewBranch
* master
  remotes/origin/master
PS C:\Users\LENOVO\Desktop\git lab>
```



```
W Home
3. Git-HOLD.docx
GIT HANDS-odocx
WPS AI
Unsyncronized
Share
Normal
Heading 1
Find and Select
Word
AI Spell Check
Student
Tools
Settings
Windows PowerShell
Install the latest PowerShell for new features and improvements! https://aka.ms/PSWindows

PS C:\Users\LENOVO\Desktop\git lab> git branch GitNewBranch
PS C:\Users\LENOVO\Desktop\git lab> git branch -a
  GitNewBranch
* master
  remotes/origin/master
PS C:\Users\LENOVO\Desktop\git lab> git checkout GitNewBranch
Switched to branch 'GitNewBranch'
PS C:\Users\LENOVO\Desktop\git lab> git status
On branch GitNewBranch
Untracked files:
  (use "git add <file>..." to include in what will be committed)
  branchfile.txt

nothing added to commit but untracked files present (use "git add" to track)
PS C:\Users\LENOVO\Desktop\git lab> git add branchfile
fatal: pathspec 'branchfile' did not match any files
PS C:\Users\LENOVO\Desktop\git lab> git add branchfile.txt
PS C:\Users\LENOVO\Desktop\git lab> git branch
  GitNewBranch
* master
PS C:\Users\LENOVO\Desktop\git lab> git commit -m "Add branchfile.txt in GitNewBranch"
[GitNewBranch fe67926] Add branchfile.txt in GitNewBranch
 1 file changed, 1 insertion(+)
 create mode 100644 branchfile.txt
PS C:\Users\LENOVO\Desktop\git lab> git status
On branch GitNewBranch
nothing to commit, working tree clean
PS C:\Users\LENOVO\Desktop\git lab>
```


Name: Gunal S
Supersetid: 8003253

4.HANDS-ON output(Git-T03-HOL_001)

```
MINGW64/c/Users/LENOVO/desktop/git lab
no changes added to commit (use "git add" and/or "git commit -a")

LENOVO@DESKTOP-RE20703 MINGW64 ~/desktop/git lab (master)
$ git branch
  GitWork
* master

LENOVO@DESKTOP-RE20703 MINGW64 ~/desktop/git lab (master)
$ git checkout Gitwork
error: Your local changes to the following files would be overwritten by checkout:
    hello.xml
Please commit your changes or stash them before you switch branches.
Aborting

LENOVO@DESKTOP-RE20703 MINGW64 ~/desktop/git lab (master)
$ git status
On branch master
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   hello.xml

no changes added to commit (use "git add" and/or "git commit -a")

LENOVO@DESKTOP-RE20703 MINGW64 ~/desktop/git lab (master)
$ git add hello.xml

LENOVO@DESKTOP-RE20703 MINGW64 ~/desktop/git lab (master)
$ git commit -m "master branch"
[master b227110] master branch
 1 file changed, 1 insertion(+), 4 deletions(-)

LENOVO@DESKTOP-RE20703 MINGW64 ~/desktop/git lab (master)
$ git checkout GitWork
Switched to branch 'GitWork'
```

```
MINGW64/c/Users/LENOVO/desktop/git lab
LENOVO@DESKTOP-RE20703 MINGW64 ~/desktop/git lab (master)
$ git add hello.xml

LENOVO@DESKTOP-RE20703 MINGW64 ~/desktop/git lab (master)
$ git commit -m "master branch"
[master b227110] master branch
 1 file changed, 1 insertion(+), 4 deletions(-)

LENOVO@DESKTOP-RE20703 MINGW64 ~/desktop/git lab (master)
$ git checkout GitWork
Switched to branch 'GitWork'

LENOVO@DESKTOP-RE20703 MINGW64 ~/desktop/git lab (GitWork)
$ git status
On branch GitWork
nothing to commit, working tree clean

LENOVO@DESKTOP-RE20703 MINGW64 ~/desktop/git lab (GitWork)
$ git status
On branch GitWork
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   hello.xml

no changes added to commit (use "git add" and/or "git commit -a")

LENOVO@DESKTOP-RE20703 MINGW64 ~/desktop/git lab (GitWork)
$ git add hello.xml

LENOVO@DESKTOP-RE20703 MINGW64 ~/desktop/git lab (GitWork)
$ git commit -m "gitwork modified"
[GitWork d4a4b97] gitwork modified
 1 file changed, 1 insertion(+), 1 deletion(-)

LENOVO@DESKTOP-RE20703 MINGW64 ~/desktop/git lab (GitWork)
```

Name: Gunal S
Supersetid: 8003253

```
MINGW64~/c/Users/LENOVO/desktop/git lab
LENOVO@DESKTOP-RE20703 MINGW64 ~/desktop/git lab (GitWork)
$ ^C

LENOVO@DESKTOP-RE20703 MINGW64 ~/desktop/git lab (GitWork)
$ git checkout master
Switched to branch 'master'

LENOVO@DESKTOP-RE20703 MINGW64 ~/desktop/git lab (master)
$ git diff master GitWork
diff --git a/hello.xml b/hello.xml
index 80f3748..6944a9e 100644
--- a/hello.xml
+++ b/hello.xml
@@ -1,1 @@
-<message>hello branch master</message>
\ No newline at end of file
+<message>hello hi this is gitwork in the branch</message>
\ No newline at end of file

LENOVO@DESKTOP-RE20703 MINGW64 ~/desktop/git lab (master)
$ git mergetool
No files need merging

LENOVO@DESKTOP-RE20703 MINGW64 ~/desktop/git lab (master)
$ git merge GitWork
Auto-merging hello.xml
CONFLICT (content): Merge conflict in hello.xml
Automatic merge failed; fix conflicts and then commit the result.

LENOVO@DESKTOP-RE20703 MINGW64 ~/desktop/git lab (master|MERGING)
$ git mergetool
Merging:
hello.xml
```

```
MINGW64~/c/Users/LENOVO/desktop/git lab
$ git status
On branch GitWork
nothing to commit, working tree clean

LENOVO@DESKTOP-RE20703 MINGW64 ~/desktop/git lab (GitWork)
$ git status
On branch GitWork
Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   hello.xml

no changes added to commit (use "git add" and/or "git commit -a")

LENOVO@DESKTOP-RE20703 MINGW64 ~/desktop/git lab (GitWork)
$ git add hello.xml


LENOVO@DESKTOP-RE20703 MINGW64 ~/desktop/git lab (GitWork)
$ git commit -m "gitwork modified"
[GitWork d4a4b97] gitwork modified
1 file changed, 1 insertion(+), 1 deletion(-)

LENOVO@DESKTOP-RE20703 MINGW64 ~/desktop/git lab (GitWork)
$ git diff master GitWork
diff --git a/hello.xml b/hello.xml
index 80f3748..6944a9e 100644
--- a/hello.xml
+++ b/hello.xml
@@ -1,1 @@
-<message>hello branch master</message>
\ No newline at end of file
+<message>hello hi this is gitwork in the branch</message>
\ No newline at end of file

LENOVO@DESKTOP-RE20703 MINGW64 ~/desktop/git lab (GitWork)
$ git mergetool
```

```
Untitled (Workspace)
hello.xml X
C: > Users > LENOVO > Desktop > git lab > hello.xml
1
2 <message>hello hi this is gitwork in the branch</message>
3
4
```

Name: Gunal S



Name: Gunal S
Supersetid: 8003253

5.HANDS-ON output(Git-T03-HOL_002)

```
MINGW64~/Users/LENOVO/desktop/git lab
LENOVO@DESKTOP-RE20703 MINGW64 ~/desktop/git lab (master)
$ git branch -a
Gitwork
* master
  remotes/origin/HEAD -> origin/master
  remotes/origin/master

LENOVO@DESKTOP-RE20703 MINGW64 ~/desktop/git lab (master)
$ git pull origin master
From https://github.com/mrcoder271999/demolab
* branch      master      -> FETCH_HEAD
Already up to date.

LENOVO@DESKTOP-RE20703 MINGW64 ~/desktop/git lab (master)
$ git push origin master
Everything up-to-date

LENOVO@DESKTOP-RE20703 MINGW64 ~/desktop/git lab (master)
$ git log --oneline --graph --decorate
* 13d5906 (HEAD -> master, origin/master, origin/HEAD) adding file
* c488c57 resolved conflict
|
| * d4a4b97 (Gitwork) gitwork modified
| * b227110 master branch
| * 6b96f40 resolve the conflict
|
| * a0bdebe adding xml file to new branch
| * 82bc953 adding to master branch
|
| * fe67926 Add branchfile.txt in GitNewBranch
| * 560af32 exclude ignore files
| * 6d27e08 welcome lab 1
|
LENOVO@DESKTOP-RE20703 MINGW64 ~/desktop/git lab (master)
$ |
```