

Technical Report

AI Data Analyst Agent for CSV-Based Analysis

1. System Architecture

The AI Data Analyst Agent is an end-to-end, modular system designed to perform **structured, safe, and reproducible analysis** on user-uploaded CSV datasets. The system follows a **Planner–Validator–Executor–Explainer** architecture and is implemented as an interactive **Streamlit web application**.

The core design principle is a strict separation between **LLM-based reasoning** and **deterministic data execution**, ensuring transparency, traceability, and reproducibility.


1.1 Architectural Overview

The system consists of five core components:

- User Interface (Streamlit)**
 - CSV file upload and preview
 - Natural language query input
 - Display of analysis plans, tables, charts, and insights
 - Dataset Analyzer**
 - Extracts schema-level information (column names, data types, sample values)
 - Planner Agent (LLM-based)**
 - Converts user questions into structured JSON analysis plans
 - Execution Engine (Deterministic Python)**
 - Executes validated plans using Pandas
 - Generates visualizations using Plotly
 - Explainer Agent (LLM-based)**
 - Generates business-friendly insights from execution results
-

1.2 End-to-End Pipeline Flow

```
graph TD; User --> Streamlit_UI[Streamlit UI]; Streamlit_UI --> CSV_Upload[CSV Upload & Validation]; CSV_Upload --> Dataset_Analyzer[Dataset Analyzer]; Dataset_Analyzer --> Planner_Agent[Planner Agent (JSON Plan)];
```



This architecture ensures clear separation of responsibilities, traceability of decisions, and reproducible analytics.

2. Pipeline Execution

2.1 Data Ingestion

- Users upload a CSV file through the Streamlit interface
- The dataset is loaded using Pandas
- Basic validation is applied (file type, encoding, column presence)

Output: Clean Pandas DataFrame and dataset preview

2.2 Dataset Understanding

- Schema information (column names, data types, sample values) is extracted
- Only schema-level metadata is shared with the Planner Agent

Benefit: Prevents hallucinated columns or invalid operations

2.3 Query Input

- Users ask analytical questions in natural language
 - No SQL or programming knowledge is required
-

2.4 Planning

- The Planner Agent generates a **strictly valid JSON analysis plan**
- The planner never executes code or accesses raw data values
- Planner temperature is set to **0.0** to ensure deterministic JSON generation

2.5 Validation

- Generated plans are validated against:
 - Allowed analytical operations
 - Valid dataset columns
 - Safe aggregation functions
 - Visualization constraints
 - Invalid plans are rejected before execution
-

2.6 Execution

- The validated plan is executed deterministically using Pandas
 - Charts are generated using Plotly
 - Results are fully traceable to the JSON plan
-

2.7 Explanation

- The Explainer Agent converts numerical results into business-friendly insights
 - Outputs include ranked findings and actionable takeaways
-

3. Agent Responsibilities and Interactions

The system follows a multi-agent design where each agent has a single, clearly scoped responsibility. This separation improves modularity, safety, and maintainability.

3.1 Planner Agent

Purpose:

The Planner Agent is responsible for reasoning and decision-making. It translates natural language questions into structured, machine-readable JSON analysis plans without performing any computation.

Inputs:

- User's natural language question
- Dataset schema metadata
- Predefined allowed operations and constraints

Responsibilities:

- Interpret analytical intent (aggregation, comparison, trends, correlation)
- Identify relevant dataset columns
- Define filters, group-by fields, metrics, sorting, and visualization configuration
- Attach user intent metadata (highest, lowest, both)
- Sanitize and normalize plans to remove unsafe or invalid instructions

Key Design Characteristics:

- Uses an LLM only for planning and reasoning
- Outputs JSON only, never executable code
- Does not access raw dataset values

Interaction:

- Sends validated JSON plans to the Validation layer
-

3.2 Executor Agent

Purpose:

The Executor Agent performs deterministic and reproducible execution of validated analysis plans.

Inputs:

- Validated JSON plan
- Original dataset (Pandas DataFrame)

Responsibilities:

- Apply filters safely with numeric coercion
- Perform group-by and aggregation operations
- Apply sorting and Top-N logic deterministically
- Generate structured result tables
- Generate Plotly visualizations

Key Design Characteristics:

- No LLM usage
- No dynamic code execution
- Only predefined Pandas and Plotly operations are allowed

Interaction:

- Outputs results to the Explainer Agent
-

3.3 Explainer Agent

Purpose:

The Explainer Agent communicates analytical results in a clear, concise, and business-friendly manner.

Inputs:

- User's original question
- Execution results and rankings
- Contextual metadata from the plan

Responsibilities:

- Interpret numerical outputs
- Identify meaningful patterns and extremes
- Generate concise insights grounded strictly in execution results

Key Design Characteristics:

- Uses an LLM only for explanation
 - Prevents hallucination by restricting inputs
-

3.4 Dataset Analyzer (Supporting Component)

Purpose:

Provides schema-level understanding of uploaded datasets.

Responsibilities:

- Extract column names and data types
 - Generate compact schema summaries
 - Assist planning and validation stages
-

4. Planning Schema and Execution Safeguards

4.1 JSON Planning Schema

Each plan explicitly defines:

- Analysis type
- Filters
- Group-by columns
- Metrics
- Sorting rules

- Visualization configuration
 - User intent metadata
-

4.2 Validation Rules

- Allowed operations only
- Valid dataset columns
- Safe aggregation functions
- Visualization constraints

Invalid plans are rejected prior to execution.

4.3 Execution Safeguards

- No LLM-generated code is executed
 - Only Pandas and Plotly operations are permitted
 - Safe numeric coercion is enforced
 - Deterministic execution is guaranteed
-

5. End-to-End Application

The Streamlit application provides:

- CSV upload and validation
 - Natural language query interface
 - Display of dataset preview
 - Display of JSON analysis plans
 - Tables and visualizations
 - Final natural-language insights
 - Session-level query history
-

6. Evaluation Protocol

The system was evaluated using a combination of **automated** and **human** evaluation:

- **Automated evaluation:** verifies schema compliance, execution correctness, and deterministic behavior
- **Human evaluation:** assesses clarity, usefulness, and faithfulness of generated insights

Evaluation configurations are defined declaratively in `experiments/*.yaml`.

7. Conclusion

This project demonstrates a production-style AI analytics system by combining:

- LLM-based reasoning for planning and explanation
- Deterministic Pandas execution for reliability
- Modular agent design for maintainability

By enforcing deterministic execution and declarative experiment definitions, the system provides strong reproducibility guarantees and aligns with modern AI-powered business intelligence practices.

Appendix: Modular Agent Design – Pseudocode

START APPLICATION

LOAD Streamlit User Interface

WAIT for user to upload CSV dataset

WAIT for user to enter a natural language question

IF dataset and question are provided:

 SCHEMA ← analyze_dataset(dataset)

 PLAN ← PlannerAgent.generate_plan(SCHEMA, question)

 VALIDATE PLAN against schema and dataset columns

 IF plan is valid:

 RESULTS, CHARTS ← Executor.execute_plan(dataset, PLAN)

 INSIGHTS ← ExplainerAgent.generate_insights(question, RESULTS)

 DISPLAY results, charts, and insights

 ELSE:

 DISPLAY validation error

END

EXAMPLE USE CASES:

AI Data Analyst Agent

localhost:8501

Deploy

Upload Dataset

Upload a CSV file

Drag and drop file here
Limit 200MB per file • CSV

Browse files

Book1.csv
0.5MB

Clear History

AI Data Analyst Agent

Ask questions in plain English and get precise insights from your entire dataset.

- Upload any CSV dataset
- Ask analytical questions
- Get exact answers with full data analysis

Dataset Preview

	ORDERNUMBER	QUANTITYORDERED	PRICEEACH	ORDERLINENUMBER	SALES	ORDERDATE	STATUS	QTR_ID	MONTH_ID	YEAR_ID	PRODUCTLINE	MSRP	P
0	10107	30	95.7	2	2871	2/24/2003 0:00	Shipped	1	2	2003	Motorcycles	95	S
1	10121	34	81.35	5	2765.9	05-07-2003 00:00	Shipped	2	5	2003	Motorcycles	95	S
2	10134	41	94.74	2	3884.34	07-01-2003 00:00	Shipped	3	7	2003	Motorcycles	95	S
3	10145	45	83.26	6	3746.7	8/25/2003 0:00	Shipped	3	8	2003	Motorcycles	95	S
4	10159	49	100	14	5205.27	10-10-2003 00:00	Shipped	4	10	2003	Motorcycles	95	S

AI Data Analyst Agent

localhost:8501

Deploy

Upload Dataset

Upload a CSV file

Drag and drop file here
Limit 200MB per file • CSV

Browse files

Book1.csv
0.5MB

Clear History

Dataset Preview

4	10159	49	100	14	5205.27	10-10-2003 00:00	Shipped	4	10	2003	Motorcycles	95	S
5	10168	36	96.66	1	3479.76	10/28/2003 0:00	Shipped	4	10	2003	Motorcycles	95	S
6	10180	29	86.13	9	2497.77	11-11-2003 00:00	Shipped	4	11	2003	Motorcycles	95	S
7	10188	48	100	1	5512.32	11/18/2003 0:00	Shipped	4	11	2003	Motorcycles	95	S
8	10201	22	98.57	2	2168.54	12-01-2003 00:00	Shipped	4	12	2003	Motorcycles	95	S
9	10211	41	100	14	4708.44	1/15/2004 0:00	Shipped	1	1	2004	Motorcycles	95	S

Total: 2,823 rows × 25 columns

Ask a Data Question

what is the dataset about

Analyze Clear Input

AI Data Analyst Agent

localhost:8501

Deploy

Upload Dataset

Upload a CSV file

Drag and drop file here
Limit 200MB per file • CSV

Browse files

Book1.csv
0.5MB

Clear History

Analysis Plan

```
{
  "analysis_type": "aggregation",
  "filters": [
    {
      "group_by": [
        "productline"
      ],
      "columns": [
        {
          "column": "CUSTOMERNAME",
          "operation": "count"
        },
        {
          "column": "COUNTRY",
          "operation": "count"
        },
        {
          "column": "PRODUCTLINE",
          "operation": "count"
        },
        {
          "column": "DEALSIZE",
          "operation": "count"
        }
      ],
      "sort": [
        {
          "by": "MSRP",
          "order": "DESC"
        }
      ],
      "visualization": {
        "type": "bar",
        "x": "productline",
        "y": "count",
        "color": "null",
        "top_n": 10
      }
    },
    "user_intent": {
      "show_options": false,
      "show_toolbar": false,
      "focus": "general"
    }
  }
}
```


AI Data Analyst Agent

localhost:8501

Chat

Deploy

Upload Dataset

Upload a CSV file

Drag and drop file here
Limit 200MB per file • CSV

Browse files

Book1.csv
0.5MB

Clear History

Analysis Results

	ORDERNUMBER	QUANTITYORDERED	PRICEEACH	ORDERLINENUMBER	SALES	ORDERDATE	STATUS	QTR_ID	MONTH_ID	YEAR_ID	PRODUCTLINE	MSRP	PRODUCTCODE	CUSTOMERNAME	PHONE
0	10107	30	95.7	2	2871	2/24/2003 0:00	Shipped	1	2	2003	Motorcycles	95	S10_1678	Land of Toys Inc.	2125557818
1	10121	34	81.35	5	2765.9	05-07-2003 00:00	Shipped	2	5	2003	Motorcycles	95	S10_1678	Reims Collectables	26.47.1555
2	10134	41	94.74	2	3884.34	07-01-2003 00:00	Shipped	3	7	2003	Motorcycles	95	S10_1678	Lyon Souveniers	+33 1 46 62 75
3	10145	45	83.26	6	3746.7	8/25/2003 0:00	Shipped	3	8	2003	Motorcycles	95	S10_1678	Toys4GrownUps.com	6265557265
4	10159	49	100	14	5205.27	10-10-2003 00:00	Shipped	4	10	2003	Motorcycles	95	S10_1678	Corporate Gift Ideas Co.	6505551386
5	10168	36	96.66	1	3479.76	10/28/2003 0:00	Shipped	4	10	2003	Motorcycles	95	S10_1678	Technics Stores Inc.	6505556809
6	10180	29	86.13	9	2497.77	11-11-2003 00:00	Shipped	4	11	2003	Motorcycles	95	S10_1678	Daedalus Designs Imports	20.16.1555
7	10189	48	100	1	5512.32	11/18/2003 0:00	Shipped	4	11	2003	Motorcycles	95	S10_1678	Heriku Gifts	+47 2267 3211
8	10201	22	98.57	2	2168.54	12-01-2003 00:00	Shipped	4	12	2003	Motorcycles	95	S10_1678	Mini Wheels Co.	6505555787
9	10211	41	100	14	4708.44	1/15/2004 0:00	Shipped	1	1	2004	Motorcycles	95	S10_1678	Auto Canal Petit	(1) 47.55.6555

Showing first 10 of 2,823 total results

Key Insights

The dataset is about sales orders for a product called "Motorcycles" from various customers across different countries.

- The dataset contains 2823 total rows of data, indicating a large number of sales orders.
- The majority of customers (count: 12) are from the USA, with France being the second most represented country (count: 4).
- The "Motorcycles" product line is the only one present in the dataset, with no other product lines being sold.
- The majority of deals (count: 11) are classified as "Medium" in size, followed by "Small" (count: 5) and then "Large" is not present in the dataset.
- The dataset spans across 2003 and 2004, with the majority of orders (count: 12) being placed in the fourth quarter of 2003.

Analysis performed on complete dataset (2,823 rows)

AI Data Analyst Agent

localhost:8501

Chat

Deploy

Upload Dataset

Upload a CSV file

Drag and drop file here
Limit 200MB per file • CSV

Browse files

Book1.csv
0.5MB

Clear History

Ask a Data Question

compare sales in USA and UK

Analyze

Clear Input

Analysis Plan

```
{  "analysis_type": "comparison"  "filters": [    {      "column": "COUNTRY"      "operator": "in"      "value": [        {          "value": "USA"        }        {          "value": "UK"        }      ]    }  ]  "group_by": [    {      "column": "COUNTRY"    }  ]  "metrics": [    {      "column": "SALES"    }  ]}
```

AI Data Analyst Agent

localhost:8501

Chat

Deploy

Upload Dataset

Upload a CSV file

Drag and drop file here
Limit 200MB per file • CSV

Browse files

Book1.csv
0.5MB




Clear History

Analysis Results

	COUNTRY	SALES
1	USA	3627982.83
0	UK	478880.46

Showing all 2 results

Bar chart showing sales by country. The Y-axis is labeled 'SALES' and ranges from 0 to 3,000,000. The X-axis is labeled 'COUNTRY' and has two categories: USA and UK. The bar for USA is significantly higher than the bar for UK.



AI Data Analyst Agent

localhost:8501

Chat

Upload Dataset

Upload a CSV File

Drag and drop file here

Limit: 200MB per file - CSV

Browse files

Book1.csv

0.0MB

Clear History

Ask a Data Question

correlation between sales and country

Analyze

Clear Input

Analysis Plan

```
{
  "analysis_type": "correlation",
  "filters": [],
  "group_by": [],
  "metrics": [],
  "sort": {
    "by": "SALES",
    "order": "DESC"
  },
  "visualization": {
    "type": "scatter",
    "x": "COUNTRY",
    "y": "SALES",
    "color": "NONE",
    "top_n": 10,
    "user_intent": {
      "show_highest": false
    }
  }
}
```

AI Data Analyst Agent

localhost:8501

Chat

Upload Dataset

Upload a CSV File

Drag and drop file here

Limit: 200MB per file - CSV

Browse files

Book1.csv

0.0MB

Clear History

Ask a Data Question

correlation between sales and country

Analyze

Clear Input

Analysis Plan

```
{
  "analysis_type": "correlation",
  "filters": [],
  "group_by": [],
  "metrics": [],
  "sort": {
    "by": "SALES",
    "order": "DESC"
  },
  "visualization": {
    "type": "scatter",
    "x": "COUNTRY",
    "y": "SALES",
    "color": "NONE",
    "top_n": 10,
    "user_intent": {
      "show_highest": false,
      "show_lowest": false,
      "focus": "general"
    }
  }
}
```

Detected Intent:

- Focus: general
- Explicit Limit: None (All dataset)
- Show Highest: False
- Show Lowest: False

Analysis Results

ORDERID	QUANTITY	PRICE	COUNTRY	STATUS	QTR_ID	MONTH_ID	YEAR_ID	PRODUCTLINE	WEEK	PRODUCTCODE	CUSTOMERNAME	PHONE	ADDRESSLINE1	ADDRESSLINE2	CITY	STATE	POSTALCODE	COUNTRY
10101	30	95.7	USA	Shipped	1	2	2003	Motorcycles	95	S2L-S678	Land of Toys Inc.	212557810	807 Long Airport Avenue		NYC	NY	10002	USA
10102	24	61.25	France	Shipped	2	5	2003	Motorcycles	95	S2L-S678	Reims Collectibles	33 47 1205	20 rue de l'Industrie		Reims	France	51100	France
10103	41	58.74	France	Shipped	3	7	2003	Motorcycles	95	S2L-S678	Euro Souvenirs	+33 1 46 52 7300	87 rue du Général Plémeaux		Paris	France	75008	France
10104	45	89.26	USA	Shipped	4	8	2003	Motorcycles	95	S2L-S678	ToyActionInc.com	6205557265	2004 Indiville Dr.		Pasadena	CA	91060	USA
10105	40	200	USA	Shipped	5	10	2003	Motorcycles	95	S2L-S678	Corporate Gift Sales Co.	6099591486	1734 Irving St.		San Francisco	CA	94103	USA
10106	36	86.46	USA	Shipped	6	19	2003	Motorcycles	95	S2L-S678	Technics Store Inc.	6205556889	8444 Fourth Circle		Burlington	CA	94427	USA
10107	20	86.13	France	Shipped	7	11	2003	Motorcycles	95	S2L-S678	Exotiques Design Imports	33 46 1205	204, rue de la Tourne		Libre	France	93000	France
10108	40	200	USA	Shipped	8	11	2003	Motorcycles	95	S2L-S678	HotMac Gifts	487 2067 3232	Chapman 121, PM 104 Sentrum		Bergen	Norway	N 1004	Norway
10109	22	98.97	USA	Shipped	9	12	2003	Motorcycles	95	S2L-S678	Mini-Wholes Co.	4080007967	1907 North Potomac Street		San Francisco	CA	94103	USA
10110	41	200	USA	Shipped	1	1	2004	Motorcycles	95	S2L-S678	Auto Canal Paris	33 47 55 4655	20 rue de la Tourne		Paris	France	75008	France

AI Data Analyst Agent

localhost:8501

Chat

Upload Dataset

Upload a CSV File

Drag and drop file here

Limit: 200MB per file - CSV

Browse files

Book1.csv

0.0MB

Clear History

Ask a Data Question

distribution of sales

Analyze

Clear Input

Analysis Plan

```
{
  "analysis_type": "distribution",
  "filters": [],
  "group_by": [],
  "metrics": [],
  "sort": {
    "by": "SALES",
    "order": "DESC"
  },
  "visualization": {
    "type": "histogram",
    "x": "SALES",
    "y": "NONE",
    "color": "NONE",
    "top_n": 10,
    "user_intent": {
      "show_highest": false
    }
  }
}
```

Showing first 30 of 2,623 total results

Key Insights

Direct Answer and key insights: There is a correlation between sales and country, with the USA having the highest average sales. The top countries by average sales are USA, France, and Norway.

- The USA has the highest average sales at 3,444.45, with a total of 7 orders.
- France has an average sales of 3,144.11, with a total of 3 orders.
- Norway has an average sales of 5,512.32, with a total of 1 order.
- The country with the lowest average sales is not specified in the data, but it is clear that there is a significant variation in sales across different countries.
- The correlation between sales and country suggests that there may be regional differences in customer behavior or market conditions that are driving sales.

AI Data Analyst Agent

localhost:8501

Chat

Upload Dataset

Upload a CSV File

Drag and drop file here

Limit: 200MB per file - CSV

Browse files

Book1.csv

0.0MB

Clear History

Ask a Data Question

distribution of sales

Analyze

Clear Input

Analysis Plan

```
{
  "analysis_type": "distribution",
  "filters": [],
  "group_by": [],
  "metrics": [],
  "sort": {
    "by": "SALES",
    "order": "DESC"
  },
  "visualization": {
    "type": "histogram",
    "x": "SALES",
    "y": "NONE",
    "color": "NONE",
    "top_n": 10,
    "user_intent": {
      "show_highest": false
    }
  }
}
```




AI Data Analyst Agent

localhost:8501

Upload Dataset

Upload a CSV file

Drag and drop file here

Limit 200MB per file • CSV

Browse files

population... 15.5KB

Clear History

Ask a Data Question

give me the name of all countries starting with letter B

Analyze

Clear Input

Analysis Plan

```
{
  "analysis_type": "comparison"
  "filters": [
    {
      "column": "Country (or dependency)"
      "operator": "in"
      "value": [
        "Bangladesh"
        "Belarus"
        "Belgium"
        "Benin"
        "Bhutan"
        "Bolivia"
        "Bosnia and Herzegovina"
        "Botswana"
      ]
    }
  ]
}
```

AI Data Analyst Agent

localhost:8501

Upload Dataset

Upload a CSV file

Drag and drop file here

Limit 200MB per file • CSV

Browse files

population... 15.5KB

Clear History

```
{
  "column": "Country (or dependency)"
  "operation": "count"
}
{
  "sort": {
    "by": "Country (or dependency)"
    "order": "asc"
  }
  "visualization": {
    "type": "bar"
    "x": "Country (or dependency)"
    "y": "count"
    "color": "#1f77b4"
    "top_n": 10
  }
  "user_intent": {
    "show_highest": false
    "show_lowest": false
    "focus": "general"
  }
}
```

Detected Intent:

- Focus: general
- Explicit Limit: None (full dataset)
- Show Highest: false
- Show Lowest: false

AI Data Analyst Agent

localhost:8501

Chat

Deploy

1

Upload Dataset

Upload a CSV file

Drag and drop file here

Limit 200MB per file • CSV

Browse files

population_... 15.5KB

Clear History

Analysis Results

	count
	0
	13

Showing all 1 results

Key Insights

There are 13 countries starting with the letter B.

- The countries starting with B are: • Bangladesh • Belarus • Belgium • Benin • Bhutan • Bolivia • Bosnia and Herzegovina • Botswana • Brazil • Brunei • Bulgaria • Burkina Faso • Burundi
- The list of countries starting with B includes countries from various continents, including Asia, Europe, and Africa.
- The country with the largest population starting with B is Brazil, with a population of over 214 million people.
- The country with the smallest population starting with B is Bhutan, with a population of approximately 771,608 people.

Analysis performed on complete dataset (235 rows)

Analysis History

AI Data Analyst Agent

localhost:8501

Chat

Deploy

1

Upload Dataset

Upload a CSV file

Drag and drop file here

Limit 200MB per file • CSV

Browse files

population_... 15.5KB

Clear History

Ask a Data Question

for these countries starting with letter B from highest and lowest population

Analyze

Clear input

Analysis Plan

```
{  "analysis_type": "comparison"  "filters": [{    "column": "Country (or dependency)"    "operator": "in"    "value": [      0: "Bahrain"      1: "Bangladesh"      2: "Barbados"      3: "Belarus"      4: "Belgium"      5: "Belize"      6: "Benin"      7: "Bhutan"    ]  ]  "group_by": [    "Country (or dependency)"  ]  "metrics": [    {      "column": "Population (2020)"      "operation": "sum"    }  ]  "sort": {    "by": "Population (2020)"    "order": "desc"  }  "visualization": {    "type": "bar"    "x": "Country (or dependency)"    "y": "Population (2020)"    "color": "#1f77b4"  }  }
```

AI Data Analyst Agent

localhost:8501

Chat

Deploy

1

Upload Dataset

Upload a CSV file

Drag and drop file here

Limit 200MB per file • CSV

Browse files

population_... 15.5KB

Clear History

```
10: "Botswana"
11: "Brazil"
12: "Brunei"
13: "Bulgaria"
14: "Burkina Faso"
15: "Burundi"
  ]
}
"group_by": [
  "Country (or dependency)"
]
"metrics": [
  {
    "column": "Population (2020)"
    "operation": "sum"
  }
]
"sort": {
  "by": "Population (2020)"
  "order": "desc"
}
"visualization": {
  "type": "bar"
  "x": "Country (or dependency)"
  "y": "Population (2020)"
  "color": "#1f77b4"
}
```

AI Data Analyst Agent

localhost:8501

Chat

Deploy

1

Upload Dataset

Upload a CSV file

Drag and drop file here

Limit 200MB per file • CSV

Browse files

population_... 15.5KB



Clear History

Analysis Results

Country (or dependency)	Population (2020)
11 Brazil	212821986
2 Barbados	287437

Showing highest and lowest from 16 total records analyzed

Country (or dependency)	Population (2020)
Brazil	212821986
Bangladesh	160000000
Burkina Faso	20000000
Benin	15000000
Burundi	10000000
Bolivia	10000000
Belgium	10000000
Belize	500000
Bulgaria	500000
Bosnia and Herzegovina	500000
Botswana	500000
Bahrain	500000
Bhutan	500000
Brunei	500000
Barbados	287437



The screenshot displays a web application interface for an AI Data Analyst Agent. On the left, there's a sidebar with two main sections: "Upload Dataset" which includes a file upload button and a "Browse files" link, and "Student Performance Analysis" which features a "Clear History" button. The central part of the screen is titled "Analysis Results" and contains a large table with student performance data. Above the table, there are filters for "Previous Scores" (set to "Show Lowest: False") and a search bar. The table itself has columns for "Hours Studied", "Previous Scores", "Extracurricular Activities", "Sleep Hours", "Sample Question Papers Practiced", and "Performance Index". It lists 50 students, with the first 10 visible in the screenshot. At the bottom of the table, it indicates "Showing first 50 of 10,000 total results".

	Hours Studied	Previous Scores	Extracurricular Activities	Sleep Hours	Sample Question Papers Practiced	Performance Index
40	5	62	No	7	4	45
41	2	63	Yes	6	0	39
42	4	73	Yes	7	0	58
43	7	46	No	9	5	36
44	8	77	Yes	6	4	71
45	3	76	Yes	4	3	54
46	1	43	Yes	7	0	17
47	4	73	No	4	6	54
48	2	81	Yes	4	3	58
49	8	61	No	7	2	52

