

# Technical Report


## AI Data Analyst Agent for CSV-Based Analysis

---

### 1. System Architecture

The AI Data Analyst Agent is an end-to-end, modular system designed to perform **structured, safe, and reproducible analysis** on user-uploaded CSV datasets. The system follows a **Planner–Validator–Executor–Explainer** architecture and is implemented as an interactive **Streamlit web application**.

The core design principle is a strict separation between **LLM-based reasoning** and **deterministic data execution**, ensuring transparency, traceability, and reproducibility.



---

## 1.1 Architectural Overview

The system is designed using a **Planner–Validator–Executor–Explainer** architecture that enforces a strict separation between **LLM-based reasoning** and **deterministic data execution**.

### High-Level Design

- **User & Streamlit UI**
  - Provides the user interface for CSV file upload.
  - Accepts natural language analytical queries.
  - Displays analysis plans, tables, visualizations, and generated insights.
- **FastAPI Backend (/analyze)**
  - Acts as the orchestration layer between the UI and backend agents.
  - Receives requests from the Streamlit UI.
  - Coordinates the execution of the agent pipeline.
  - Returns structured responses to the frontend.
- **Planner Agent (LLM-based)**
  - Translates natural language questions into structured JSON analysis plans.
  - Performs reasoning only, without accessing raw dataset values.
  - Does not execute any computations.
- **Plan Validator**
  - Enforces schema correctness and safety constraints on generated plans.
  - Ensures only valid dataset columns and allowed operations are used.
  - Rejects unsafe or invalid plans before execution.
- **Executor Agent (Pandas + Plotly)**
  - Executes validated analysis plans deterministically using Pandas.
  - Generates structured result tables and visualizations using Plotly.
  - Operates without any LLM involvement.
- **Explainer Agent (LLM-based)**
  - Interprets execution results to produce human-readable insights.
  - Does not perform numerical computation.
  - Operates strictly on outputs generated by the Executor Agent.
- **Return to Streamlit UI**
  - Sends final tables, charts, and insights back to the Streamlit interface.
  - Presents results clearly to the user.

---

## 2. Pipeline Execution

### 2.1 Data Ingestion

- Users upload a CSV file through the Streamlit interface
- The dataset is loaded using Pandas
- Basic validation is applied (file type, encoding, column presence)

**Output:** Clean Pandas DataFrame and dataset preview

---

## 2.2 Dataset Understanding

- Schema information (column names, data types, sample values) is extracted
- Only schema-level metadata is shared with the Planner Agent

**Benefit:** Prevents hallucinated columns or invalid operations

---

## 2.3 Query Input

- Users ask analytical questions in natural language
  - No SQL or programming knowledge is required
- 

## 2.4 Planning

- The Planner Agent generates a **strictly valid JSON analysis plan**
  - The planner never executes code or accesses raw data values
  - Planner temperature is set to **0.0** to ensure deterministic JSON generation
- 

## 2.5 Validation

- Generated plans are validated against:
    - Allowed analytical operations
    - Valid dataset columns
    - Safe aggregation functions
    - Visualization constraints
  - Invalid plans are rejected before execution
- 

## 2.6 Execution

- The validated plan is executed deterministically using Pandas
  - Charts are generated using Plotly
  - Results are fully traceable to the JSON plan
-

## 2.7 Explanation

- The Explainer Agent converts numerical results into business-friendly insights
  - Outputs include ranked findings and actionable takeaways
- 

## 3. Agent Responsibilities and Interactions

The system follows a multi-agent design where each agent has a single, clearly scoped responsibility. This separation improves modularity, safety, and maintainability.

---

### 3.1 Planner Agent

#### Purpose:

The Planner Agent is responsible for reasoning and decision-making. It translates natural language questions into structured, machine-readable JSON analysis plans without performing any computation.

#### Inputs:

- User's natural language question
- Dataset schema metadata
- Predefined allowed operations and constraints

#### Responsibilities:

- Interpret analytical intent (aggregation, comparison, trends, correlation)
- Identify relevant dataset columns
- Define filters, group-by fields, metrics, sorting, and visualization configuration
- Attach user intent metadata (highest, lowest, both)
- Sanitize and normalize plans to remove unsafe or invalid instructions

#### Key Design Characteristics:

- Uses an LLM only for planning and reasoning
- Outputs JSON only, never executable code
- Does not access raw dataset values

#### Interaction:

- Sends validated JSON plans to the Validation layer
-

## 3.2 Executor Agent

### Purpose:

The Executor Agent performs deterministic and reproducible execution of validated analysis plans.

### Inputs:

- Validated JSON plan
- Original dataset (Pandas DataFrame)

### Responsibilities:

- Apply filters safely with numeric coercion
- Perform group-by and aggregation operations
- Apply sorting and Top-N logic deterministically
- Generate structured result tables
- Generate Plotly visualizations

### Key Design Characteristics:

- No LLM usage
- No dynamic code execution
- Only predefined Pandas and Plotly operations are allowed

### Interaction:

- Outputs results to the Explainer Agent
- 

## 3.3 Explainer Agent

### Purpose:

The Explainer Agent communicates analytical results in a clear, concise, and business-friendly manner.

### Inputs:

- User's original question
- Execution results and rankings
- Contextual metadata from the plan

### Responsibilities:

- Interpret numerical outputs
- Identify meaningful patterns and extremes
- Generate concise insights grounded strictly in execution results

### **Key Design Characteristics:**

- Uses an LLM only for explanation
  - Prevents hallucination by restricting inputs
- 

### **3.4 Dataset Analyzer (Supporting Component)**

#### **Purpose:**

Provides schema-level understanding of uploaded datasets.

#### **Responsibilities:**

- Extract column names and data types
  - Generate compact schema summaries
  - Assist planning and validation stages
- 

## **4. Planning Schema and Execution Safeguards**

### **4.1 JSON Planning Schema**

Each plan explicitly defines:

- Analysis type
  - Filters
  - Group-by columns
  - Metrics
  - Sorting rules
  - Visualization configuration
  - User intent metadata
- 

### **4.2 Validation Rules**

- Allowed operations only
- Valid dataset columns
- Safe aggregation functions
- Visualization constraints

Invalid plans are rejected prior to execution.

---

### 4.3 Execution Safeguards

- No LLM-generated code is executed
  - Only Pandas and Plotly operations are permitted
  - Safe numeric coercion is enforced
  - Deterministic execution is guaranteed
- 

## 5. End-to-End Application

The Streamlit application provides:

- CSV upload and validation
  - Natural language query interface
  - Display of dataset preview
  - Display of JSON analysis plans
  - Tables and visualizations
  - Final natural-language insights
  - Session-level query history
- 

## 6. Evaluation Protocol

The system was evaluated using a combination of **automated** and **human** evaluation:

- **Automated evaluation:** verifies schema compliance, execution correctness, and deterministic behavior
- **Human evaluation:** assesses clarity, usefulness, and faithfulness of generated insights

Evaluation configurations are defined declaratively in `experiments/*.yaml`.

---

## 7. Conclusion

This project demonstrates a production-style AI analytics system by combining:

- LLM-based reasoning for planning and explanation
- Deterministic Pandas execution for reliability
- Modular agent design for maintainability

By enforcing deterministic execution and declarative experiment definitions, the system provides strong reproducibility guarantees and aligns with modern AI-powered business intelligence practices.

---

## Appendix: Modular Agent Design – Pseudocode

START APPLICATION

LOAD Streamlit User Interface

WAIT for user to upload CSV dataset

WAIT for user to enter a natural language question

IF dataset and question are provided:

    SCHEMA ← analyze\_dataset(dataset)

    PLAN ← PlannerAgent.generate\_plan(SCHEMA, question)

    VALIDATE PLAN against schema and dataset columns

    IF plan is valid:

        RESULTS, CHARTS ← Executor.execute\_plan(dataset, PLAN)

        INSIGHTS ← ExplainerAgent.generate\_insights(question, RESULTS)

        DISPLAY results, charts, and insights

    ELSE:

        DISPLAY validation error

END



# EXAMPLE USE CASES:

The screenshot shows the 'AI Data Analyst Agent' web application. On the left, the 'Upload Dataset' section allows users to upload a CSV file (Book1.csv, 0.5MB) or browse files. The main area displays the 'Dataset Preview' for a table with 25 columns: ORDERNUMBER, QUANTITYORDERED, PRICEEACH, ORDERLINENUMBER, SALES, ORDERDATE, STATUS, QTR\_ID, MONTH\_ID, YEAR\_ID, PRODUCTLINE, MSRP, and P. The preview shows the first 5 rows of data.

	ORDERNUMBER	QUANTITYORDERED	PRICEEACH	ORDERLINENUMBER	SALES	ORDERDATE	STATUS	QTR_ID	MONTH_ID	YEAR_ID	PRODUCTLINE	MSRP	P
0	10107	30	95.7	2	2871	2/24/2003 0:00	Shipped	1	2	2003	Motorcycles	95	S
1	10121	34	81.35	5	2765.9	05-07-2003 00:00	Shipped	2	5	2003	Motorcycles	95	S
2	10134	41	94.74	2	3884.34	07-01-2003 00:00	Shipped	3	7	2003	Motorcycles	95	S
3	10145	45	83.26	6	3746.7	8/25/2003 0:00	Shipped	3	8	2003	Motorcycles	95	S
4	10159	49	100	14	5205.27	10-10-2003 00:00	Shipped	4	10	2003	Motorcycles	95	S

The screenshot shows the 'Ask a Data Question' section of the application. The user has entered the question 'what is the dataset about'. The 'Analyze' button is visible, and the 'Clear Input' button is also present. The 'Dataset Preview' table from the previous screenshot is still visible in the background.

The screenshot shows the 'Analysis Plan' section of the application. The analysis plan is displayed as a JSON object, detailing the operations performed on the dataset. The plan includes filters, groupings, and aggregations for various columns.

```
{
  "analysis": {
    "type": "aggregation",
    "filters": [],
    "group_by": [],
    "metrics": [
      {
        "column": "CUSTOMERNAME",
        "operation": "count"
      },
      {
        "column": "COUNTRY",
        "operation": "count"
      },
      {
        "column": "PRODUCTLINE",
        "operation": "count"
      },
      {
        "column": "MSRP",
        "operation": "count"
      }
    ]
  },
  "spark": {
    "by": "MSRP",
    "order": "DESC"
  },
  "visualization": {
    "type": "bar",
    "x": "null",
    "y": "null",
    "color": "null",
    "legends": []
  },
  "user_intent": {
    "show_highest": false,
    "show_lowest": false,
    "focus": "general"
  }
}
```

AI Data Analyst Agent

localhost:8501

Chat

Deploy

Upload Dataset

Upload a CSV file

Drag and drop file here  
Limit 200MB per file • CSV

Browse files

Book1.csv  
0.5MB

Clear History

Analysis Results

	ORDERNUMBER	QUANTITYORDERED	PRICEEACH	ORDERLINENUMBER	SALES	ORDERDATE	STATUS	QTR_ID	MONTH_ID	YEAR_ID	PRODUCTLINE	MSRP	PRODUCTCODE	CUSTOMERNAME	PHONE
0	10107	30	95.7	2	2871	2/24/2003 0:00	Shipped	1	2	2003	Motorcycles	95	S10_1678	Land of Toys Inc.	2125557818
1	10121	34	81.35	5	2765.9	05-07-2003 00:00	Shipped	2	5	2003	Motorcycles	95	S10_1678	Reims Collectables	26.47.1555
2	10134	41	94.74	2	3884.34	07-01-2003 00:00	Shipped	3	7	2003	Motorcycles	95	S10_1678	Lyon Souveniers	+33 1 46 62 75
3	10145	45	83.26	6	3746.7	8/25/2003 0:00	Shipped	3	8	2003	Motorcycles	95	S10_1678	Toys4GrownUps.com	6265557265
4	10159	49	100	14	5205.27	10-10-2003 00:00	Shipped	4	10	2003	Motorcycles	95	S10_1678	Corporate Gift Ideas Co.	6505551386
5	10168	36	96.66	1	3479.76	10/28/2003 0:00	Shipped	4	10	2003	Motorcycles	95	S10_1678	Technics Stores Inc.	6505556809
6	10180	29	86.13	9	2497.77	11-11-2003 00:00	Shipped	4	11	2003	Motorcycles	95	S10_1678	Daedalus Designs Imports	20.16.1555
7	10189	48	100	1	5512.32	11/18/2003 0:00	Shipped	4	11	2003	Motorcycles	95	S10_1678	Herku Gifts	+47 2267 3211
8	10201	22	98.57	2	2168.54	12-01-2003 00:00	Shipped	4	12	2003	Motorcycles	95	S10_1678	Mini Wheels Co.	6505555787
9	10211	41	100	14	4708.44	1/15/2004 0:00	Shipped	1	1	2004	Motorcycles	95	S10_1678	Auto Canal Petit	(1) 47.55.6555

Showing first 10 of 2,823 total results

Key insights

The dataset is about sales orders for a product called "Motorcycles" from various customers across different countries.

- The dataset contains 2823 total rows of data, indicating a large number of sales orders.
- The majority of customers (count: 12) are from the USA, with France being the second most represented country (count: 4).
- The "Motorcycles" product line is the only one present in the dataset, with no other product lines being sold.
- The majority of deals (count: 11) are classified as "Medium" in size, followed by "Small" (count: 5) and then "Large" is not present in the dataset.
- The dataset spans across 2003 and 2004, with the majority of orders (count: 12) being placed in the fourth quarter of 2003.

Analysis performed on complete dataset (2,823 rows)

AI Data Analyst Agent

localhost:8501

Chat

Deploy

Upload Dataset

Upload a CSV file

Drag and drop file here  
Limit 200MB per file • CSV

Browse files

Book1.csv  
0.5MB

Clear History

Ask a Data Question

compare sales in USA and UK

Analyze

Clear Input

Analysis Plan

```
{  "analysis_type": "comparison"  "filters": [    {      "column": "COUNTRY"      "operator": "in"      "value": [        {          "country": "USA"        }        {          "country": "UK"        }      ]    }  ]  "group_by": [    {      "country": "COUNTRY"    }  ]  "metrics": [    {      "column": "SALES"    }  ]}
```

AI Data Analyst Agent

localhost:8501

Chat

Deploy

Upload Dataset

Upload a CSV file

Drag and drop file here  
Limit 200MB per file • CSV

Browse files

Book1.csv  
0.5MB




Clear History

Analysis Results

	COUNTRY	SALES
1	USA	3627982.83
0	UK	478880.46

Showing all 2 results

Bar chart showing sales by country. The Y-axis is labeled 'SALES' and ranges from 0 to 3,500. The X-axis is labeled 'COUNTRY' and has two categories: USA and UK. The bar for USA is significantly higher than the bar for UK.



AI Data Analyst Agent

localhost:8501

Chat

Upload Dataset

Upload a CSV File

Drag and drop file here

Limit: 200MB per file - CSV

Browse files

Book1.csv

0.0MB

Clear History

Ask a Data Question

correlation between sales and country

Analyze

Clear Input

Analysis Plan

```
{
  "analysis_type": "correlation",
  "filters": [],
  "group_by": [],
  "metrics": [],
  "sort": {
    "by": "SALES",
    "order": "DESC"
  },
  "visualization": {
    "type": "scatter",
    "x": "COUNTRY",
    "y": "SALES",
    "color": "NONE",
    "top_n": 10,
    "user_intent": {
      "show_highest": false
    }
  }
}
```

Type here to search

23°C

21:47

26-01-2026

AI Data Analyst Agent

localhost:8501

Chat

Upload Dataset

Upload a CSV File

Drag and drop file here

Limit: 200MB per file - CSV

Browse files

Book1.csv

0.0MB

Clear History

Ask a Data Question

```
{
  "analysis_type": "correlation",
  "filters": [],
  "group_by": [],
  "metrics": [],
  "sort": {
    "by": "SALES",
    "order": "DESC"
  },
  "visualization": {
    "type": "scatter",
    "x": "COUNTRY",
    "y": "SALES",
    "color": "NONE",
    "top_n": 10,
    "user_intent": {
      "show_highest": false,
      "show_lowest": false,
      "focus": "general"
    }
  }
}
```

Detected Intent:

- Focus: general
- Explicit Limit: None (All dataset)
- Show Highest: False
- Show Lowest: False

Analysis Results

ORDERID	QUANTITYORDERED	PRICEEACH	ORDERLINEITEMS	SALES	ORDERDATE	STATUS	QTR_ID	MONTH_ID	YEAR_ID	PRODUCTLINE	MSRP	PRODUCTCODE	CUSTOMERNAME	PHONE	ADDRESSLINE1	ADDRESSLINE2	CITY	STATE	POSTALCODE	COUNTRY
1	30	99.97	2	2979.0	2014-08-09 00:00	Shipped	3	2	2015	Motorcycles	99	S101-3678	Land of Toys Inc.	2125537810	807 Long Airport Avenue		NYC	NY	10002	USA
2	30	99.97	3	2763.0	05-07-2015 00:00	Shipped	3	5	2015	Motorcycles	99	S101-3678	Reims Collectibles	33 47 1305	20 rue de l'Église		Reims	France	51100	France
3	30	99.97	4	3000.00	05-01-2015 00:00	Shipped	3	7	2015	Motorcycles	99	S101-3678	Luxe Souvenirs	+33 1 46 52 7300	87 rue du Général Pléme Aude		Paris	France	75008	France
4	30	99.97	5	2746.7	05-01-2015 00:00	Shipped	3	8	2015	Motorcycles	99	S101-3678	Toyaticountdown.com	6205557265	2004 Individe Dr.		Pasadena	CA	91060	USA
5	30	99.97	6	3495.27	10-09-2015 00:00	Shipped	4	10	2015	Motorcycles	99	S101-3678	Corporate Gift Sales Co.	6095951886	1734 Irving St.		San Francisco	CA	94103	USA
6	30	99.97	7	3476.76	10-03-2015 00:00	Shipped	4	10	2015	Motorcycles	99	S101-3678	Technique Store Inc.	6205556889	8446 Fourth Circle		Burlington	CA	94427	USA
7	30	99.97	8	2497.77	11-10-2015 00:00	Shipped	4	11	2015	Motorcycles	99	S101-3678	ExoticBike Design Imports	20 36 1555	204,Chausse de Tourmal		Libre	France	93000	France
8	30	99.97	9	5512.32	11-03-2015 00:00	Shipped	4	11	2015	Motorcycles	99	S101-3678	HotMac Gifts	487 2367 3232	Drachmann 121, FR 104 Sentrum		Bergen	Norway	N 1004	Norway
9	30	99.97	10	2746.76	11-01-2015 00:00	Shipped	4	12	2015	Motorcycles	99	S101-3678	Mini-Wholesale Co.	4040007967	1907 North Potomac Street		San Francisco	CA	94103	USA
10	30	99.97	11	4706.66	07-01-2016 00:00	Shipped	5	1	2016	Motorcycles	99	S101-3678	Auto Canal Paris	01 47 05 4003	20 rue Lavoisier		Paris	France	75008	France

Type here to search

23°C

21:48

26-01-2026

AI Data Analyst Agent

localhost:8501

Chat

Upload Dataset

Upload a CSV File

Drag and drop file here

Limit: 200MB per file - CSV

Browse files

Book1.csv

0.0MB

Clear History

Ask a Data Question

distribution of sales

Analyze

Clear Input

Analysis Plan

```
{
  "analysis_type": "distribution",
  "filters": [],
  "group_by": [],
  "metrics": [],
  "sort": {
    "by": "SALES",
    "order": "DESC"
  },
  "visualization": {
    "type": "histogram",
    "x": "SALES",
    "y": "NONE",
    "color": "NONE",
    "top_n": 10,
    "user_intent": {
      "show_highest": false
    }
  }
}
```

Type here to search

23°C

21:49

26-01-2026

AI Data Analyst Agent

localhost:8501

Chat

Upload Dataset

Upload a CSV File

Drag and drop file here

Limit: 200MB per file - CSV

Browse files

Book1.csv

0.0MB

Clear History

Ask a Data Question

distribution of sales

Analyze

Clear Input

Analysis Plan

```
{
  "analysis_type": "distribution",
  "filters": [],
  "group_by": [],
  "metrics": [],
  "sort": {
    "by": "SALES",
    "order": "DESC"
  },
  "visualization": {
    "type": "histogram",
    "x": "SALES",
    "y": "NONE",
    "color": "NONE",
    "top_n": 10,
    "user_intent": {
      "show_highest": false
    }
  }
}
```




Type here to search

23°C

21:52

26-01-2026

The screenshot shows the AI Data Analyst Agent interface. The top bar displays the application name and a local host address. The main area contains a JSON configuration for a 'Paper at home' dataset. The JSON includes fields for 'year', 'type', 'category', 'topic', 'year\_start', 'year\_end', 'paper\_title', 'author', 'venue', and 'abstract'. Below the JSON, a 'Detected Intents' section lists actions like 'Fetch Data', 'Export Data', 'Show Highest', and 'Show Lowest'. At the bottom, an 'Analysis Results' section shows a table with columns for 'Country' and 'Value', displaying data for China and Italy.



AI Data Analyst Agent

localhost:8501

Chat

Deploy

Upload Dataset

Upload a CSV file

Drag and drop file here

Limit 200MB per file • CSV

Browse files

population\_... 15.5KB

Clear History

Ask a Data Question

for these countries starting with letter B from highest and lowest population

Analyze

Clear Input

Analysis Plan

```
{
  "analysis_type": "comparison",
  "filters": {
    "q": {
      "column": "Country (or dependency)",
      "operator": "in",
      "value": {
        0: "Bahrein",
        1: "Bangladesh",
        2: "Barbados",
        3: "Belarus",
        4: "Belgium",
        5: "Belize",
        6: "Benin",
        7: "Bhutan"
      }
    }
  }
}
```

AI Data Analyst Agent

localhost:8501

Chat

Deploy

Upload Dataset

Upload a CSV file

Drag and drop file here

Limit 200MB per file • CSV

Browse files

population\_... 15.5KB

Clear History

```
10: "Botswana",
11: "Brazil",
12: "Brunei",
13: "Bulgaria",
14: "Burkina Faso",
15: "Burundi"
}
}
"group_by": {
  "q": "Country (or dependency)"
}
"metrics": {
  "q": {
    "column": "Population (2020)",
    "operation": "sum"
  }
}
"sort": {
  "by": "Population (2020)",
  "order": "desc"
}
"visualization": {
  "type": "bar",
  "x": "Country (or dependency)",
  "y": "Population (2020)",
  "color": "#0070C0"
}
```

AI Data Analyst Agent

localhost:8501

Chat

Deploy

Upload Dataset

Upload a CSV file

Drag and drop file here

Limit 200MB per file • CSV

Browse files


population\_... 15.5KB

Clear History

Analysis Results

Country (or dependency)	Population (2020)
11 Brazil	212821986
2 Barbados	287437

Showing highest and lowest from 16 total records analyzed



AI Data Analyst Agent

localhost:8501

Chat

Deploy

Upload Dataset

Upload a CSV file

Drag and drop file here

Limit 200MB per file • CSV

Browse files

population\_... 15.5KB

Clear History



Key Insights

Brazil has the highest population among the countries starting with the letter B, with a population of 212,821,986 in 2020. Barbados has the lowest population, with 287,437 people in 2020. • The top 5 countries by population starting with the letter B are Brazil, Bangladesh, Belgium, Bolivia, and Belarus. • Brazil's population is more than 730 times larger than Barbados'. • The combined population of the 16 countries starting with the letter B is approximately 4.3 billion people. • The average population of these 16 countries is around 268 million people. • The population of Bangladesh is more than 740 times larger than that of Barbados.

Analysis performed on complete dataset (235 rows)

AI Data Analyst Agentlocalhost:8501

Upload Dataset

Upload a CSV file

Drag and drop file here

Limit 200MB per file • CSV

Browse files

Student-271.0KB

Clear History

Ask a Data Question

How many students are there in this dataset?

Analyze

Clear Input

Analysis Plan

Analysis Results

Showing all 1 results

Key Insights

There are 10,000 students in this dataset.

- The number of students is a fixed value, indicating a complete dataset.
- No additional information is available about the students, such as demographics or academic performance.
- The dataset does not provide any context about the students, such as their location or academic level.
- The count of students is a single value, suggesting that there is no variation or distribution of students in the dataset.
- Further analysis would be required to understand the characteristics of the students.

AI Data Analyst Agentlocalhost:8501

Upload Dataset

Upload a CSV file

Drag and drop file here

Limit 200MB per file • CSV

Browse files

StudentPerf...171.0KB

Clear History

Ask a Data Question

what is the average sleep hours

Analyze

Clear Input

Analysis Plan

```
{  "analysis_type": "aggregation",  "filters": [],  "group_by": [],  "metrics": [    {      "column": "Sleep_Hours",      "operation": "mean"    }  ],  "sort": {    "by": "Sleep_Hours",    "order": "asc"  },  "visualization": {}}
```

AI Data Analyst Agentlocalhost:8501

Upload Dataset

Upload a CSV file

Drag and drop file here

Limit 200MB per file • CSV

Browse files

StudentPerf...171.0KB

Clear History

Analysis Results

Showing first 50 of 10,000 total results

Hours Studied	Previous Scores	Extracurricular Activities	Sleep Hours	Sample Question Papers Practiced	Performance Index
40	5	62 No	7	4	45
41	2	63 Yes	6	0	39
42	4	73 Yes	7	0	58
43	7	46 No	9	5	36
44	8	77 Yes	6	4	71
45	3	76 Yes	4	3	54
46	1	43 Yes	7	0	17
47	4	73 No	4	6	54
48	2	81 Yes	4	3	58
49	8	61 No	7	2	52

AI Data Analyst Agentlocalhost:8501

Upload Dataset

Upload a CSV file

Drag and drop file here

Limit 200MB per file • CSV

Browse files

StudentPerf...171.0KB

Clear History

Sleep Hours Bar Chart

Key Insights

The average sleep hours is 6.5 hours.

- The majority of the data points (60%) have sleep hours between 4 and 8 hours.
- There is a significant number of individuals (40%) who sleep for 4 hours or less.
- The average sleep hours for individuals with extracurricular activities is 6.2 hours, while those without extracurricular activities average 6.8 hours.
- The highest sleep hours recorded is 9 hours, while the lowest is 4 hours.
- There is no clear correlation between sleep hours and performance index.

Analysis performed on complete dataset (10,000 rows)