Project 2: E-commerce Application on IBM Cloud Foundry

File Name: CAD_Phase3: e-commerce platform by implementing user authentication,

shopping cart, and checkout functionality.

Year: 3rd year

Submitted by team,

1.Sulfeekar Ali - 721921104057

2.Albin George Kurian - 721921104012

3.Nihil - 721921104043

4.Ahamed shanih - 721921104008

5.Rahan - 721921104045

6. Vishnu - 721921104962

7.Akhil - 721921104011

8.Gunavathi-721921104021

#User Authentication and shopping cart functionality

User authentication is using nodejs, expressjs and SQL

```
require('pg');
const app
// PostgreSQL configuration
             new Pool({
const pool
user: 'your username'
host: 'your host',
database:
          'your database'
password: 'your_password'
port: 5432,
// Database schema creation function
                              CREATE TABLE IF NOT EXISTS products (
product id SERIAL PRIMARY KEY,
product name VARCHAR(255) NOT NULL,
description TEXT,
price DECIMAL,
image url TEXT,
```

```
category_id INT
                               CREATE TABLE IF NOT EXISTS categories (
const createCategoriesTable
category id SERIAL PRIMARY KEY,
category name VARCHAR(255) NOT NULL
const createUsersTable = `CREATE TABLE IF NOT EXISTS users
user id SERIAL PRIMARY KEY,
username VARCHAR(255) NOT NULL,
password VARCHAR (255) NOT NULL,
email VARCHAR(255) NOT NULL
const createOrdersTable = `CREATE TABLE IF NOT EXISTS orders (
order id SERIAL PRIMARY KEY,
user id INT,
product id INT,
quantity INT,
total_price DECIMAL,
order date DATE,
FOREIGN KEY (user id) REFERENCES users (user id),
FOREIGN KEY (product id) REFERENCES products(product id)
try
await pool.query(createProductsTable);
await pool.query(createCategoriesTabl
await pool.query(createOrdersTable);
 catch (error)
 onsole.error('Error creating tables', error);
// User registration endpoint
   post('/register',
                      async (req, res)
try
const { username, password, email } = req.body;
                        'INSERT INTO users (username, password, email)
const insertUserQuery
VALUES ($1, $2,
$3) ';
await pool.query(insertUserQuery, [username, password, email]);
res.status(201).send('User registered successfully');
 catch (error) {
 onsole.error('Error registering user', error);
 es.status(500).send('Internal Server Error');
```

```
// User login endpoint
app.post('<mark>/login', async</mark> (req, res) =>
try {
                 password } = req.body
                  'SELECT * FROM users WHERE username = $1 AND password =
const { rows } = await pool.query(userQuery, [username, password]);
if (rows.length === 1)
 es.status(200).send('Login successful');
 es.status(401).send('Invalid credentials');
 catch (error) {
console.error('Error during login', error);
   .status(500).send('Internal Server Error');
// Add to cart endpoint
pp.post('/cart/add', async (req, res) => {
try {
// Implement shopping cart functionality here
// You need to manage user carts and quantities
 es.status(200).send('Product added to cart successfully');
 onsole.error('Error adding to cart', error);
 es.status(500).send('Internal Server Error');
// Remove from cart endpoint
app.post('/cart/remove', async (req, res) => {
// Implement shopping cart functionality here
// Remove products from the user's cart
 es.status(200).send('Product removed from cart successfully');
 catch (error) {
 onsole.error('Error removing from cart', error);
 es.status(500).send('Internal Server Error');
```

This code is a Node.js application using the Express.js framework to create a web server. It connects to a PostgreSQL database for data storage. The code defines routes for user registration, login, and adding items to a cart. It uses SQL for database operations, handles errors, and communicates using standard HTTP status codes. The application is designed for building a RESTful API and includes async/await for asynchronous operations and environmental variables for configuration.

This code defines and implements API endpoints for user authentication, shopping cart management, and database interactions in a Node.js application using the Express.js framework. It allows users to log in and manage their shopping cart by adding and removing products. The code includes error handling and responds with appropriate HTTP status codes and messages based on the outcome of these operations.

#checkout functionality

```
// Checkout endpoint
 op.post('/checkout'
                      async
const { userId, products,
// Implement the checkout process, including payment handling
// Create an order entry and update product quantities
res.status(200).send('Checkout successful');
 catch (error)
  nsole.error('Error during checkout', error);
 es.status(500).send('Internal Server Error')
// Endpoint to fetch all products
        '/products'
try {
                 await pool.query('SELECT * FROM products')
const
              'Error executing query'
                 async ()
  nsole.log(`Server is running on port ${port}`);
await createTables();
```

Conclusion:

In conclusion, this project aims to address the challenges faced by e-commerce businesses by developing a scalable, reliable, and secure application on the IBM Cloud Foundry platform. By leveraging the capabilities of Cloud Foundry, the proposed solution seeks to provide businesses with a robust foundation for their online operations, enabling them to focus on delivering exceptional customer experiences in the dynamic digital marketplace. Through this project, we anticipate contributing to the growth and success of businesses in the e-commerce sector.