

Ex. No.: 3a)

Date: 31/01/25

Shell Script – Reverse of Digit

Aim:

To write a Shell script to reverse a given digit using looping statement.

Program:

```
#!/bin/bash

read -p "Enter a number: " num
rev=0

while [ $num -ne 0 ]; do
    digit=$((num % 10))
    rev=$((rev * 10 + digit))
    num=$((num / 10))
done

echo "Reversed number: $rev"
```

Sample Input and Output

Run the program using the below command

```
[REC@local host~]$sh indhu.sh
```

```
enter number
```

```
123
```

```
321
```

Result:

Thus, the program is executed successfully.

Ex. No.: 3b)

Date: 05/02/25

Shell Script – Fibonacci Series

Aim:

To write a Shell script to generate a Fibonacci series using for loop.

Program:

```
#!/bin/bash

read -p "Enter number of terms: " n

a=0
b=1

echo "Fibonacci series:"

for (( i=0; i<n; i++ ))
do
    echo -n "$a "
    fn=$((a + b))
    a=$b
    b=$fn
done

echo ""
```

Sample Input and Output

Run the program using the below command

```
[REC@local host~]$sh indhu.sh
```

```
Enter number: 21
```

```
Fibonocci series:
```

```
0  
1  
1  
2  
3  
5  
8  
13  
21  
34  
55  
89  
144  
233  
377
```

Result:

Thus, the program is executed successfully.