
Asynchronous Javascript and XML

When you want to change the portion of the page without reloading the entire page.

This helps to speed up the execution of the application.

The data we receive is in XML or JSON or Text format

```
XML(extensible
              con XML
                 cproduct>
markup
language)
                    <pid>1</pid>
                   <pname>shoes
                   <colors>
                       <c1>black</c1>
                       <c1>blue</c1>
                       <c1>red</c1>
                   </colors>
                 </product>
               cproduct>
                   <pid>2</pid>
                   <pname>bags</pname>
                   <colors>
                       <c1>black</c1>
                       <c1>blue</c1>
                       <c1>red</c1>
                   </colors>
                </product>
              </productDetails>
              [{"pid":1,"pname":"shoes","colours":["red","blue","black"]},
JSON(javascript
              {"pid":2,"pname":"bags","colours":["red","blue","black"]}]
object
notation)
```



Using BootStrap JS

1. Download bootstrapjs from the following link

https://getbootstrap.com/docs/4.6/getting-started/download/

2. Unzip the file in you project

3. Then add jquery.js, bootstrap.js, bootstrap.css in html, wherever you want to use bootstrap js

What is SM size in Bootstrap 4? Grid Classes

. col-sm- (small devices - screen width equal to or greater than 576px) . col-md- (medium devices - screen width equal to or greater than 768px)