


Form tag

method	<p>Get- if the value is get, then the data will transferred to server via query string, in request objects header, body of request will be empty</p> <p>Example http://127.0.0.1:5501/Loginform.html?uname=sdsd&pass=ssdgdfgh&btn=login</p> <p>Post- if the value is post, then the data will be sent via request body, and will not be visible to user.</p> <p>Useful when the data is crucial, or the data size is huge</p>	
Action	<p>It represents the url of the file to which the data will be sent on the server, url are of 2 types</p> <p>absolute url and relative url</p> <p>if the url starts with / then it is absolute url, else it is called as relative url</p>	

<http://127.0.0.1:3000/MyApp/file3> -----absolute



Button types

submit	It sends the data to the server, to the file associated with url, assigned to action attribute in the form tag, and it refresh the page
button	It generates click event and stays on the same page
reset	It clears the form

Attributes in forms

autofocus	It will bring the focus in the text box in which autofocus is given
required	It will make the mandatory, blank value is not allowed
placeholder	It shows the grey text in the text box, it will disappear when user type some text, useful to display help
minlength	It specifies min number of characters to be there in text box, it is used only with text box
maxlength	It specifies max number of characters to be there in text box, it is used only with text box and password
pattern	It specifies pattern that should be satisfied by the contents, it is used only with text box and password

Name

email

age

Address

Date of birth

gender

☐ Male
☐ Female

Degree

☐ BTech
☐ MTech
☐ PHD

hobbies

☐ Reading
☐ Trekking
☐ Sleeping

☐ Biking
☐ Gaming
☐ eating

city:

Register me

Cancel