
Type here to search
ENG
20:55
07-02-2021


C:\frames\mixed_frames
file:///C:/frames/mixed_frames.html
Frame 1
Contents of Frame 1
Frame 2
Contents of Frame 2
Frame 3
Contents of Frame 3
Frame 4
Contents of Frame 4

4. Create a web page having an inline frame

C:\Users\Prasad\Documents\image link.html - Notepad++

File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?

final heading.html | image link.html

```
1  <!DOCTYPE html>
2  <html>
3  <head>
4  <iframe src="http://www.sanjivaniis.com/#"
5  height="200" width="300"
6  title="iframe example"></iframe>
7  </html>
8  </head>
9
```



5. Create A web page demonstrating usage of frame name and target attribute-similar to following example where individual links shouldopen in the content page-





7. Working with fonts, backgrounds, and marquee

1. Create webpages implementing different backgrounds, fonts





2. Create a webpage demonstrating HTML block(use div and span tag)





3. Create a webpage implementing audio controls





4. Create webpages demonstrating different attributes of marquee tag





8. Working with HTML forms

1. Create a html form having all the form items within it.





9. Working in CSS

1. Create a webpage incorporating internal CSS





2. Create a webpage incorporating external CSS





3. Create a webpage incorporating inline CSS





4. Create a webpage incorporating CSS for tables





5. Create a webpage showing change in background color using CSS(canrefer javapoint)





6. Create a webpage demonstrating change in image size using CSS

C:\Users\Prasad\Documents\final heading.html - Notepad++

File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?

final heading.html | new 123colour

```
<!DOCTYPE html>
<html>
<head>
<title>cell padding</title>
<style>
div {
width: auto;
text-align: center;
padding: 15px;
border: 3px solid pink;
}
img {
max-width: 25%;
height: auto;
}
</style>
</head>
<body>
<div>
<img src= "C:\Users\Prasad\Downloads\giraffee.jpg">
</div>
</body>
</html>
```

Hyper Text Markup Language file | length : 583 lines : 137 | Col : 14 Sel : 0 | 0 | Windows (CR LF) | UTF-8 | INS

Type here to search | ENG 22:27 26-03-2021

PBL topic, su | cell padding | Swayam Cer | Exam Dashb | WhatsApp | Format for p | Stryer Biochi | pbluk.dvi

File | C:/Users/Prasad/Documents/final%20heading.html

Update



Type here to search | ENG 22:26 26-03-2021

7. Create a webpage demonstrating aligning of images in CSS

```
<!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width, initial-scale=1">
<style>
img {
display: block; margin-
left: auto; margin-right:
auto;
}
</style>
</head>
<body>
<h2>Center an Image</h2>
<p>To center an image, we just have to set left and right margin to auto, andmake it into a block element.</p>
<img src="Brand.jpg" alt="Brand" style="width:50%;">
</body>
</html>
```




Inbox (16
Meet
BLI-225:
Format fo
Home
WhatsAp
Meme Te
blank.htm
frames5.h
File | C:/Users/Prasad/Downloads/frames5.html
Update
Center an Image
To center an image, we just have to set left and right margin to auto, and make it into a block element.
Business
marketing
quality
consumers
trademark
Type here to search
ENG
11:18
31-03-2021

8. Create a webpage demonstrating change of fonts using CSS

```
<!DOCTYPE html>
<html>
<head>
<style>
.p1 {
font-family: "Times New Roman", Times, serif;
}
.p2 {
font-family: "Lucida Console", "Courier New", monospace;

.p3 {
font-family: Arial, Helvetica, sans-serif;
}
}
</style>
</head>
<body>
<h1>CSS font-family</h1>
<p class="p1">This is a paragraph, shown in the Times New Romanfont.</p>
<p class="p2">This is a paragraph, shown in the Lucida Console font.</p>
<p class="p3">This is a paragraph, shown in the Arial font.</p>
</body>
</html>
</p>
<p class="p2">This is a paragraph, shown in the Lucida Console font.</p>
<p class="p3">This is a paragraph, shown in the Arial font.</p>
```

</body>

</html>


C:\Users\Prasad\Downloads\frames5.html - Notepad++
File Edit Search View Encoding Language Settings Tools Macro Run Plugins Window ?
frames5.html
<!DOCTYPE html>
<html>
<head>
<style>
.p1 {
font-family: "Times New Roman", Times, serif;
}
.p2 {
font-family: "Lucida Console", "Courier New", monospace;
}
.p3 {
font-family: Arial, Helvetica, sans-serif;
}
}
</style>
</head>
<body>
<h1>CSS font-family</h1>
This is a paragraph, shown in the Times New Roman font.
This is a paragraph, shown in the Lucida Console font.
This is a paragraph, shown in the Arial font.
</body>
</html>

This is a paragraph, shown in the Lucida Console font.
This is a paragraph, shown in the Arial font.
</body>
</html>
Hyper Text Markup Language file
length : 675 lines : 29
Ln : 27 Col : 8 Sel : 0 | 0
Windows (CR LF)
UTF-8
INS
Type here to search
ENG
11:14
31-03-2021


File | C:/Users/Prasad/Downloads/frames5.html
Update
CSS font-family
This is a paragraph, shown in the Times New Roman font.
This is a paragraph, shown in the Lucida console font.
This is a paragraph, shown in the Arial font.
This is a paragraph, shown in the Lucida Console font.
This is a paragraph, shown in the Arial font.
Type here to search
ENG
11:15
31-03-2021

10. Working with JavaScript basics
    1. Write a simple program using internal JavaScript to display a message on the screen.



2. Write a simple program using external JavaScript to display a message on the screen.






File | C:/Users/Prasad/Downloads/kihu.html
This page says
Hey How you doin
OK

Type here to search
ENG
21:23
09-04-2021

File | C:/Users/Prasad/Downloads/kihu.html
Hello JavaScript by JavaScript

Type here to search
ENG
21:24
09-04-2021