




EOLARITY

INNOVATIONS LLP

Logo Variations

Approved lockups for every context.

PRIMARY · STACKED



HORIZONTAL



SYMBOL · MARK ONLY



INVERTED · DARK BACKGROUND



Color System

A grounded, energetic palette built around charcoal and ember orange.



Eolarity Charcoal

HEX #1F2226
RGB rgb(31, 34, 38)

PRIMARY · 60%



Ember Orange

HEX #D96725
RGB rgb(217, 103, 37)

ACCENT · 25%



Terra

HEX #D95323
RGB rgb(217, 83, 34)


SECONDARY · 8%



Deep Maroon

HEX #400D09
RGB rgb(64, 13, 9)

DEPTH · 5%



Off White

HEX #F2F2F2
RGB rgb(242, 242, 242)

SURFACE · 2%

Typography

A geometric sans for confidence; a humanist sans for clarity.

DISPLAY · HEADLINES

Helvetica Bold / Inter Bold · 700

Aa Bb Cc
Innovation, with polarity.

BODY · PARAGRAPHS

Helvetica / Inter · 400

Aa Bb Cc 0123


Eolarity Innovations builds modern technology with clarity and conviction. Our identity moves between charcoal restraint and ember energy — a quiet system that knows when to spark.

FULL CHARACTER SET

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz 0123456789

Clear Space & Usage

Give the mark room to breathe. Respect the system.



MINIMUM SIZE



Never reproduce the mark below 16 px / 6 mm.

USAGE PRINCIPLES

- DO** Use approved color combinations only.
- DO** Maintain clear space and minimum sizes.
- DON'T** Do not rotate, distort, or recolor the mark.
- DON'T** Do not place the mark on busy or low-contrast imagery.