

DevOps and Automation Lab


Name: Gunjan Joshi

Course: B.Tech CSE

Roll no: 2301010062

Group: 1

Lab-1 Tasks

A screenshot of a Windows terminal window with a dark background. The title bar at the top shows the Windows logo icon followed by the text "MINGW64:/c/Users/GJ". The terminal content shows a user prompt "GJ@LAPTOP-H92AJ0M5" in green, followed by "MINGW64" in purple and a tilde "~" in yellow. The user enters the command "\$ git --version" in white. The output "git version 2.55.0.windows.3" is displayed in white. The prompt repeats, and the user enters a vertical bar "|" in white.

```
MINGW64:/c/Users/GJ

GJ@LAPTOP-H92AJ0M5 MINGW64 ~
$ git --version
git version 2.55.0.windows.3

GJ@LAPTOP-H92AJ0M5 MINGW64 ~
$ |
```

MINGW64:/c/Users/GJ

GJ@LAPTOP-H92AJ0M5 MINGW64 ~

```
$ git --version
git version 2.55.0.windows.3
```

GJ@LAPTOP-H92AJ0M5 MINGW64 ~

```
$ git config --global user.name "Gunjan"
```

GJ@LAPTOP-H92AJ0M5 MINGW64 ~

```
$ git config --global user.email "gunjabdkm@gmail.com"
```

GJ@LAPTOP-H92AJ0M5 MINGW64 ~

```
$ git config --global --list
core.editor="C:\Users\GJ\AppData\Local\Programs\Microsoft VS Code\bin\code" --wait
user.name=Gunjan
user.email=gunjabdkm@gmail.com
```

GJ@LAPTOP-H92AJ0M5 MINGW64 ~

```
$
```

GJ@LAPTOP-H92AJ0M5 MINGW64 ~

```
$ cd OneDrive/Desktop
```

GJ@LAPTOP-H92AJ0M5 MINGW64 ~/OneDrive/Desktop

```
$ git clone https://github.com/GunjanJ2027/DevOps-and-Automation-Lab.git
Cloning into 'DevOps-and-Automation-Lab'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.
```

GJ@LAPTOP-H92AJ0M5 MINGW64 ~/OneDrive/Desktop

```
$ |
```

```
GJ@LAPTOP-H92AJOM5 MINGW64 ~/OneDrive/Desktop
$ cd DevOps-and-Automation-Lab

GJ@LAPTOP-H92AJOM5 MINGW64 ~/OneDrive/Desktop/DevOps-and-Automation-Lab (main)
$ echo "print('Hello DevOps')" > app.py

GJ@LAPTOP-H92AJOM5 MINGW64 ~/OneDrive/Desktop/DevOps-and-Automation-Lab (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    app.py

nothing added to commit but untracked files present (use "git add" to track)

GJ@LAPTOP-H92AJOM5 MINGW64 ~/OneDrive/Desktop/DevOps-and-Automation-Lab (main)
$ git add app.py
warning: in the working copy of 'app.py', LF will be replaced by CRLF the next time Git touches it

GJ@LAPTOP-H92AJOM5 MINGW64 ~/OneDrive/Desktop/DevOps-and-Automation-Lab (main)
$ git add .
```

```
GJ@LAPTOP-H92AJOM5 MINGW64 ~/OneDrive/Desktop/DevOps-and-Automation-Lab (main)
$ git commit -m "Add app.py with a hello message"
[main 0422d76] Add app.py with a hello message
 1 file changed, 1 insertion(+)
 create mode 100644 app.py

GJ@LAPTOP-H92AJOM5 MINGW64 ~/OneDrive/Desktop/DevOps-and-Automation-Lab (main)
$ git push origin main
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 12 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 312 bytes | 312.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/GunjanJ2027/DevOps-and-Automation-Lab.git
 5639025..0422d76  main -> main
```

```
GJ@LAPTOP-H92AJOM5 MINGW64 ~/OneDrive/Desktop/DevOps-and-Automation-Lab (main)
$ git add .

GJ@LAPTOP-H92AJOM5 MINGW64 ~/OneDrive/Desktop/DevOps-and-Automation-Lab (main)
$ git commit -m "Resolve merge conflict in app.py"
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean
```