

Independent Samples T-Test

T-Test

Group Statistics

	What is your gender?	N	Mean	Std. Deviation	Std. Error Mean
How often do you masturbate multiple times in one day?	Male	2984	1.24	1.121	.021
	Female	2622	.88	1.031	.020

Independent Samples Test

Levene's Test for Equality of Variances					t-test for Equality of Means						
		F	Sig.	t	df	Significance One-Sided p	Significance Two-Sided p	Mean Difference	Std. Error Difference	95% Confidence Interval of the Difference	
How often do you masturbate multiple times in one day?	Equal variances assumed	46.696	<.001	12.487	5604	<.001	<.001	.361	.029	.304	.418
	Equal variances not assumed			12.555	5592.649	<.001	<.001	.361	.029	.305	.417

Independent Samples Effect Sizes

		Standardizer ^a	Point Estimate	95% Confidence Interval	
How often do you masturbate multiple times in one day?	Cohen's d	1.080	.334	.281	.387
	Hedges' correction	1.080	.334	.281	.387
	Glass's delta	1.031	.350	.297	.403

a. The denominator used in estimating the effect sizes.

Cohen's d uses the pooled standard deviation.

Hedges' correction uses the pooled standard deviation, plus a correction factor.

Glass's delta uses the sample standard deviation of the control group.

The mean times a person masturbated multiple times in a day by the sample of 2622 women ($M = .88$, $SD = 1.031$) was smaller than the number of men out of the sample of 2984 ($\mu = 1.24$). With alpha set at $\alpha = .05$, a single-sample t test indicated that the difference between the two means was statistically significant, $t(5604) = 12.487$, $SE_M = .021$, $p = <.001$, one tailed. Men in this sample masturbated multiples times per day an average of .361 times more than women in this study. The 95% CI for this difference was $[-.304, +.418]$.

Paired or Repeated Measures T-Test

Paired Samples Statistics

		Mean	N	Std. Deviation	Std. Error Mean
Pair 1	DASS-Stress	16.8715	6623	11.82880	.14535
	DASS-Depression	15.5688	6623	12.64376	.15536

Paired Samples Correlations

		N	Correlation	Significance	
				One-Sided p	Two-Sided p
Pair 1	DASS-Stress & DASS-Depression	6623	.844	<.001	<.001

Paired Samples Test

		Paired Differences			95% Confidence Interval of the Difference		t	df	Significance	
		Mean	Std. Deviation	Std. Error Mean	Lower	Upper			One-Sided p	Two-Sided p
Pair 1	DASS-Stress - DASS-Depression	1.30273	6.88351	.08458	1.13692	1.46854	15.402	6622	<.001	<.001

Paired Samples Effect Sizes

		Standardizer ^a		Point Estimate	95% Confidence Interval	
		Cohen's d	Hedges' correction		Lower	Upper
Pair 1	DASS-Stress - DASS-Depression			.189	.165	.214
				.189	.165	.214

a. The denominator used in estimating the effect sizes.

Cohen's d uses the sample standard deviation of the mean difference.

Hedges' correction uses the sample standard deviation of the mean difference, plus a correction factor.

A Paired-samples *t*-test was done to evaluate the difference in DASS stress of pornography users ($M = 16.8715$, $SD = 11.82880$) and DASS depression for pornography users ($M = 15.5688$, $SD = 12.64376$). Paired-samples *t* was $t(6622) = 15.402$, $p < .001$, two-tailed with a Cohen's $d = .214$. The mean difference was $M = 1.30273$ with $SD = 6.88351$ and 95% CI [1.13692, 1.46854].

One-way between-subjects ANOVA

Levene's Test of Equality of Error Variances^{a,b}

		Levene Statistic	df1	df2	Sig.
DASS-Depression	Based on Mean	6.114	60	2920	<.001
	Based on Median	4.622	60	2920	<.001
	Based on Median and with adjusted df	4.622	60	2295.256	<.001
	Based on trimmed mean	5.784	60	2920	<.001

Tests the null hypothesis that the error variance of the dependent variable is equal across groups.

a. Dependent variable: DASS-Depression

b. Design: Intercept + SS_Self


Tests of Between-Subjects Effects

Dependent Variable: DASS-Depression

Source	Type III Sum of Squares	df	Mean Square	F	Sig.	Partial Eta Squared
Corrected Model	246153.742 ^a	60	4102.562	59.214	<.001	.549
Intercept	763132.176	1	763132.176	11014.657	<.001	.790
SS_Self	246153.742	60	4102.562	59.214	<.001	.549
Error	202307.338	2920	69.283			
Total	1499856.000	2981				
Corrected Total	448461.080	2980				

a. R Squared = .549 (Adjusted R Squared = .540)

Profile Plots



Levene's Test of Equality of Error Variances^{a,b}

		Levene Statistic	df1	df2	Sig.
DASS-Depression	Based on Mean	6.114	60	2920	<.001
	Based on Median	4.622	60	2920	<.001
	Based on Median and with adjusted df	4.622	60	2295.256	<.001
	Based on trimmed mean	5.784	60	2920	<.001

Tests the null hypothesis that the error variance of the dependent variable is equal across groups.

a. Dependent variable: DASS-Depression

b. Design: Intercept + SS_Self

Tests for Heteroskedasticity

F Test for Heteroskedasticity^{a,b,c}

F	df1	df2	Sig.
57.419	1	2979	<.001

a. Dependent variable: DASS-Depression

b. Tests the null hypothesis that the variance of the errors does not depend on the values of the independent variables.

c. Predicted values from design: Intercept + SS_Self

Tests of Between-Subjects Effects

Dependent Variable: DASS-Depression

Source	Type III Sum of Squares	df	Mean Square	F	Sig.	Partial Eta Squared
Corrected Model	246153.742 ^a	60	4102.562	59.214	<.001	.549
Intercept	763132.176	1	763132.176	11014.657	<.001	.790
SS_Self	246153.742	60	4102.562	59.214	<.001	.549
Error	202307.338	2920	69.283			
Total	1499856.000	2981				
Corrected Total	448461.080	2980				

a. R Squared = .549 (Adjusted R Squared = .540)

A one-way between-s ANOVA was done to compare the mean scores on a DSS-Depression scale (from 1=normal to 5=extremely severe) and the mean score on a Sexual Shame Scale-Self (1-7) to measure the effects of shame on depression. The overall F for the one-way ANOVA was statistically significant, $F(60, 2920) = 59.214, p < .001$. This corresponded to an effect size of $\eta^2 = .549$.

Two-way between-subjects ANOVA

Levene's Test of Equality of Error Variances ^{a,b}					
		Levene Statistic	df1	df2	Sig.
DASS-Depression	Based on Mean	6.644	73	4000	<.001
	Based on Median	5.351	73	4000	<.001
	Based on Median and with adjusted df	5.351	73	3435.996	<.001
	Based on trimmed mean	6.654	73	4000	<.001
Tests the null hypothesis that the error variance of the dependent variable is equal across groups.					
a. Dependent variable: DASS-Depression					
b. Design: Intercept + ESS_Char + Gender + ESS_Char * Gender					

Tests of Between-Subjects Effects

Dependent Variable: DASS-Depression

Source	Type III Sum of Squares	df	Mean Square	F	Sig.	Partial Eta Squared
Corrected Model	339754.130 ^a	73	4654.166	63.968	<.001	.539
Intercept	797051.223	1	797051.223	10954.885	<.001	.733
ESS_Char	315488.548	36	8763.571	120.449	<.001	.520
Gender	1409.081	1	1409.081	19.367	<.001	.005
ESS_Char * Gender	5936.475	36	164.902	2.266	<.001	.020
Error	291030.440	4000	72.758			
Total	1814844.000	4074				
Corrected Total	630784.570	4073				

a. R Squared = .539 (Adjusted R Squared = .530)

A 2 x 2 factorial ANOVA was performed using the SPSS procedure to assess the effect of gender (men and women) and shame on a Sexual Shame Scale-Self (1-4) on depression on a DSS-De <.001pression scale (from 1=normal to 5=extreme severe). The test showed that both gender and sexual shame both had statistically significant effects on depression. For sexual shame $F(73, 4000) = 120.449, p < .001$. This corresponded to an effect size of $\eta^2 = .520$. For gender $F(73, 4000) = 19.367, p < .001$. This corresponded to an effect size of $\eta^2 = .005$.

ANCOVA

Between-Subjects Factors

		Value Label	N
What is your gender?	1	Male	2169
	2	Female	1905

Descriptive Statistics

Dependent Variable: DASS-Depression

What is your gender?	Mean	Std. Deviation	N
Male	18.4472	12.43111	2169
Female	15.4551	12.27055	1905
Total	17.0481	12.44467	4074

Levene's Test of Equality of Error Variances^a

Dependent Variable: DASS-Depression

F	df1	df2	Sig.
20.016	1	4072	<.001

Tests the null hypothesis that the error variance of the dependent variable is equal across groups.

a. Design: Intercept + ESS_Char + Gender

Tests of Between-Subjects Effects

Dependent Variable: DASS-Depression

Source	Type III Sum of Squares	df	Mean Square	F	Sig.	Partial Eta Squared
Corrected Model	321681.847 ^a	2	160840.923	2118.336	<.001	.510
Intercept	40692.426	1	40692.426	535.935	<.001	.116
ESS_Char	312601.894	1	312601.894	4117.085	<.001	.503
Gender	1994.032	1	1994.032	26.262	<.001	.006
Error	309102.724	4071	75.928			
Total	1814844.000	4074				
Corrected Total	630784.570	4073				

a. R Squared = .510 (Adjusted R Squared = .510)

Estimated Marginal Means


What is your gender?

Dependent Variable: DASS-Depression

What is your gender?	Mean	Std. Error	95% Confidence Interval	
			Lower Bound	Upper Bound
Male	17.706 ^a	.187	17.339	18.074
Female	16.299 ^a	.200	15.906	16.691

a. Covariates appearing in the model are evaluated at the following values: Experience of Shame Scale (ESS): Characterological Shame = 2.4366.

Profile Plots



Covariates appearing in the model are evaluated at the following values: Experience of Shame Scale (ESS): Characterological Shame = 2.4366

An analysis of covariance (ANCOVA) was conducted to test for mean differences between men and women on a DSS-Depression scale for people using pornography. Descriptive statistics indicated that men had a statistically different rate of depression, with $M = 17.706$, $sd = 12.43111$ and 16.299 , $sd = 12.27055$, respectively, $F(1, 4072) = 20.016$, $p < .001$. The covariate, Sexual Shame-Self was significantly related to depression as well. $F(1, 4071) = 4117$, $p < .001$. The strength of the association between depression and sexual shame was $\eta^2 = .503$.

Correlation

➔ Correlations

[DataSet1] /Users/raywagoner/Documents/PhD/MergedTotalFinal_1_30_2024.sav

Descriptive Statistics

	Mean	Std. Deviation	N
DASS-Depression	15.6367	12.64111	6776
Sexual Shame Scale-Self	4.0060	1.65401	3059

Correlations

		DASS- Depression	Sexual Shame Scale-Self
DASS-Depression	Pearson Correlation	1	.731**
	Sig. (2-tailed)		<.001
	N	6776	2981
Sexual Shame Scale-Self	Pearson Correlation	.731**	1
	Sig. (2-tailed)	<.001	
	N	2981	3059

** . Correlation is significant at the 0.01 level (2-tailed).

A Bivariate correlation was done between DASS-Depression (1 = normal to 5 = extreme severe) M = 15.6367, sd = 12.64111 and Sexual Shame-Self (1-4) M = 4.0060, sd = 1.65401. The number of results for the DASS-Depression alone was N = 6776. When correlated with Sexual Shame-Self, the results were N = 2981. The correlation was shown to be significant with an $R = .731$, $p = <.001$ and the direction of the relationship is positive; when Sexual Shame-self is present, DASS-Depression increases.